THE FILE CLIPY



AD-A210 199

CDIKCL DELECTION UNLOS IESS


THE EFFECT OF HIGHER EDUCATION VARIABLES ON

# CADET PERFORMANCE DURING 1987 LIGHT AIRCRAFT TRAINING

Et Col Earry E. Baker

6 27 6 27 80

After you have read the research report, please give us your frank opinion on the contents. All comments—large or small, complimentary or caustic—will be gratefully appreciated. Mail them to: CADRE/RI, Building 1400, Maxwell AFB AL 36112-5532.







Research Report No. AU-ARI-88-9

THE EFFECT OF HIGHER EDUCATION VARIABLES ON CADET PERFORMANCE DURING 1987 LIGHT AIRCRAFT TRAINING

by

LARRY E. BAKER, Lt Col, USAF Research Fellow Airpower Research Institute

# DISTRIBUTION STATEMENT A

Approved for public releases Distribution Unlimited

Air University Press
Maxwell Air Force Base, Alabama 36112-5532

May 1989

#### DISCLAIMER


This publication was produced in the Department of Defense school environment in the interest of academic freedom and the advancement of national defense-related concepts. The views expressed in this publication are those of the author and do not reflect the official policy or position of the Department of Defense or the United States government.

This publication has not been reviewed by security and policy review authorities and is not cleared for public release. It is the property of the United States government and is not to be reproduced in whole or in part without permission of the commander, AUCADRE, Maxwell Air Force Base, Alabama.

# CONTENTS

Chapter		Page	
DIS	CLAIMER	. ii	
FOR	EWORD	. v	
ABO	UT THE AUTHOR	. vii	
PRE	FACE	. ix	
N S N A	EARCH DESIGN	. 1 . 3 . 4	
2 REV P 1 1 1	TIEW OF LITERATURE	. 7 . 7 . 9 . 10 . 15	
S	and Past Efforts	. 21 . 21 . 23	
М	Flying Training	. 28 . 28 . 29 . 30	
	Pass or Fail	. 33 . 33 . 34 . 37 . 37	
	University Academic Major University Varsity Sports Competition Prior Flying Experience	. 38	or C





03/0 MAPECTED

Chapter		Page
	AFROTC Detachment	38 39 39 39 39
4	Analysis of Subject Demographics Dichotomous Variables Pass or Fail during the LATR Program. Effect of Prior Flying Experience University Varsity Sports Competition Gender as a Variable Effect of Academic Majors Multivariant Analysis of Dependent Variables Summary of the Results	41 41 42 42 42 43 43 44 44
5	CONCLUSIONS AND RECOMMENDATIONS.  Prior Flying Experience.  Varsity College Athletics.  Air Force Officer Qualifying Test.  College Grade Point Average.  Curricular Variables Not Affecting  Performance.  Academic Majors.  Scholastic Aptitude Test Scores.  Quality Index Score.  Gender.  Recommendations.  A Brief Summary of LATR 1987.	47 47 48 49 50 50 51 51 51 52 53
mak 1 a	ILLUSTRATIONS	
<u>Table</u>		
1	Maneuver Item File	32
2	Independent and Dependent Variables	33
	APPENDIXES	55
	DEFEDENCES	261

#### **FOREWORD**

Lt Col Larry E. Baker examines a question of continuing interest to the Air Force and more specifically to the Air Force Reserve Officer Training Corps: Are we using the most appropriate standards for selecting young officers to be trained as pilots? Colonel Baker applies a scientific approach to studying the 1987 light aircraft training (LATR) program to determine which selection criteria have the most reliability as predictors of success in the LATR program and which likely would also have validity as predictors of success in undergraduate pilot training. His study indicates the need for continuing research in this area.

DENNIS M. DREW, Colonel, USAE

Director, Airpower Research Institute Center for Aerospace Doctrine, Research, and Education

#### ABOUT THE AUTHOR

Lt Col Larry E. Baker is an exercise physiologist from Miami, Florida, serving in the Air Force Reserve with the 482d Tactical Fighter Wing, Homestead AFB, Florida. He was the Air Force Reserve research fellow at the Airpower Research Institute, Maxwell AFB, Alabama, for the academic year 1987-88.

Colonel Baker is a US Air Force command pilot with a total of 5,500 flying hours. His military career includes three combat tours of duty in Southeast Asia, where he totaled more than 1,000 hours of combat flying. He was a member of the Wolf forward air control group flying the F-4 for the 8th Tactical Fighter Wing at Ubon Royal Thai Air Thailand. He is a graduate of the central instructor Base, pilot school in the F-4 and was an instructor pilot in a replacement training unit. Other active duty assignments included flying high-altitude research and reconnaissance, piloting the R-57 and U-2 in the full pressure suit environment. Colonel Baker is a civilian certified flight instructor and has flown civilian aircraft ranging from the four-engine Jetstar II to the high-performance, acrobatic Pitts Special.

Colonel Baker has a doctorate from Florida International University and holds master of science, master of arts, and bachelor of science degrees. He is a resident graduate of the Air War College. He has taught at the university level and is a past director of the Health and Fitness Institute, a sports medicine center in Coral Gables, Florida.

#### **PREFACE**

This research effort resulted from the Air Force Reserve's desire to enhance its selection of candidates for undergraduate pilot training (UPT). However, at the outset of this research, I relegated developing an accurate method to determine which applicants from the Reserve should attend UPT to the back burner. I quickly realized that the available data and prior research did not provide an accurate, meaningful formula for identifying which students would complete pilot training successfully and, thus, could not provide a sound basis for deciding which officers should be sent to UPT. Hence, I directed my research toward developing a research design that would supply some of the criteria that seemed to be lacking in the previous body of scientific studies. This research should supply some of the missing pieces to the puzzle of what makes a good Air Force pilot.

In designing this study, I sought to determine the extent to which the current criteria for selecting candidates for pilot training are valid as predictors of success in a flying training program. Toward this end, I limited the scope of the effort to producing precise, valid results that could withstand the rigorous tests required of scientific inquiry. Moreover, to enable replication of the study at a later date, I restricted the variables to data that readily available from a subject's records or that was currently being used as discriminators in selecting individuals for UPT. The study of individual flying careers during and after UPT would produce the best results in deciding which traits most clearly indicate likely success as a pilot. However, because the time and money to track individual careers across the span of several years were not available, I had to develop an alternative research design.

The 1987 light aircraft training (LATR) program for Air Force Reserve Officer Training Corps cadets met several of the necessary criteria for a sound research design. The Air Force designed the LATR program to emulate UPT and to determine the student's potential for successfully completing a pilot training program. In addition, the selection criteria for LATR approximated the qualifying standards for UPT. Hence, I could treat the validity of using the LATR selection criteria as predictors of success in flight screening as emulating the validity of using the UPT selection

standards as predictors of success in UPT. Moreover, the 1987 LATR had other advantages as a research design. It was a short program with little potential for the sociological conditioning that takes place in the rigid military environment of UPT, and it allowed excellent proce-dural controls.

The results show that many of the selection constructs developed to identify individuals that have the potential to become military pilots are probably incorrect. In addition to underscoring some important relationships between selection variables and flight performance, I demonstrate that some perceived relationships between variables were unjustified.

I chose to follow the formal academic and scientific research model to include a formal statement of the problem, formulation of the null hypothesis, and the statement of the specified methodology to give validity to the results. From the model, I derived the statistical procedures necessary to determine, within a definite range of probabilities, the statistical relationship between the selection variables for LATR and the flight performance of cadets as measured by the official pass-fail grade and a quantified indicator of cadet performance during the flight training. I used applications of the Statistical Package for Social Scientists-X (SPSS-X) to make the actual statistical analysis. The computer runs for these applications and the raw data sets are included in the appendixes for those who want to examine the results and the analysis in greater detail. Although this scientific approach may limit the readership somewhat, to adhere to a less strict protocol would reduce the accuracy of the findings--as has been the case in much of the previous This analysis research on the pilot selection problem. should stimulate reevaluation of the selection criteria for LATR and UPT.

Lany E Baker

LARRY E. BAKER, Lt Col, USAF Research Fellow Airpower Research Institute

#### CHAPTER 1

#### RESEARCH DESIGN

The United States Air Force continually faces the problems of recruiting, educating, training, and retaining its pilot force. If the Air Force is to maintain a high level of operational ability, it must have a highly capable corps of pilot officers. To ensure that it has adequate numbers of skilled pilots, the Air Force initially must select gifted individuals for its undergraduate pilot training (UPT) program, the first step in becoming an active duty pilot.

This researcher focuses on the Air Force Reserve Officer Training Corps' (AFROTC) method of selecting candidates for its light aircraft training (LATR) program as the first step in deciding which AFROTC graduates will attend UPT. Current knowledge and data are inadequate as to what type of undergraduate curriculum and extracurricular activities will best enable a university student to pilot a supersonic aircraft with a high degree of skill within a year of graduation. This research design should increase that knowledge. Specifically, this researcher examines those traits that the AFROTC pilot candidate can relate most strongly to his or her success in completing the present Air Force preselection flight training and screening program—LATR.

# Need for the Study

Most research on the selection process has attempted to correlate selection criteria (input variables) with success in UPT. This relationship may appear logical at first glance since the selection of candidates who can complete training is the stated objective of the pilot selection process. Given the current selection criteria for UPT, one may conclude that Air Force ROTC has based its selection process on the assumption that students in specific academic majors make superior aviators. The allocation of 80 percent of the AFROTC scholarships to engineering majors is indicative of If the only objective of the screening process this bias. is to identify piloting skills, then AFROTC has not examined current selection criteria such as a high grade point average, excellent Scholastic Aptitude Test (SAT) scores, and top scores on the different phases of the Air Force Officer Qualifying Test (AFOQT) with the rigor necessary to justify their use as primary selection criteria. AFROTC has not analyzed its bias toward engineering students

sufficiently to determine if engineers do indeed do better as pilot trainees. This rationale obscures the fact that the overall objective should be to develop and train the most skilled pilots possible, not just to graduate individuals from LATR or UPT. The environment of UPT may self-select specific educational variables that do not necessarily correlate with high skill levels at a point later in the officer's flying career.

One of the issues that may cloud the UPT selection process is screening applicants not only for piloting skills but also for other traits that the Air Force finds desirable in its officer corps. These other indicators, while not at cross-purposes, may dilute pure piloting traits and characteristics among the selected student aviators.

In this study, the researcher examines specific higher education curricular variables—course of study, varsity athletic competition, prior flying experience, and gender—in relationship to their effect on performance by AFROTC cadets during the LATR program. The intense 16-day flight screening LATR program is the last step for AFROTC students, other than successful completion of the bachelor's degree and commissioning, that leads to UPT. The objective of the light aircraft training program is to determine if a candidate has the potential to complete Air Force undergraduate pilot training. Due to the short duration of LATR, the cadets are not subject to the effects of the intense sociological conditioning experienced during undergraduate pilot training. Hence, innate flying ability may be less difficult to determine during LATR than in UPT, when sociological indoctrination has developed as a potentially more significant factor.

Despite the fact that AFROTC uses exacting eligibility requirements in choosing cadets for flight screening and training, the failure rate of these cadets during the flight screening program (as it has been referred to in the past years) or LATR (the 1987 title) has held at 30 percent. Moreover, the failure rate for AFROTC graduates at UPT runs close to 40 percent. Each UPT attrition represents a lost investment of \$70,000. Reducing the attrition rate by developing a selection strategy that would accurately predict which AFROTC students would be successful during UPT could save large sums in the Air Force budget.

The overall effect of the failure rate during pilot training may be even more significant when one considers factors other than just funding. Many of the young officers who do not finish UPT stay in the Air Force and complete their careers in fields that they consider second best. To

what extent this feeling may influence operational efficiency is subject to debate; however, not to acknowledge this possible negative emotion among a significant faction of the Air Force officer corps may be an error. A high UPT attrition rate can only add to this problem.

If time and money were not a factor, this research question could be developed into a pure experimental design, with random selection and control groups of nonflying cadets. However, to select individuals at random from the general college population and then attempt to motivate them to undergo a project such as the LATR program would not be feasible or rational. Perhaps a pure sample of flying talent in reference to academic performance could be established. However, if the randomly selected subjects were not inclined toward a career in military aviation, then the effort would be less than satisfactory. The subjects included in this study have been selected by AFROTC to compete for a spot in undergraduate pilot training. The selection process for the subjects in this study would seem to meet the need of the research objective.

The results of this research should provide data and support for refining the criteria used in selecting AFROTC students for training as Air Force pilots. The use of refined selection criteria would reduce attrition during UPT, thus resulting in more efficient use of expenditures. Improved identification of flying abilities among AFROTC cadets could enhance the ability of the Air Force to complete its assigned mission.

#### Statement of the Problem

The United States Air Force has experienced a high rate of attrition among AFROTC graduates during UPT. One of the possible methods of reducing this attrition rate is to develop a superior method of selecting AFROTC student pilots for undergraduate flight training. This researcher approaches this problem by focusing on higher educational curricular characteristics of AFROTC officer candidates competing in the LATR program for an assignment to undergraduate pilot training.

Specifically the researcher attempts to determine the relationship of these selected variables to the overall performance of the AFROTC cadets who took part in the light aircraft training at Embry-Riddle Aeronautical University, Daytona Beach, Florida, in the summer of 1987. Knowledge gained by examination of the selected subject's performance in relationship to existing educational variables may

assist in developing a more precise method of selecting student pilots and may lead to a reduction in the high rate of UPT attrition.

# Null Hypothesis

There is no relationship between the specified higher educational curricular variables and the performance of Air Force Reserve Officer Training Corps cadets during the 1987 light aircraft training program for AFROTC conducted at Embry-Riddle Aeronautical University.

# <u>Assumptions</u>

The researcher bases his research design on the following assumptions.

- 1. For this study to have any operational value, the results should apply to future AFROTC cadet groups. This condition requires a similar symmetrical population, as is the case. The pool of AFROTC cadets selected for undergraduate pilot training and flight screening has remained very consistent throughout the years as to the independent variables that are the focus of this study. Relationships between variables derived from 1987 LATR data are assumed to apply to future cadet groups.
- 2. The 1987 LATR cadets constitute the entire population; hence, random selection is not an issue.
- 3. The treatment received by each cadet is identical. Variations in teaching skills, in weather during check rides, and in performance of individual aircraft during stalls and other maneuvers do exist, but these variances are of insufficient magnitude to cause a significant difference in the performance of the subjects.

# Limitations

Time, money, and subjects with which to develop a classic experimental design are not available.

1. Random selection and control groups to probe the question of specific traits and curricular variables in reference to flying skills and ability are not a viable option. Examining the problem with subjects that have been preselected may limit the explanatory potential of this research design.

2. Time limited this study to just the 1987 LATR classes. The time necessary to track the cadets during the last one or two years of college, the year-long period of undergraduate pilot training, and advanced flying training was not available. Following the professional flying development of all cadets until they reach full operational flying status as active duty pilots would provide highly relevant information.

#### CHAPTER 2

#### REVIEW OF LITERATURE

Researchers who have studied the subject of selection of students for flying training have examined psychological or personality variables, have attempted to determine which physiological attributes relate to flying skills, or have conducted basic research into the quantification of flying skills. These researchers have used various test instruments including pen-and-paper tests developed by the military, standard psychological tests, and computer-driven simulator devices.

None of the researchers have examined the specific subject of the present research study--examining the relevance of using higher educational curricular variables as quantified predictors of performance during military light aircraft flight screening. A few have examined curricular variables in relationship to undergraduate pilot training with negative results. Nonetheless, the research studies reviewed here do have in common with the current study a long-range interest in developing selection criteria for military flight training that will be predictive of success in both pilot training and active duty pilot status. Research prior to and during World War II is not of apparent value as it tended not to relate to the current problem or was not documented in a scientific manner. No effort is made to describe the evolution of the pilot selection process, only to review the sound research that may reflect on this current investigation.

### Post-World War II to 1959

Between World War II and 1960, researchers directed their efforts at attempting to correlate existing personality traits with success as an aviator. The watershed research project was undertaken by the Army Air Forces Aviation Psychology Program in 1947. This project examined 23 tests in an attempt to validate personality traits as predictors of student pilot success. None of the tests provided predictive validity in reference to pilot performance (Guilford 1947).

J. R. Berry analyzed the Cornell Word Form (Weider et al. 1945) for use as a predictive instrument for screening pilots and found a slight relationship with success in aviation training (Berry 1954). Berry found some signifi-

cance in this relationship; however, the small subject sample limited the validity of the study.

R. S. Melton administered the Minnesota Multiphasic Personality Inventory (MMPI) to naval aviators in an attempt to evaluate the personality characteristics of successful fliers (Melton 1954). The study showed some relationships between hysteria, masculinity-femininity, and mania; but Melton had limited success in predicting pass or fail of Navy cadets using the MMPI.

In 1956 S. B. Sells examined more than 100 personality tests in relationship to pilot selection. Sells concluded that factors such as test-taking skills and motivation skewed the results of such testing and that an evaluation of the first series of flights a student made were far more reliable predictors of success (Sells 1956).

In another 1956 study, the US Naval School of Aviation Medicine at Pensacola, Florida, sought to determine the validity of using personality inventories in the naval aviation selection program. The Navy concluded that tests developed to determine specific personality traits were not effective in determining success as a naval aviator. The rationale for the lack of success was that the personality tests are designed to detect psychological variations and are not directed toward performance variations (Voas et al. 1956).

- D. K. Trites and A. L. Kubala searched for a relationship between the results of the Cornell Word Form (CWF) and flying performance. They examined Air Force pilots and were able to establish a relationship between specific traits on the CWF and traits exhibited by Air Force pilots (Trites and Kubala 1957). However, the research was directed at established aviators and would not indicate a predictive relationship among student aviators.
- S. C. Fulkerson evaluated military aviators using the MMPI (Fulkerson 1958). He reported that five areas of the test permitted the discriminating of pilots from the normal population.

The research during this period focused on evaluating military aviators in reference to standard psychological tests in an attempt to identify a personality type that would enable selection of candidates with similar traits. This rationale may be defective in that the selective pressure of military aviation and the resulting role playing of the individuals involved may screen the actual personality.

#### 1960-1969

In 1962 C. Mullins attempted to resolve the problem that personality types and role playing may affect the results of the test instrument. He devised a test that required the subject to identify which of two fields of dots contained a specific number of dots and which of the two dot fields contained more dots. The hypothesis was that the individual who could sort this information in the least time would prove to be less compulsive. The level of compulsiveness would relate to flying proficiency (Mullins 1962).

In 1963 L. R. Green used the Eysenck Personality Inventory to conduct an exploratory investigation of the relationship between personality measures and voluntary resignation from naval flight training at the US Naval School of Aviation Medicine (Green 1963). Green determined that no significant differences existed between student pilots who completed training and those who self-eliminated.

- F. E. Peterson used the Edwards Personal Preference Scale (EPPS) (Edwards 1959) to determine if a relationship existed between success in naval flight and personality (Peterson 1965). This research determined that the EPPS was not effective in predicting success during flying training.
- R. K. Ambler attempted to establish a relationship between success during Navy flight training and student pilot carefulness established by peer rankings (Ambler 1966). This peer-rating system did not develop significant relationships that would make development of effective preselection criteria for student pilots possible.

During 1966 the Navy sought to determine if a vehicular trainer would prove successful in predicting success in naval aviation training (Askren 1966). Results proved inconclusive; however, this study could be considered the first of many attempts to develop a quantified system of evaluating student pilots based on physiological motor skills.

Personality traits were again examined in relationship to success in naval aviation training. A team lead by H. L. Fleischman examined five personality scales in an attempt to determine if a relationship existed between a specific profile and success in military aviation (Fleischman et al. 1969). The Taylor Manifest Anxiety Scale showed a significant relationship between both pass or fail outcomes and self-elimination. The other instruments proved unrelated to performance in flight training.

The 1960 to 1969 time frame was most significant when considering the developing trends in research. The focus of the research in pilot selection was the student pilot, not the qualified aviator. In addition, researchers made the first attempts to quantify and evaluate the actual requirements of piloting skill. This trend continued into the next decade.

#### 1970-1979

C. L. Hulin and K. M. Alvares assumed that Air Force selection tests do not predict success as a pilot. They then attempted to develop a research protocol that would explain the lack of predictive success (Hulin and Alvares 1970). In their study they evaluated three possible explanations of the temporal decay in predicting pilot proficiency. The results were not conclusive in predicting a level of flight proficiency.

The Royal Air Force commissioned a research study by A. B. Goorney to establish a correlation and method of analysis for determining if the military aircrew population differed from the British population at large. This study examined both pilots and navigators using the MMPI and the Maudsley Personality Inventory (Goorney 1970).

In another British study done in 1971, researchers used the Eysenck Personality Inventory in an attempt to develop a relationship between personality traits and success as a student pilot within the Royal Air Force. This study showed that the neurotic-introvert quadrant produced the largest amount of failures among the student pilot population; the stable-introvert quadrant had a much greater success rate (Jessup 1971).

R. E. Doll explored the relationship between vocational interest and success in flight training by administering the Strong Vocational Interest Blank test instrument to a group of Navy flight students and analyzing pass or fail performance during the course of the study (Doll 1972). This study determined that subjects who completed Navy flight training had a high interest in math and science. Critics of this study have pointed to the bias built into the results because the Navy's selection criteria for aviation students are weighted in favor of math and science.

One of the most promising psychological testing procedures used to predict success in aviation training was the Defense Mechanism Test developed in 1961 in Sweden by U. Kragh. T. Neuman conducted a comprehensive research study

in an attempt to validate this test with the pass or fail criteria of military flight schools (Neuman 1972). The results of the study were inconclusive. However, the Swedish air force did elect to make the Defence Mechanism Test part of its selection process for undergraduate pilot training.

S. F. Bucky and S. L. Ridley gave the California Psychological Inventory to a group of naval flight students with hopes of establishing a relationship between specific profiles and success (Bucky and Ridley 1972). More than 300 students took the test. The researchers tracked the students' performances in the training program and found that the profiles of students who passed the training and those who failed were almost identical.

Bucky also approached the issue of success in aviation training by studying the relationship of aviation students and perceived levels of optimism, relevance, and importance. A questionnaire was administered to measure these specific attributes. Individuals who self-eliminated from the flying training displayed significant differences in the level of perceived importance they attached to flying training and were less optimistic than subjects who finished the course of training (Bucky and Burd 1973).

During this same time frame, Bucky researched the relationship between state and trait anxiety in voluntary withdrawal of Navy student pilots (Bucky and Spielberger 1973). The researchers administered the State-Trait Anxiety Inventory to more than 300 subjects who were to attend flying training. The study showed that students who displayed high levels of anxiety attrited at a rate significantly greater than students who scored low on the anxiety scale.

- In 1973 P. A. Knoop developed an advanced simulation research system that made practical research experiments to quantify piloting skills and to establish specific qualifications and parameters for training proficiency (Knoop 1973). This effort provided a focus for later studies.
- C. E. Billings followed with another study aimed at quantifying pilot performance with the objective of validating performance measures for rotary-wing aircraft (Billings 1973). Using an aircraft wired with a computer recording device to capture various flight and aircraft functions, Billings found that pilot skill could be determined by analyzing the variability of the aircraft rotor revolutions per minute.

W. L. Waag and associates examined the use of confidential instructor ratings at the Naval Aerospace Medical Laboratory for reliability in predicting success in naval undergraduate pilot training (Waag et al. 1973). They determined that these confidential ratings were a significant factor in predicting success or failure during pilot training and recommended that the Navy implement these ratings during the presolo stage as a permanent protocol.

The US Air Force elected in 1974 to employ the pen-and-paper psychomotor tests in the selection of candidates for undergraduate pilot training. The protocol was validated and has been in service, with revisions, to the present (McGrevy and Valentine 1974). Since the Air Force Officer Qualifying Test (AFOQT) has shown small but significant relationships to the success rate at UPT and since AFOQT scores are used as part of the selection criteria for LATR, the latest version will be used in the present research as part of the independent variables.

Using the Strong Vocational Interest Blank test, D. W. Robertson examined the relationship of vocational interest to success in flight training. The results displayed no validity in relationship to predicting levels of performance. The major problem in the study was that priorselection procedures and criteria biased the results in that the sample of unsuccessful student pilots was similar in vocational interest to the sample of student pilots who successfully completed flight training (Robertson 1975).

Advances in computer technology during the 1970s allowed the development of apparatus-based psychomotor evaluation (Long and Varney 1975). Further improvements in this type of testing led to the use of computer-driven protocols in the 1980s. Although early results were not conclusive, the method of employing a computer-driven instrument showed promise.

A Canadian study explored the personality profiles of different populations within the Canadian military and established a relationship between specific profiles and military positions (Skinner et al. 1976). The research did not provide a predictive relationship in reference to flight training.

The US Air Force also explored the relationship between the Strong Vocational Interest Blank test and success in flight training and developed the same problems as had the Navy in Robertson's earlier research with a similar protocol (Guinn et al. 1976). Again prior selection screened the subjects and biased the results. The relationships were

stronger when predicting who would not complete the training but were weaker in projecting success in flight training.

The School of Engineering, Air Force Institute of Technology, Wright-Patterson AFB, Ohio, directed studies into quantifying performance on flight simulators to evaluate their effectiveness. The purpose of the research was to identify criterion variables most applicable to initial flight simulation and to establish any differences between flight simulations and actual flight (Miller 1976). The data collected from research of this type may prove helpful in the future in establishing specific quantified parameters for measuring pilot performance in a training situation.

- B. A. Smith, B. K. Water, and B. J. Edward studied performance on a T-37 aircraft simulator in an attempt to design a cognitive pretraining instructional package to help student pilots master overhead traffic pattern skills in the T-37 jet trainer (Smith, Water, and Edward 1975). They used a multimedia package to help develop the specific skill. an experimental group to the instruction They exposed package and put additional subjects in a control group. experimental group was able to grasp the necessary skill the overhead flying task in less time than the control group. Smith, Water, and Edward recommended that the cognitive pretraining package be implemented as part of the flight curriculum. Of primary interest here is their method of quantifying performance.
- P. A. Irish and others studied the effects of system and environmental factors upon performance by experienced pilots on advanced simulators (Irish et at. 1977). Irish and his associates measured pilot behavior on various aspects of the flight envelope in an advanced simulator to determine the independent variables for the various maneuvers. The study advanced understanding of the quantification of the flight process.
- G. S. Krahenbuhl, J. R. Marett, and N. W. King used the State-Trait Anxiety Inventory to evaluate the performance of T-37 student pilots in Air Force undergraduate pilot training. He determined that students who were considered inferior pilots perceived greater stress during the training program than did students who were doing well (Krahenbuhl, Marett, and King, 1976). The results of this study are rather logical as poor performance should produce high levels of anxiety in subjects who fear elimination from flight school.

In 1978 a team at the US Air Force Human Resources Laboratory validated the relationship between psychomotor

skills and success at Air Force flight training (Hunter et al. 1978). This study proved significant as it created interest in establishing further research in developing a computer-driven method of evaluating potential flying skill levels.

A Swedish study revisited the Defence Mechanism Test in an attempt to quantify and validate the screening test in relationship to actual pilot performance (Neuman 1978). The validation was successful and the testing procedure is being employed in Sweden at the current time. Problems exist, however, in regard to using the test in the United States military system because of the requirements necessary to administer the test and the variation in the subject population.

The Federal Aviation Administration (FAA) analyzed the psychophysiological effects of aging within a pilot population. The study analyzed and quantified pilot performance, both successful and unsuccessful, and identified 14 factors as being related to success or failure in flying (Gerathewohl 1978).

R. G. Griffin and J. A. Hopson administered the Omnibus Personality Inventory (Heist and Yonge 1969) to flight students in an attempt to establish a relationship between success or failure in training and the test profile. The results were negative when examining for predictive use in the flight screening protocol (Griffin and Hopson 1978).

A research study completed in the late 1970s attempted to establish the effect of pretraining criterion on flight-simulator performance. US Air Force Academy cadets were tasked with specific parameters in a flight simulator while exposed to different levels of cognitive difficulty (Nataupsky et al. 1979). The results indicated that pretraining was significantly important when complex psychomotor tasks are required.

Research in the 1970s continued the trend toward computer psychomotor evaluation. The use of flight simulators in research evaluation and quantification was increasing at a great rate. The focus of the standard psychological tests was toward that of the student pilot, not the experienced aviator. Although many studies were developed, the ability to predict which pilot candidates would be successful remained slight.

#### 1980 to Present

In a 1980 study, J. B. Joaquin used the Personality Research Form (Jackson 1974) as a method of predicting success during Canadian undergraduate pilot training (Joaquin 1980). Joaquin concluded that students with high interpersonal and leadership traits and a high degree of instrumental aggressiveness were successful in the flying training program. Student pilots with low scores in the above categories were more prone to failure.

A French study, completed in 1980, examined the developmental potential and limits to psychological screening of aviation personnel (Bremond 1982). J. Bremond discussed the problem of forming a standard protocol to determine the psychological fitness of pilot candidates. The research explored the relationships between pilot aptitude and success in various flight training programs. This five-year study showed no relationship between actual performance and that predicted by standard tests. Long-term monitoring of pilots to verify any testing protocol is recommended but would be expensive and time-consuming.

The Navy conducted a preliminary evaluation of two dichotic listening tasks as predictors of performance in naval aviation undergraduate pilot training. This study showed promising results (Griffin and Mosko 1982). Military pilots must be able to divide their attention among several tasks concurrently and many of these tasks are auditory. This research established the ability of student pilots to divide attention and this attention was quantified. The subjects were then tracked through pilot training and the success of the student pilot was compared to the ability to perform dichotic listening tasks. This study found a positive relationship between students displaying high ability in dichotic listening and success at flight training.

W. C. McDaniel and others examined the problems of when or if to wash out a student pilot from flight training. They compared the utility of a computer-aided training device for evaluating and scheduling students for further training to human evaluation and decisionmaking in regards to student progress (McDaniel et al. 1982). The study indicated that the computer assessment of student progress showed promise and should undergo further development and evaluation.

In an attempt to establish a quantified performance criteria for specific flying skills, researchers linked a computer-driven recording device to a flight simulator and

sampled various flight parameters throughout the test flight (Demaio et al. 1983). The research concentrated on reducing and simplifying the large amount of data resulting from this system to meaningful parameters, with a hope of establishing precise quantified flying performance. A similar study at the USAF Test Pilot School, Edwards AFB, California, sought to measure flight parameters (Melody et al. 1983).

The FAA used a contrasting approach to study the problem of quantifying performance in aviation. A simulator was linked to a computer that sampled flight parameters throughout the mission during which the pilot experienced several simulated emergencies and various levels-of-clearance difficulty (Stein & Rosenberg 1983). The pilots were asked after the flight to rank the levels of stress and performance work load perceived during the flight. They were able to code the level of difficulty with accuracy.

- G. B. Thomas and R. W. Clipper sought to determine the level of consistency between performance on a perceptualmotor task and a pen-and-paper achievement motivational test among Navy flight students (Thomas and Clipper 1983). indicated that a relationship existed. Results particular-choice RT paradigm repeatedly resulted correlations of 0.43 to 0.69 (p < 0.05) between consistent task performance and measures of achievement motivation, and the test-retest reliability of the consistency measures was on the order of 0.70. This relationship was the only one established by the study. Further research was recommended to establish and refine this relationship with the intent of developing a pilot selection instrument with achievement as a component.
- H. Wichman and J. Ball administered the Rotter Locus of Control Scale (Rotter 1966) to a group of FAA-certified flight instructors in 1983 in an attempt to establish differences between this group of subjects and the general population. Significant variations occurred in levels of internal perception (Wichman and Ball 1983). This study would not provide insight to preselection criteria as the subjects were all qualified pilots. The variations from the general population may result as an effect of the social process of aviation training. A similar study in Australia (Ashman and Tefler 1983) using Royal Australian Air Force pilots also detected differences in the pilot sample from the normal population with the Edwards Personal Preference Scale (Edwards 1959).

A study by the Air Force Reserve Officer Training Corps focused on background variables in a cadet's record that may affect a cadet's success at undergraduate pilot

that may affect a cadet's success at undergraduate pilot training (Diehl 1986). The study examined 32 variables in reference to undergraduate pilot training success or failure. No relationships of significance were established that would enable effective use as a predictive device in reference to undergraduate pilot training. Four proved to be statistically significant. However, the impact was less than three percent. The pilot section of the AFOQT resulted in explaining 2.71 percent and was the best predictor, but it was not useful in reality.

Recent investigation of pilot selection has focused on the basic attributes test (BAT) system, an Air Force computer-based battery of tests designed to enable quantifiable selection criteria for undergraduate pilot training. This system assesses psychomotor skills and a variety of psychological and cognitive attributes. All tests are contained in a computer-program run. The system is complete with visual display and stick and rudder pedals (Carretta 1987). The various tests contained within the computer program have been validated with a degree of promise (Kantor and Bordelon 1985; Bordelon and Kantor 1986). The USAF Human Resources Laboratory, Brooks AFB, Texas, is attempting to establish variations in specific aircraft abilities, differentiating between high performance, fighter aircraft, and other aircraft assignments (Carretta 1987). This research may prove highly significant in developing and refining the pilot selection criteria.

The research conducted in the 1980s has focused on the student pilot as the subject of investigation with the emphasis on identifying traits within the subject population that would differentiate individuals on a preselection basis into pass or fail groups. Personality was augmented with physiological attributes as the primary selection criteria under investigation. The significance of computer testing-for example, the Air Force basic attributes testing-has been expanded greatly during the last few years.

# Summation of Previous Research

Research since World War II has been characterized by an evolution of the primary focus of research from attempting to differentiate aviators from the normal population to attempting to predict which members of the general population would develop into successful aviators. The methodology also evolved from primarily employing a pen-and-paper test to develop psychological profiles into searching for psychological variations with a computer-driven test device.

The research has established that individuals who are military pilots do deviate from the normal population in psychological parameters. This knowledge is of limited value, however, as the very process of military flight training and socialization may produce this variation in psychological profile. The effects of role playing among military aviators and pilots in general make it quite difficult to test for preexisting psychological characteristics that would assist in selecting military aviators.

The research on quantifying flight performance may not provide relevant information in regard to determining which individual will develop into a skilled aviator. Most computer-driven simulator tests evaluate how well the subject adheres to an established flight profile. An ability to fly by the numbers may not be the necessary trait that pilots must display to meet real-world military aviation requirements. Specifically in high-performance fighter aircraft, when situation awareness in a multi-dimensional arena becomes the desired goal, the ability for mental creativity and divided focus are primary. This skill may be considered an art form rather than a task-orientated parameter that can be evaluated by precise quantification of performance.

Most research examined the process of flight training from a viewpoint of pass or fail criteria. This variable may be the correct dependent variable. However, in light of the many factors that affect the success of a student military aviator, some effort should be expended on attempting to quantify performance during flight training. A focus on overall student performance may prove informative in relationship to student characteristics and background variables. The subject of pilot selection for military aircraft needs additional systematic research if a system of evaluation is to be established that will precisely identify individual volunteers for military flight training who have a high probability of developing into skilled professional aviators.

# Variations between the Current Study and Past Efforts

This study varies from past research in several aspects. The dependent variables include a quantified performance evaluation that reflects the subject's overall potential for flying and the pass or fail criterion of previous studies. Regressing the independent variables with this level of performance during the program may improve the

reliability of criteria used in selecting individuals to attend flight training.

Past studies have focused on tests specifically derived to evaluate psychological profiles or ones that have been developed to screen for flying potential. The relationship between traits in the subject's background have not been subjected to the same level of interest. The independent variables used in this research design focus on the subject's educational experiences. Scholastic Aptitude Test scores, university grade point average, flying experience, athletic experience, academic major, and the various test scores and ranking systems developed by the Air Force for the subjects of the treatment are examined in relationship to success during the LATR program.

The primary variation in this study and previous work, however, is the difference in the treatment. Past studies have examined individuals who were already qualified pilots or they have compared results of various undergraduate pilot training efforts. This study examines the flying skills of a subject population which has yet to undergo the stress and possible personality modification of undergraduate pilot training. The treatment of the light aircraft training program—civilian instructors, light aircraft, and short duration of training—should not provide the opportunity for possible modification of individual traits as may undergraduate pilot training. Thus, the relationship between selected variables and the performance of the subjects may be more indicative of actual innate flying skills than undergraduate pilot training with its potential overload of modifying influences.

This researcher considers problems basic to the selection criteria currently in use and should reinforce previous studies if the trends found in undergraduate pilot training are continued or amplified when employing the LATR program as a treatment. The results may then be compared to the previous results of UPT studies.

#### CHAPTER 3

#### **METHODOLOGY**

The procedures and specific parameters used in the study were determined by the necessity of staying within the guidelines specified in US Air Force training manuals, operational technical data, and regulations and by the contract with the civilian flight training school, Embry-Riddle Aeronautical University at Daytona Beach, Florida. Although the light aircraft training (LATR) syllabus served as a defined protocol, this researcher has stated the LATR syllabus as if it had been designed for this study in order to more nearly approximate a true research design.

In this study, the researcher has quantified and evaluated specific variables in the higher edu experiences of the selected subjects (Air Force education cadets) -- academic major, Scholastic Aptitude Test scores, grade point average, scores on the Air Force Officer Qualifying Test (AFOQT), gender, quality index score, AFROTC athletics, and previous detachment, varsity experience. The procedures and protocol were derived from the prior efforts of the Air Force and every effort is made The researcher has to provide complete documentation. paraphrased manuals or other documents for the purpose of clarity. The researcher has no intent to claim authorship of the LATR protocol, only to expand or amplify the procedures to facilitate understanding of the research design. The researcher has given full credit and responsibility for the LATR program to the Air Force.

# Subjects

The subjects were all AFROTC cadets who were attempting to qualify for undergraduate pilot training as the first step in trying to become Air Force pilots. They were university students who had achieved junior or senior class standing for the following fall term and were attending school at one of the 152 colleges and universities that have AFROTC detachments. They attended light aircraft training for ROTC at Embry-Riddle Aeronautical University from 20 May to 19 August 1987 in three classes. The first class arrived on site 20 May 1987 and completed training 22 June 1987. The second class began 21 June 1987 and finished on 22 July 1987. The last class started on 20 July 1987 and ended on 19 August 1987.

The competition for the LATR positions as the first step in qualifying for undergraduate pilot training (UPT) among AFROTC cadets is intense, with AFROTC selecting the individuals it considers most highly qualified. The actual standards or scores on the various selection instruments change yearly depending on the need for new pilots. AFROTC Regulation 45-13, Weighted Professional Officer Course Selection System, outlines the selection process. Based on this researcher's observations the subjects seemed well motivated and eager to complete the training program. That the subjects performed to the maximum of their ability seems highly probable.

The subjects had to meet the minimum medical standards specified in Air Force Regulation 160-43, Medical Examination and Medical Standards, chapters 7 and 8. Any physical or mental abnormality or defect was grounds for rejection. Subjects had to have 20/20 vision not corrected. Specific aspects of their medical history--for example, motion sickness after the age of 12--might be cause for rejection.

While participating in the LATR program the students were provided with living accommodations that met the Air Force standard as specified in the contract between the Air Force and Embry-Riddle Aeronautical University (ERAU USAF-ATC 1987). Each cadet received at least 90 square feet of living space in a permanent dormitory. Each room was kept between 68 and 78 degrees. Power, lights, water, and other necessary accommodations such as bedding and closet space were available as specified in the contract. The dormitories at the university were used since they were vacant during the summer term.

The contractor also provided meals for the cadets in the university dining hall. The cadet's diet included three meals a day of no less than 3,200 calories, the composition of which was delineated in the contract. This controlled diet provided adequate nutrition and reduced the likelihood that variations in nutritional intake would influence the results of the flying program.

The length of the cadet's duty day was controlled. The work day was restricted to a maximum of 12 hours. Each cadet received a minimum of 12 hours of rest time prior to each duty flying period. Provisions for eight hours of uninterrupted sleep were programmed into the rest period. This protocol was identical to the one used at undergraduate pilot training. Cadets were organized into divisions defined as flights. Each of the classes was formed into six flights. Throughout the training and evaluation, the cadets

attended class, ate meals, performed physical exercise, and reported to the flight line in these subgroups.

Random selection of subjects was not an issue in this research design. From a viewpoint of validity, the population—all the AFROTC cadets attending light aircraft training at Embry—Riddle Aeronautical University—was sampled. Selection of a randomized sample was not possible due to the contract between the Air Force and Embry—Riddle. Moreover, random selection of subjects from the population at large was not practical because of the extreme cost and because only a select few AFROTC cadets (those meeting minimum qualifications) were even eligible for consideration as potential subjects.

# Training Syllabus

The Air Force developed LATR as a way to screen undergraduate AFROTC cadets for pilot training. The purpose of the light aircraft training syllabus was to "identify those participants who have the basic aptitude to become Air Force pilots and minimize attrition in undergraduate pilot training (UPT)" and motivate them to pursue a career as a rated officer in the Air Force. (ATC syllabus S-V8A-C, 1)

written flight training syllabus has continually changing since 1956 when Public Law 84-879 authorized the flight instruction program, AFROTC's original training flight screening program. The flight instruction program (FIP), which had similar objectives to the current program, remained in effect until 1984 when it was replaced by the flight screening program (FSP). This change was a response to the increase in UPT attrition among AFROTC The Air Force felt that the students could graduates. profit from an earlier exposure to military flying operations; FIP had been taught primarily by civilians with civilian procedures and techniques. The flight screening program was replaced in June 1987 by the light aircraft The current research focused on this training program. latest derivation.

Although actual flying requirements have not changed significantly, the philosophy has changed. During FIP the mind-set was to let every student complete the training; the prevailing sentiment of FSP was to weed out as many as possible as early as possible. This change in philosophy notwithstanding, attrition continued to climb. Perhaps neither FIP nor FSP was entirely accurate in its ability to identify flying potential. The 1987 LATR program was an attempt to improve the reliability of the screening process.

The key difference between LATR and its predecessors is that the LATR program stresses training before attempting to screen out individuals, whereas the FIP and FSP attempted to spot innate flying problems very early in the process with or without prior training.

The 1987 LATR syllabus (ATC S-V8A-C) defined in specific terms the lesson plans and procedures for the training program. The three main parts of the training included ground academics, flying training, and officership and other contributing factors. The Air Force adhered to this protocol with steadfast devotion and the standardization was intense in terms of both intent and reality. (For specifics, consult the original.)

# Ground Academics

The ground instruction consisted of primary information necessary for the cadet to understand the basics of flying theory and practice.

Military Policies and Procedures (1 hour). This lecture described course objectives, flight-line policies, and conduct while on the flight line; procedures for meals; and travel to and from the operations area. The lecture outlined military regulations regarding behavior and responsibilities both on the flight line and during the program.

Policies, Procedures, and Familiarization (3 hours). This block of instruction introduced students to training site policies and directives, flight directives, procedures for flight scheduling and aircraft dispatch, specific required flight items, required readings, and various policies required by the flight instructors. In addition the students received briefings on procedures for flying in the local area and on the basics of traffic control. Also at this time the students were introduced to the basic aircraft systems, checklist use, and the various procedures involved with operations of the aircraft while on the ground.

<u>Airmanship</u> (8 hours). During this block of instruction, the cadet examined the basic theory of flight and the applied application of the theory. The lectures covered the features of the Cessna 172 aircraft and its associated engine and systems and addressed the basics of radio communication and emergency procedures.

Flying Safety (1 hour). This lecture stressed the importance of flying safety; introduced the student to the Air Force's general philosophy on safety as well as to specific local, Air Training Command, and Air Force safety programs; and identified local hazards and problems on the flight line.

Testing (3 hours). The ground academic program consisted of three major tests, one on the academics block of instruction and two on the operational procedures. The students had to score 85 percent on each test to pass. A student not reaching the required score on the first attempt could retake a test. If the student had further academic difficulty, he or she faced elimination from the program. In addition, three bold-face emergency procedures tests were administered. The student had to complete those tests with a perfect score or be subjected to retest and possible elimination from the program.

Other Ground Activities (2.5 hours a day). Other ground training activity consisted of a daily physical education training period of 1.5 hours and various military drills and procedures.

# Flying Training

Flying training comprised the major emphasis of the LATR program and was the primary screening factor. The training consisted of 11 aircraft flights for a total airborne time of 14 hours. During his field research on this project, the researcher first gained currency in the Cessna 172 and then flew as an observer during student flying operations to gain a qualitative insight to the actual mission parameters. The researcher at times expands on the descriptions of the individual sorties (lessons) in the Air Force syllabus to add qualitative insight to the written operational plan. Familiarity with the mind-set of the individual student pilot and instructor was important to understanding the level of instruction and proficiency developed.

The flying training lessons were broken down into two-hour time periods. The cadets reported to the flight line for a mass briefing of 15 to 20 minutes by the civilian instructor pilot flight commanders. The briefing consisted of a report on probable weather and conditions, a synopsis of the day's lesson, and an overview of the various emergency procedures and aircraft operations that could be encountered. The students then joined their assigned instructor pilots for a briefing on the individual mission

to include the specific area where they were to practice maneuvers, the airfield at which they were to practice patterns and landings, and any techniques required for the ride. This preflight briefing normally lasted 10 to 15 minutes.

The instructor and cadet student pilot then walked to the assigned aircraft and conducted preflight operations. The mission was then flown for the prescribed amount of time, followed by a postflight inspection and tie-down of the aircraft, and then a short one-on-one debriefing of the student pilot by the instructor. The debriefing was often short since the instructor pilot may have had three students. A potential loss of standardization could have occurred at this point due to differences in the instructor work load, thereby adding a variable in student training protocol.

Flight 1, Instructor and Student Pilot (1 hour). During this ride, referred to in Air Force slang as a "dollar ride," the instructor demonstrated preflight, ground operations, departure, level flight, and the other basics of flight control. At this time the student was not expected to demonstrate any proficiency and the instructors enjoyed the "stick" time. The instructors then entered the landing pattern and performed a full-stop landing. Potential problems for the student included air sickness and perhaps manifestations of anxiety (MOA), to be defined below.

Flight 2, Instructor and Student (1.2 hours). This ride was similar to the first. The student had an opportunity to attempt the basic maneuvers and a traffic entry and approach and landing. The tone of the instruction was positive. The students were usually concerned with where to focus their attention, outside the aircraft or in the cockpit on the gauges and switches.

Flight 3, Instructor and Student (1.4 hours). During this ride, students practiced flight handling characteristics of the aircraft and stalls, both characteristic and secondary. The instructor explained the operation of the VHF omnidirectional range (VOR) receiver. The landing pattern was a priority.

Flight 4, Instructor and Student (1 hour). The student was introduced to slips and full-flap landings and reviewed the air work. He or she was expected to know the procedures and understand the basic parameters of the mission.

- Flight 5, Instructor and Student (1.4 hours). The student reviewed the maneuvers introduced in the previous flights. At this stage, the student had been exposed to all of the maneuvers that were part of the training and was expected to perform the basic skills and procedures. (The maneuvering item file [MIF], below, contains a complete list of the required items and proficiency levels required.)
- Flight 6, Instructor and Student (1.4 hours). The student reviewed all the maneuvers, with the emphasis on traffic patterns and landings.
- Flight 7, Instructor and Student (1.4 hours). The student was expected to direct the mission and in essence perform most of the required items correctly and safely. If the student had made normal progress at this stage, he or she could land the aircraft safely and recognize unsafe situations as they developed.
- Flight 8, Instructor and Student (1.4 hours). This flight was the first on which the student was required to show proficiency on all the required flight items. It was the first ride on which the student could have received an unable grade for lack of proficiency. This mission was also a watershed in that the next ride was a short dual followed by a student solo, with all its potential for a tragic end.
- Flight 9-1, Instructor and Student (0.8 hours). The instructor and student performed at least three safe landings and patterns. When the instructor was satisfied with the ability of the student to fly the aircraft safely, part one of this ride was terminated and the instructor departed the aircraft after a full-stop landing.
- Flight 9-2, Student Solo (0.4 hours). The student performed three takeoffs and landings.
- Flight 10, Instructor and Student (1.2 hours). This ride was a complete review of the required check ride items. The student was required to perform all mission parameters to expectations in a safe, consistent manner.
- Flight 11, Flight Examiner and Student (1 hour). This flight was the student's final ride and evaluation for the screening program. (The specifics of the flight check requirements are delineated in the section on quantification of performance.)
- If the student was unable to satisfy requirements of the syllabus, he or she might make additional rides and get further instruction. However, the rate at which the student

learned the flying techniques and data was considered an important aspect of fitness for undergraduate pilot training, and, as such, was highly significant in regard to success or failure.

# Officership

As potential officers, the cadets were expected to display the attributes of good officership. These traits included adherence to the appropriate Air Force rules, regulations, and official protocol requirements. Deviations from these prescribed behaviors could have been grounds for rejection from the LATR program and could have resulted in the cadet's being rejected from consideration for undergraduate pilot training.

# Possible Pitfalls

If a student pilot, after receiving initial training in the LATR program, developed a fear of flying and wished to withdraw from the program, he or she was put in the manifestations of anxiety category. The training syllabus defined MOA as follows:

Although some slight anxiety or nervousness common among students learning to fly, real fear of flying can interfere with a student's judgment, decision making ability, and physical ability to control the aircraft. Manifestations of apprehension can include such things as passive or active airsickness, insomnia, loss of appetite, anxiety and tension related to the flying environment. When a student exhibits or admits to any of the above symptoms to a degree that seems to impair flight-line performance, document the situation in the student's grade folder and refer the student to the Flight Surgeon for evaluation. Reference ATCR 161-3 and ATCR 51-2 for action to be taken by operational personnel when a student is determined to be suffering from MOA. (ATC S-V8A-C 1987, 9)

If the student suffered from MOA, the Air Force removed the student from the program. This action did not have any effect on the AFROTC cadet's possible Air Force career other than nonselection to UPT.

Another possible pitfall for the subject along the way toward UPT was airsickness.

Students who experience airsickness require individual attention and a reasonable opportunity to adapt to the flying environment. Airsickness is defined as active (vomiting) or passive (does not include vomiting, but does result in significant deviations in the mission profile due to the student's discomfort or nausea). Most airsickness is of brief duration and is related to multiaxial accelerations, pulling G's, unfamiliar attitudes, and anxiety. Following the general UPT airsickness training philosophy outlined in ATCR 51-2, however if a student experiences airsickness following the C-6 mission the DCFO/CFO approve the solo mission. Place a student on Special Monitoring Status if four episodes of airsickness are experienced. (ATC S-V8A-C 1987, 9)

If the student could perform the mission while airsick, the instructor did not make a notation of the problem. However, as the training became more intense, the student would be unable to fly the aircraft at the required level of proficiency while airsick. Any resulting lack of flying skill led to termination from the training program.

A student may have elected to voluntarily withdraw from the LATR program due to personal factors (self-initiated elimination or SIE); this step removed the student from any Air Force flying training in the future. If a student became injured or ill and could not complete the LATR class, he or she could be reinstated at a later date if a position was available and the student still met the requirements of entry. The student "washed back" into another training class at a later date or perhaps into the next year's selection pool. Cadets removed from the LATR program due to airsickness, MOA, SIE, illness, or injury were not included in the quantitative performance data but were included as to the pass or fail standard.

#### Mission Grading Parameters

The 1987 LATR program used a specific protocol that had been developed to enable a precise criteria-referenced evaluation of the student pilot's progress. Much effort was expended in the form of instructor pilot check rides and standardization meetings to ensure, to the most practical point attainable, that the grades received by the students were accurate and in relationship to the developed standards. In addition, the Air Force used the maneuver item file, which outlined levels of proficiency for specific lessons.

#### Grading Scale

The syllabus defined the absolute grading scale as follows:

Procedures for Grading Instructional Flights:

- a. Absolute Maneuvering Grading. The following rating scale is used to evaluate the student's characteristic performance on each maneuver attempted during each sortie or observed during the supervised solo mission. This is an absolute rating scale and the student's proficiency must be judged against the training standard. Do not consider the type or amount of training the student has received.
- (1) Demonstrated. Enter "D" on the record of training when the maneuver is demonstrated only, but not practiced.
- (2) Unable (U). The student is unsafe or lacks sufficient knowledge, skill, or ability to perform the operation, maneuver, or task.
- (3) Fair (F). The student performs the operation, maneuver, or task safely but has limited proficiency.
- (4) Good (G). The student performs the operation, maneuver, or task satisfactorily. Deviations occur but are corrected in a timely manner.
- (5) Excellent (E). The student performs the operation, maneuver, or task correctly, efficiently, and skillfully. Minor deviations occur but do not detract from overall performance.
- b. Relative Overall Mission Grading. Rate the student on each maneuver accomplished using the absolute grading scale described above and assess a relative overall grade as soon as possible after the flight. Record these grades on the appropriate Record of Training (ATC Forms 878 and 860). When students are introduced to a maneuver, they may receive several Unable (U) grades. This does not mean the student is unsatisfactory or is not progressing normally since the average student may be unable to accomplish many maneuvers initially.

Students should show progress on subsequent missions and a student's continuous failure to show progress should be reflected in the overall grade. In any case, if a student fails to demonstrate the required level of proficiency given in the MIF for the applicable instruction unit, the overall grade must be unsatisfactory. (ATC S-V8A-C 1987, 5)

Within the previously quoted parameters, the researcher observed differences in the way individual instructor pilots interpreted the grading standards, sometimes with intent. For example, in an attempt to motivate a student who seemed to lack confidence, the instructor pilot may have inflated the overall grade. The reverse also happened, an instructor may have reduced the grades of a student to drive home a message that the instructor wanted reinforced. The Air Force team of military instructors made every effort during 1987 LATR to prevent this practice from occurring. It would be naive to assume that it is not a factor in the grading, but the norm was adherence to the above printed standards with a high relative equality of grading criteria.

#### Maneuver Item File

The maneuver item file (table 1) specified the required aspects of each mission and the proficiency level expected from the student pilot in each of the areas. The Air Force followed this flight training outline during the 1987 LATR program with precise adherence to the profiles of each scheduled mission (lesson) and the expected level of proficiency.

The training syllabus provided overall procedural structure to the IATR program. The procedures outlined in the syllabus and the contract with Embry-Riddle enabled precise control of the treatment to the cadet subjects. By following the procedures outlined in these two documents, a researcher should encounter no problems in replicating the study.

TABLE 1
Maneuver Item File (MIF)

						sons					
	C01	C02	C03	C04	C05	C06	C07	C08	C09	C10	C11
Ground											
operations	Ŭ+	U+	U+	U+	F+	F+	F+	F+	F+	G+	G+
Takeoff	Ŭ+	Ծ+	Ŭ+	Ծ+	Ŭ+	F+	F+	F+	F+	F+	F+
Traffic exit	D+	U	U	U	U	F+	F	F	F	F	F+
Straight level	U+	U+	U+	Ŭ+	F+	F+	F+	F+	F+	G+	G+
Turns	Ŭ+	U+	Ŭ+	Ŭ+	F+	F+	F+	F+	F+	G+	G+
Climbs	U+	U+	U+	Ծ+	F+	F+	F+	F+	F+	G+	G+
Level off	U+	U+	U+	U+	F+	F+	F+	F+	F+	G+	G+
Coordination	U+	U	บ	U	U	F+	F	F	F	F	F
Glides	U+	U	U	U	F+	F	F	F	F	G+	G+
Slow flight			U+	U	บ	F+	F	F	F	F	F+
En route descent		U+	U	U	F+	F	F	F	F	F	F
Steep turns			Ŭ+	บ	U	U	F+	F	F	F	F+
Power on stalls			U+	U	บ	U	F+	F	F	F	F+
Traffic stalls				Ծ+	U	U	U	F+	F	F	F+
Traffic entry	D+	U	U	U	U	U	U	F+	F	F	F+
Pattern	U+	U	U	U	U	U	U	F+	F+	F	F+
Normal landing	U+	U	U	U	U	U	U	F+	F+	F	F+
No flap landing		U+	U	U	บ	U	U	F+	F+	F	F+
Go around		U+	U	U	U	U	U	F+	F+	F	F
Forced landing				U+	U	U	บ	F+	F	F	F
Trim	U+	U+	U+	U+	F+	F+	F+	F+	F+	G+	G+
Throttle											
techniques	U+	U+	U+	U+	F+	F+	F+	F+	F+	G+	G+
In flight checks	U+	U+	U+	U+	U+	F+	F+	F+	F+	F+	F+
Radio procedures	U+	U+	U+	U+	U+	Ŭ+	U+	F+	F+	F+	F+
Clearing	U+	U+	U+	U+	U+	U+	U+	F+	F+	F+	F+
In flight plan	U+	U+	U+	U+	U+	U+	Ŭ+	F+	F+	F+	F+
Emergency											
procedures	U+	U+	U+	U+	U+	U+	Ŭ+	F+	F+	F+	F+
<b>VOR</b> orientation			Ŭ+	U	U	U	U				
Secondary stalls			U+	U	U	U	U				
Slips				U+	U	U	U				
Full flap pats				U+	U	U	U				
Full flap											
landings				U+	U	U	U	U	U	U	U
Airmanship	U+	U+	U+	U+	U+	U+	U+	F+	F+	F+	F+
Blindfold check										F+	

<sup>\*</sup>A "+" symbol following the letter grade means the maneuver must be accomplished on that sortie. Absence of the "+" means the maneuver may be performed, but is not required to complete the mission. Maneuvers, once optioned, should be performed frequently enough to develop/maintain proficiency. (ATC S-V8A-C 1987, 12)

#### Dependent Variables

Two dependent variables (table 2) indicated the effect of the LATR program on the subjects: the standard USAF pass or fail grade and a quantified indicator of subject performance developed for this study.

# Pass or Fail

The 1997 Air Force LATR flight screening program established a pass or fail category for each subject. An attempt was not made to rank or assign an overall score. A "top ten percent" was selected by a qualitative voting

TABLE 2

Independent and Dependent Variables

Independent variables	SPSS-X	Codes
SAT scores	SA	TE
University grade point average	GP.	A
University academic major	M	
1. Social Science	1	
2. Math and Physics	2	
3. Engineering	3	
4. Aviation Science	4	
5. Business	5	
6. Computer Science	6	
7. Other	7	
University varsity sports competition	A	
Prior flying experience	FL	Y
ROTC/University/College Det enrollment	DE	${f T}$
Air Force Officer Qualifying Testing	AF	OQT
1. Academic Achievement	AA	
2. Pilot	PL	
3. Navigator	NV	
4. Verbal	NB	
5. Quantitative	QT	
AFROTC quality index score	GI	S
Gender	S	

# Dependent variables

Results (pass-fail)	R
Performance	PERF

system among the civilian flight commanders and the Air Force instructor staff. The syllabus, S-V8A-C, defined the requirements for graduation and the specifics that may have led to limination. The independent variables were examined in rectionship to the pass or fail criterion established by the official Air Force results generated by the LATR program. The pass or fail grade was coded as R.

#### Quantified Performance

To further explore the effects of higher education curricular variables on the performance of the AFROTC cadets, the following protocol was developed to code and quantify the individual performance of the cadets. At first reflection it seemed appropriate to assign a value to each entry in the student's grade folder and simply derive a numerical score. However, factors could influence the resulting data. For example, individual instructors assigned grades to the students in different situations, with great variety. Contrasting ideas on motivational strategies, differences in instructor egos, variations in student-instructor relationships, and numerous other factors would influence grades regardless of the effort expended to control the grading process.

Another consideration was how to weight each grade entry since certain aspects of the flight training are far more significant than others. For example, the flight examination was quite an important factor, one which in later flight training may spell success or failure at UPT. A student pilot must perform during evaluations when undergoing military flight training. A student who did not test well likely would experience severe problems in later flight training programs. The coding system used in this research should reflect promise in reference to performance. As a result the weight of the various factors of flight screening must be considered.

The total student score for the LATR program consisted of three parts: a qualitative, overall score on missions CO8, CO9-1, C10, and C11; the quantitative score of all 28 factors performed on the final examination check ride mission; and the total points scored on the three written tests. Each portion accounted for approximately one-third of the total, considering normal student performance. To minimize the variation due to subjectivity and to place performance in its proper context, the research used the following coding system. The total of all the measures was coded PERF.

Part 1, Qualitative Mission Score. Student flights C08, C09-1, C10, and C11 were selected as watershed points during the program. The grades for each mission were coded in the following manner.

Unable (U) = 00 points Fair (F) = 30 points Good (G) = 60 points Excellent (E) = 90 points

The total points for the four missions were added to the performance total.

Mission number CO8 was the first mission that, in accordance with the maneuver item file, required student proficiency on all required items. It preceded the student solo and, hence, required a sound evaluation by the instructor pilot. The instructor was most likely to present a true evaluation of the student's ability at CO8 because the student would attempt to solo on the next flight. At this point, previous experience and differences in learning curves began to level out and a relatively uniform picture of actual flying ability resulted. Mission number CO9-1 was the first half of the student's first solo flight and the instructor needed to make as pure a judgment call as possible for the obvious safety considerations.

Mission number C10 was the last ride that the student and the assigned instructor flew together under normal conditions. It was a practice check ride and all items in the maneuver item file were reviewed. The overall grade received on this ride reflected the instructor's best evaluation of the cadet. The next mission was conducted by a civilian pilot of flight commander rank or one of the military staff and would serve as the student's final evaluation. This check ride not only graded the student but also provided data on the effectiveness of the instruction. The instructor pilot attempted to evaluate the student on ride C10 very realistically, as another opinion was forthcoming on ride C11 from the instructor's superior.

The final examination, ride C11, was the most accurate attempt at quantitative evaluation. This mission was graded by a check pilot other than the student's civilian instructor pilot. The parameters of the check flight were quite specific. The check ride was in reality the best indicator of performance as it demonstrates, under pressure, the actual ability of the student. The military considers this ability to respond under pressure a valid part of the selection process.

Part 2, Quantitative Scoring, Examination Flight. The examination check mission consisted of 28 graded factors that have specified and defined parameters existing in the syllabus. The Air Force made an intense effort to ensure that the grades received by the cadets on the examination check mission were as specific in nature as possible and reflected the ability of the student pilot. The Air Force defined the parameters for the grading criteria and conducted meetings with the instructor pilots, and an Air Force evaluator flew with each check pilot—all in an effort to arrive at a standard result on the evaluation flight. Part 2 of the total performance score was weighted as indicated below.

U = 00 F = 06 G = 12 E = 18

The scores for each of the 28 graded factors were added and the total was the score for part 2. If a factor was not graded on the check ride for an operational mission consideration, then the score from the last time the student performed that requirement was logged for inclusion in the total.

Part 3, Academic Scores. Part three of the total performance score was the summation of the three academic tests. Each test was worth 100 points and the total of all three comprises the score for part three. If a student failed a test, scoring below 85 percent, this first score was used to calculate the part three total, even if the student retested and achieved a higher, passing score.

Total Score. The totals for each of the three parts of the scoring were added and the student received one score that was indicative of total performance (PERF). The independent variables were explored in light of this criterion-dependent variable, along with the dependent variable of pass or fail for the total program.

### Quantified Performance Factor Equation

PERF = Qualitative + Quantitative + Academics Flying Flying

#### Where,

Qualitative flying = sum of scores for missions 8, 9-1, 10, and 11 (score defined as E = 90; G = 60; F = 30; and U = 00),

Quantitative flying = sum of scores for 28 factors on mission 11 (score defined as E = 18; G = 12; F = 6; and U = 0), and

Academics = sum of actual scores on the three written tests.

#### The Independent Variables

The independent variables listed (table 2) were indicated in the literature to have been relevant in the pilot screening process and were in general part of the current selection process. The primary focus of this study was to determine if use of these variables was indicated as justified when screening for piloting ability. One of the overriding considerations for looking at these variables was that those responsible for the AFROTC selection procedure were currently reviewing most of these variables. In addition, most of these data would be readily available if future investigation indicated that it would add to the prediction of success or failure at UPT. A brief description of each independent variable and the rationale for its inclusion follows.

#### Scholastic Aptitude Test Scores

The Scholastic Aptitude Test (SAT) score--coded SATE-of each subject was included in the study in an attempt to
determine if these scores related to flying performance.
The SAT is a part of the selection criteria for AFROTC; in
the past a high score has enhanced the student's chance of
selection for UPT. The Air force seems to assume that a
good SAT score increases a student pilot's chances of graduating from UPT, thus indicating a relationship to sound
flying skills.

### University Grade Point Average

The university grade point average (GPA) has been one of the primary criteria for selecting students for the advanced AFROTC program. AFROTC makes all of its UPT selections from among those students in the advanced AFROTC program. Hence, the UPT selection process places a value on

a high GPA. As with SAT scores, the Air Force seems to see a relationship between high GPAs and success in UPT.

## University Academic Major

The question as to what type of academic major (M) enables completion of military flying programs has been debated greatly. Military thinking on the subject seems to have favored mathematics and engineering. These majors have enhanced selection to UPT. AFROTC has given most of its scholarships to students with these majors. Research on the subject as to whether specific academic majors may relate to an increase in flying ability has been inconclusive.

# University Varsity Sports Competition

This variable (A) is not considered in current UPT selection procedures. This researcher, through observation of the military flying community, has determined that a large percentage of successful military aviators had been college athletes. Any subject who played at least one year of varsity sports at the college level was considered a varsity athlete.

## Prior Flying Experience

Individuals who have qualified for a private pilot's license are not required to attend LATR. Other students may have some flying hours but have not yet qualified for their certification. They were required to attend LATR. It seemed logical that in a program such as LATR that any flying experience would enhance the ability of the student to complete the program. Previous research reflects little, if any, relationship between prior flying experience and success at UPT. If the variable of previous flying (FLY) has an effect on the outcome of the LATR experience, it may be reducing the effectiveness of the screening program.

#### AFROTC Detachment

The individual detachment or university (DET) at which the student was enrolled could have an influence on the ability to perform during the LATR program. It was not possible to evaluate this factor because of insufficient numbers of subjects. If there had been sufficient subjects from each detachment, these data would have been analyzed.

#### Air Force Officer Qualifying Test

The AFOQT is a primary part of the current UPT selection process. Previous research supports, in some degree, the use of this testing procedure.

#### AFROTC Quality Index Score

AFROTC has developed the quality index score (GIS) to grade and rank individual cadets on their potential for success at UPT. It is considered the primary selection instrument.

#### Gender

Variations in male or female (S) performance in the LATR program would provide relevant information for determining if any differences exist between the sexes as to flying ability.

#### Statistical Analysis

The statistical analysis used in this study consisted of six steps. The computer program SPSS-X was the method of calculation for the study. The following outline delineates the protocol.

1. Subject demographics. Standard tables were completed for each of the three LATR class groups. A composite group was then compiled by including the results and data from all three classes in total. Histograms were developed for PERF, SATE, GPA, GIS, AA, PL, NV, VB, and QT. These data were analyzed for normal distribution. All variables with means were subjected to analysis of variance searching for significance at the .05 level. Frequency variables R, and M were evaluated with the chi-square test. To determine if any of the variables are related, a Pearson correlation coefficient was employed. If the above procedure determined that the four groups were uniform, then the remaining procedures examined only the composite data. If a variation within the groups was apparent, the individual groups were examined. When appropriate, the remaining analysis was directed toward the composite group with variations if necessary. X-Y plots of the variables were developed to further explore the relationships.

- 2. Pass-fail. The subjects were divided into two groups: those who passed the LATR program and those who failed. The standard table format displays subject demographics. T-tests searching for significance at the .05 level examined the variation between the two groups in FLY, SATE, GPA, AA, PL, NV, VB, QT, and GIS. Chi-square was employed to test variation in S and A.
- 3. Subject categories. The subjects were placed in groups dependent upon the following variables: Gender (male or female); prior flying experience (fly or no fly); and varsity athletics (yes or no). The standard table for demographics was completed on each of the six resulting subgroups. Chi-square was used to determine if significant variation exists within the three main groups on R. T-tests were performed to examine variation on PERF in each of the three categories.
- 4. Academic majors. Subjects were divided into seven academic groups in relationship to the previous stated categories. The standard tables on subject demographics were completed for each group. A one-way multiple analysis of variance was completed for each of the following variables: PERF, FLY, SATE, GPA, GIS, AA, PL, NV, VB, and QT at the .05 level of significance. A crosstabulation (CROSSTABS) of the seven academic majors and R was completed and a test for significance employing chi-square was undertaken.
- 5. Discriminant analysis. To determine the effect of the independent variables on R, A, FLY, SATE, GPA, M, GIS, AA, PL, NV, VB, and QT, a discriminate analysis (DISCRIMINANT) was employed. A case sequence number (SEQNUM) was developed for each subject and histograms for the canonical discriminant functions produced.
- 6. Multiple linear regression. To determine the effect of the variables S, A, FLY, GIS, SATE, GPA, M, AA, PL, NV, VB, and QT on the dependent variable PERF, multiple linear regression analysis (REGRESSION) was used searching for significance at the .05 level. A regression line plot was developed. A significant relationship between the dependent variables R and PERF to the independent variables S, A, FLY, SATE, GPA, M, GIS, AA, PL, NV, VB, and QT will be cause to reject the null hypothesis. If a significant relationship in the above variables is not indicated by the analysis, the null hypothesis will stand.

#### CHAPTER 4

#### RESULTS

In this study, the researcher adhered to the statistical analysis plan and methodology described in chapter 3. His analysis produced the following results. Seven of the independent variables were significant at the .05 level of confidence. Previous flying time, varsity athletic experience, and the pilot, academic achievement, and navigator portions of the Air Force Officer Qualifying Test (AFOQT) all proved significant. Academic grade point average and the verbal section of the AFOQT were significant in the negative context. High scores on these two variables proved detrimental to the success of the LATR program. The results of the data collection are presented in appendix A.

#### Analysis of Subject Demographics

The researcher examined the three classes of Air Force Reserve Officer Training Corps (AFROTC) cadets attending the 1988 LATR program to determine if the classes were of similar composition. Summaries of the characteristics of the three classes are presented in appendix B, tables 1, 2, and 3. (Table 4 deals with all subjects.) The results of this examination are presented in the following paragraphs.

Histograms of the variables performance (PERF), Scholastic Aptitude Test (SATE), grade point average (GPA), quality index score (GIS), and academic achievement (AA), pilot (PL), navigator (NV), verbal (VB), and quantitative (QT) portions of the AFOQT showed a normal distribution. A composite group of all three classes was developed and again a normal distribution was found for the above variables. Histograms of the variables are included in appendix C.

The variables PERF, SATE, GPA, GIS, AA, PL, NV, VB, and QT for all three LATR classes were examined by an analysis of variance searching for significance at the .05 level. No significant difference in the means among the three separate classes was evident. Frequency variables—dependent variable R (results, pass-fail) and independent variables A (athletics) and major (M)—were evaluated with a chi-square test. No significant differences were displayed between the three student classes.

To determine if a relationship existed among the variables, they were examined by a Pearson correlation coefficient test. The results are contained in appendix D.

In addition, an X-Y plot of the interval variables projected with the PERF variable is provided (appendix E). After examining the distribution of the variable detachment (DET), the researcher determined that there were not adequate numbers in the various categories with which to develop meaningful data; hence, DET was dropped from further consideration during this research study.

#### <u>Dichotomous Variables</u>

As a result of the above analysis, the researcher concluded that the three LATR classes were quite similar in demographics and the remaining data analysis could proceed with a composite sample of all three classes of the 1987 LATR program.

#### Pass or Fail during the LATR Program

The subjects were divided into two groups for this analysis: those who passed the LATR program and those who failed and were disqualified from future flying training. For a summation of the demographics of these two groups, consult appendix B, tables 5 and 6. A T-test was performed to evaluate for significant differences at the .05 level for the independent variables FLY, SATE, GPA, AA, PL, NV, VB, and GIS (appendix F). Of this group, only prior flying experience (FLY) proved to be significant. The other indevariables did not vary significantly between the pendent pass and fail groups. A categorical independent variable, varsity athletics (A), was identified for further evaluation. Of the 230 subjects who passed the LATR program, were identified as college atheletes, while none of the 35 in the failure group had competed in varsity athletics. There were no significant differences in pass or fail (R) in relationship to gender (S). Overall, the pass and fail groups differed as to prior flying experience. The pass group contained 113 cadets with prior flying experience. The mean flying time for this group was 16.31 flying hours. The mean time for the eight cadets with flying experience in the fail group was 3.875 flying hours. The variation in the means of the two groups for the variable FLY was statistically significant at the .004 level.

# Effect of Prior Flying Experience

To explore further the independent variable FLY, the researcher divided the population into two groups: a group composed of cadets with more than four hours flying time

prior to entering LATR and a group that had four or less hours experience before entering the program. Summaries of the two groups are listed in appendix B, tables 7 and 8. A T-test was performed on the variables PERF, SATE, GPA, GIS, AA, PL, NV, VB, and QT within these two flying groups in an attempt to determine if factors other than prior flying experience may have influenced the success rate of the cadets (appendix F).

The single other variable of significance was PERF during the LATR program. The group with prior flying experience compiled the mean of 778.2, while the nonexperienced group scored a mean of 709.8. This difference was significant. The other variables did not indicate a significant difference between the two groups.

## University Varsity Sports Competition

Two groups of subjects were formed for the purpose of analysis. One group of 33 subjects, which represented the cadets who were classified as varsity athletes and a group of 232 who did not have varsity athletic experience (appendix B, tables 9 and 10). Of the 33 varsity athletes, none failed the LATR program. In the nonathlete category, 35 failed. A chi-square analysis indicated that the difference in pass or fail was statistically significant (appendix G). A T-test was performed to compare the means of the variables SATE, GPA, GIS, FLY, AA, PL, NV, VB, and QT within the varsity athletes. There were no significant differences in the mean values (appendix F).

#### Gender as a Variable

The LATR cadets were divided into two groups dependent upon gender (S). The population included 13 females and 252 males. The data for the two groups is listed in appendix B, tables 11 and 12. A chi-square test for significant differences in the LATR results variable R with respect to gender was not significant. T-tests were developed searching for significant variation in the means of SATE, GPA, GIS, PERF, FLY, AA, PL, NV, VB, and QT. The females displayed higher scores at the .05 level in the following areas: SATE, AA, PL, NV, QT, and GIS. There was no significant difference in PERF (appendix F).

### Effect of Academic Majors

The cadets were categorized into seven different academic majors as delineated in chapter 3. For the specific breakdown and values within each subject major, consult appendix B, tables 13, 14, 15, 16, 17, and 18. The effect of academic major (M) on the results (R) of the LATR program was evaluated by a cross tabulation of M by R and by a chisquare (appendix G). There were no significant differences in the pass or fail criteria for the various academic majors. To determine if a difference in the dependent variof cadet performance during the LATR program academic major existed, a one-way analysis of variance was performed between PERF and M-1, M-2, M-3, M-4, M-5, M-6, and There was no significant difference between the M-7. variables (appendix H). The academic majors were then explored for between group variation in SATE, GPA, GIS, FLY, PL, NV, VB, and QT by a one-way analysis of variance. There were no significant differences among the academic majors within these variables. It was determined that there was no variation in the dependent or independent variables for the subjects in relationship to academic major during the 1987 LATR program.

# Multivariant Analysis of Dependent Variables

The dichotomous dependent variable success in the LATR program (R) was subjected to a discriminant analysis for the following independent variables: SATE, GPA, GIS, FLY, A, M, S, AA, PL, NV, VB, and QT. Five of the variables had a statistically significant bearing on determining subject placement in the pass or fail category. The variables, listed in order of descending influence, are FLY, A, NV, VB, and GPA. GPA and VB influence the analysis in a negative fashion. The higher the GPA or VB the more probability of placement in the failure group. Varsity athletics (A), an increase in prior flying experience (FLY), and higher scores in the navigator (NV) portion of the AFOQT discriminate toward placement in the pass group. Appendix I shows the results of the discriminant analysis.

The dependent variable PERF was subjected to multiple linear regression analysis with S, GIS, A, FLY, SATE, GPA, M, AA, PL, NV, VB, and QT as the independent variables. The results indicated that three of the independent variables added to the predictive ability of the equation at the .05 level of confidence. The variable FLY was entered on step one with a multiple R of 0.28302 and an  $\mathbb{R}^2$  of 0.08. Step two derived NV with a multiple R of 0.34642 and an  $\mathbb{R}^2$  of

0.12001. On step three, AA displayed a multiple  $\underline{R}$  of 0.37316 and an  $\underline{R}^2$  of 0.13. Appendix J shows the regression analysis to include the case-wise plot of the standardized residuals, a histogram of the residuals, a plot of the residuals, and a standardized partial regression plot for the three significant variables.

The dependent variable R (pass or fail) was also subjected to multiple regression analysis by coding 0 or 1, and the results were as follows. On step one the variable FLY was again the most influential with a multiple R of 0.17590 and an  $R^2$  of 0.03 while displaying a significance of F of 0.0041. On step two, the variable varsity athletic competition (A) produced a multiple R of 0.23282 and an  $R^2$  of 0.05421. The significance of F was 0.0007. The other independent variables did not add significantly to the explanatory power of the equation.

A relationship exists between the variable PERF and FLY, as indicated by a correlation of 0.283 at a level of significance less than 0.0001. In addition, a correlation of 0.229 exists between the variable PL and PERF. PERF correlates with the variable NV at 0.206. A relationship between the variable FLY and PL exists at a correlation of 0.18 at a significance level of .002 (appendix E). In response to these relationships, the PL variable, which displays a higher correlation to PERF than the NV variable, does not add to the predictive quality of the regression equation if all the variables are included. To resolve the influence of the PL variable on PERF in interaction with the other independent variables, a multiple regression analysis was performed with the independent variable FLY removed from the equation. This regression analysis placed the variable PL on the first and only step, with a multiple R of 0.22908 and an  $R^2$  of 0.05248. The significance of  $\underline{F}$  was equal to The regression sequence complete with residuals is contained in appendix K. This procedure demonstrated the significant influence of the variable PL on the dependent PERF.

# Summary of the Results

The following independent variables proved statistically significant in contributing to a cadet's level of performance and success or failure during the LATR program.

• Prior flying time (FLY) influenced both the performance (PERF) and the rate of pass or fail (R) during the LATR program.

- Varsity athletic experience at the college level was a determining factor in the success or failure but did not influence the cadet's quantitative performance (PERF).
- The results of the analysis of the Air Force Officer Qualifying Test were mixed. The pilot, navigator, and academic achievements were statistically significant indicators from a positive viewpoint. The greater the score, the greater potential for a high performance score or success during the LATR program. However, the verbal part of the test was a negative indicator. Success was related to a lower score in the verbal section of the AFOQT.
- Grade point average (GPA) was also a negative indicator of success. The lower the grade point average the more potential for success in the LATR program. Grade point average did not influence the level of quantified performance (PERF) during the program.
- The other independent variables of the study, sex, quality index score, academic major, scholastic aptitude score, or the quantitative section of the AFOQT did not display a relationship with the two dependent variables PERF and R.

#### CHAPTER 5

#### CONCLUSIONS AND RECOMMENDATIONS

Based on the data analysis, this researcher concludes that a significant relationship is evident between three of the higher education curriculum variables--prior flying time, athletics, and portions of the Air Force Officer Qualifying Test--and subject performance in the light aircraft training (LATR) program for Air Force Reserve Officer Training Corps cadets conducted at Embry-Riddle Aeronautical University during the summer of 1987. In this chapter, the researcher identifies the curricular variables that proved significant, analyzes why the relationship occurred, and discusses the possible ramifications of such a relationship. The researcher also examines the independent variables that did not display a relationship with the two dependent variables and critiques their possible relationship to the selection issue. The researcher closes this chapter with his recommendations and a short summation of the study.

### Prior Flying Experience

LATR program cadets with prior flying experience showed significantly higher success (pass or fail) and scored significantly better on the quantified variable of performance than cadets who had no flying experience prior to the program. This relationship is quite logical. The LATR program is a short-duration, criterion-referenced experience requiring that basic skills be developed within the first few hours of flight training. A cadet with these skills already evident is at an advantage during the program. Much of the determination of a cadet's suitability for undergraduate pilot training (UPT) is focused on the rate of learning. A student pilot who may be relearning enhancing prior skills has a distinct advantage when compared to peers in relationship to these factors. An AFROTC cadet with flight time as part of a curricular program during the university experience has a definite advantage when competing in the LATR program for a position in UPT.

Past studies have shown little, if any, significant relationship between prior flying experience and the graduation rate at UPT. In the researcher's opinion, prior civilian flying time is not a factor in enhancing success at UPT and does not relate to superior performance in the operational years following UPT graduation because the demands of military flying are far more rigorous than those of the civilian sector and the initial advantage is well

5.3

diluted long before graduation from UPT. Using prior flying time as a selection criterion for LATR and UPT may overstate the effectiveness of the LATR program as a device to identify cadets for UPT by weighting the pool of selected cadets with those that have some prior flight experience.

#### Varsity College Athletics

AFROTC cadets who had experienced at least a year of varsity, college-level athletic competition as part of the total higher education curriculum were significantly more successful in the program as measured by pass or fail. This finding is subject to judgment as the results of the chi-square were not entirely conclusive because of lack of sufficient numbers in the fail cell of the crosstabulation (appendix G). However, it is logical to conclude that the relationship between success and varsity athletic group membership is significant. If the results had been less definitive, by having produced some failures, the total criteria for the chi-square would have been obtained. increase in the number of students who were classified within this category would additionally add to the strength of the finding. Furthermore the strength of the relationship derived by the regression analysis is in support of the finding.

To draw any conclusions as to why the relationship between this specific variable and success in flight training programs exists is well beyond the scope of this research. Nonetheless, the researcher speculates that the relationship derives from the psychological profiles of the cadet athletes and their environmental conditioning rather than any physiological variation such as superior hand-eye coordination. By definition the category of varsity athletics does not screen specifically for physiological traits. A varsity college marksman is included, as is a weightlifter. The actual training aircraft also is probably not a discriminating factor. A light aircraft will not differentiate between speed of reflex or other physical parameters and then translate the variation into superior performance.

What may separate the varsity college athlete from the normal population is the exposure to stress and other psychological conditions that are present both in flight training and athletic competition. By the time an athlete reaches the level of college competition, he or she is conditioned to perform under pressure. This pressure may be in the form of negative reinforcement from a coach, peer pressure, or an individual ego-gratifying strategy. Those who survive the sports system and continue competing at the

college level have individual strategies that facilitate performance under high levels of stress.

Flying training requires an identical adaptation to To perform during the LATR program, the cadet must have the ability to continue to learn a physical and mental skill while under perceived high stress. The ego drive to become an Air Force pilot, the pressure to succeed along with peers, and the stress of operating in an aerial environment, all while being subjected to negative criticism by the flight instructor, creates the same psychological state as does athletic competition. The college athlete is conditioned to, and has successfully adapted to, performing while in this mental state. It is the opinion of this researcher that this similarity may explain much of the success of the varsity athletes in this study. Speculation aside, the cadets classified as varsity athletes completed the LATR program at a rate significantly different from the norm.

## Air Force Officer Qualifying Test

Four of the five parts of the Air Force Officer Qualifying Test (AFOQT) demonstrated a significant relationship with the cadet's performance in the LATR program, although the strength of the relationships was not impressive. pilot section of the test was the best indicator on an individual basis. A high score on the pilot section indicated a correlation with both success, as measured by pass or fail, and quantified performance. High scores on the navigator and academic sections added a slight increase in the ability to predict the outcome of a cadet's participation in LATR. The verbal section of the AFOQT was related to success only from a negative viewpoint. Cadets with high scores on the verbal section were more prone to failure However, this relationship was very weak, and during LATR. although statistically significant, not of operational value.

In reference to the 1987 LATR program, although there is a small relationship between the AFOQT and the dependent variables of pass-fail and quantified performance, the test provides only a slight predictive indication of the cadet's ability to complete the screening program successfully. This evaluation of the AFOQT must be placed in the proper context. The relationships may be small, but, in the opinion of this researcher, the AFOQT is still the best paper test instrument yet developed to screen flying training applicants. The pilot portion is quite relevant to

the task of providing an initial evaluation of an applicant's potential for flying training.

## College Grade Point Average

The cadet's college grade point average displayed a slight but statistically significant relationship to his or her success or failure in the LATR program. In reference to the 1987 LATR program, the higher the cadet's grade point average, the greater probability that the student would fail the screening program. This tendency was exhibited only under discriminate analysis and only on the fifth and final step analysis. When the grade point average was examined within the pass or fail groups, it was not proven significant by T-test. In addition, the Pearson correlation was not impressive. In consideration of the above analysis, in the researcher's judgment, it was concluded that it was not logical, from any operational perspective, for a cadet's grade point average to influence performance during the LATR program.

#### Curricular Variables Not Affecting Performance

The other curricular variables that were the focus of this study did not display a relationship to the outcome of the cadet's performance in the LATR program. Sex, academic major, Scholastic Aptitude Test scores, and quality index scores did not display a relationship with the dependent variables of the research design. The absence of a relationship here is quite interesting as three of the four are now used as selection criteria for entrance into the LATR program.

### Academic Majors

The Air Force displays a selection bias, in reference to both LATR and UPT, toward what it describes as hard, as opposed to soft, majors. These majors include the math, physics, and engineering categories of this study. The researcher concludes that this bias is not justified when evaluated in conjunction with the results of this study. Differences in academic majors did not demonstrate any significant variation in either of the LATR program's two dependent variables. Based on the results of the 1987 LATR program, the researcher concludes that there was no relationship between a cadet's academic major and performance.

#### Scholastic Aptitude Test Scores

A high Scholastic Aptitude Test (SAT) score enhances selection to both the advanced AFROTC course and to UPT via LATR in current AFROTC procedures. This selection bias is not justified when viewed within the confines of this study. The researcher concludes that there was no relationship between SAT scores and performance during the LATR program of 1987.

### Quality Index Score

The AFROTC quality index score (GIS) is one of the primary differentials used for selection to UPT via LATR. The researcher concludes that there was no significant relationship between the quality index score variable and performance during the 1987 LATR program.

#### Gender

Males and females did not display significant differences in relationship to either pass or fail or to quantified performance during the 1987 LATR program. Nevertheless, the females were subjected to a significantly more rigorous selection criteria than were the males. Because the females scored significantly higher in Scholastic Aptitude Test scores, quality index scores, and AFOQT scores, one could conclude that the Air Force is requiring higher standards from the female applicants to UPT in hopes of establishing equal graduation rates in comparison to the males.

Air Training Command folklore seems to substantiate this conjecture. This logic breaks down when one considers the equal rates of success in UPT at present among males and When considering the results of this specific research study, this logic is even less clear. The variables of quality index score and SAT score have no effect on the LATR performance. The AFOQT, although a significant indicator, in reality has little predictive effect. If the variables for selection to UPT via LATR, on which the females are required to display higher values, do not affect the total subject population in reference to performance in then why the apparent variation in selection criteria? The researcher concludes (1) that gender as a variable had no effect or relationship to quantified performance or success during the 1987 LATR program, but (2) that significant variations did occur in the required entry standards into the flight screening program in relationship to gender.

#### Recommendations

Given these findings, the Air Force needs to make the following changes in its LATR and UPT selection criteria and policy.

- l. The issue of cadets with previous flying time competing for selection to UPT with cadets without flying experience should be addressed. A selection bias that considers prior flying time as advantageous to a cadet's selection should be examined. The issue should be resolved from the viewpoint as to how the prior experience affects actual "operational proficiency" at a later stage in the military flier's career, not specifically the graduation rate from LATR or UPT.
- 2. A research effort should be directed toward determining if the results of this LATR study, in reference to the success of the varsity athletes, will replicate with UPT as the treatment. Additional research should examine the variable of past varsity athletics membership to determine if a relationship with successful military aviators in the operational field may exist. This variable is, in addition, an interesting area for research in reference to the fighter-qualified pilots and those individuals not selected for this type of flying specialty. The researcher recommends that consideration should be given to including the athletic competition variable as a strong positive indicator of potential success as a military aviator.
- 3. The AFOQT should continue to be employed as a selection instrument for UPT. However, the screening should be made in relationship to the strength of the individual candidate on only the pilot and navigator sections if the goal of selection is flight potential only. Research should be continued to update and refine this valuable test instrument.
- 4. The issue of female pilot selection needs to be examined. If it is determined that standards are different on variables that have no relationship to flight success, the researcher recommends that this differentiation be terminated. The variable of gender should be subjected to close examination in reference to success at UPT and research should be continued to include operational flying performance variations.

5. Current pilot selection criteria contain elements that have displayed no relationship to success in either LATR, as demonstrated by this research design, or in UPT, as shown by past research. Thus, this researcher recommends that the Air Force and its component commands review the current selection procedure and eliminate those specific aspects that do not add to the prediction of success in flight training. A clear distinction needs to be defined as to what attributes are specifically desired for flying operations and what attributes are contained within the pilot selection criteria to enhance the total Air Force officer corps concept.

CAT

# A Brief Summary of LATR 1987

The 1987 LATR program provided a unique opportunity to explore the question of what specific variables may influence a qualified individual's ability to pilot military aircraft. The specificity of the research design prevents accurate statistical inference to other subject populations and flight training programs. However, the implications of the study are clear: the men and women selected for Air Force pilot training over the past 20 years have been very similar -- the basic selection criteria have remained consistent. The rate of attrition from the undergraduate pilot training program has also remained somewhat consistent, with variations being detected as supply and demand change. The LATR research study was clear in indicating that many of the selection criteria did not relate to flying performance. With the similarity of populations, it is very possible that these variables also have no effect on (UPT) or operational flying. It is (50%) additionally apparent that varsity athletic competition may continue to exert an effect during UPT. Undergradude pilot training

This research design was successful in describing basic concepts that could prove useful in future research that may be developed to improve the selection process for UPT. The research established that specific parameters that have in the past been considered important discriminators for selecting cadets for flight training do not show validity as selection criteria. The contribution of quantifying the specifics of existing relationships will provide a sound reference on the question of curricular variables and their effect on flight performance.

# **APPENDIX A**

SUBJ	R	PERF	DET	s	A	FLY	M	GPA	*GIS*	SATE	AA	PL	NV	VB	QT
1001	1	664	010	0	0	000	1	300	10413	1321	88	53	61	92	78
1002	1	704	010	1	0	000	2	290	09162	1123	76	55	65	72	75
1003	1	775	010	1	0	000	5	248	09923	1361	84	69	86	69	90
1004	1	630	012	1	0	000	1	287	07813	0970	44	61	57	41	52
1005	0	336	012	1	0	000	5	245	08003	1170	61	53	56	55	64
1006	0	341	012	1	0	000	7	217	07373	0979	51	76	66	55	48
1007	0	746	035	1	0	000	3	358	09450	1250	75	84	79	74	69
1008	1	831	060	0	0	000	3	247	09726	1240	84	94	86	90	71
1009	1	939	105	0	0	035	5	355	10062	1200	71	66	62	80	81
1010	1	832	130	1	0	011	5	318	10184	1240	82	58	71	84	75
1011	1	797	130	1	0	000	3	296	08846	1200	84	60	76	67	91
1012	0	000	145	0	0	000	7	250	10516	1321	89	95	93	81	90
1013	1	685	145	1	0	000	1	360	09822	1218	76	57	63	74	71
1014	1	690	145	1	0	000	6	349	09348	1130	69	76	73	69	64
1015	1	915	145	1	0	000	1	239	08629	1060	63	87	83	67	57
1016	0	410	145	1	0	003	5	324	08230	1140	72	67	66	77	64
1017	1	717	145	0	0	000	2	334	10736	1384	99	86	96	96	99
1018	1	750	145	1	0	000	1	222	07646	0910	69	52	61	74	59
1019	1	818	150	1	0	000	3	330	10872	1240	89	94	89	90	80
1020	1	913	150	1	0	000	3	334	08379	1020	61	86	85	48	71
1021	1	672	150	1	0	000	7	270	08442	1053	63	71	73	44	80
1022	1	753	150	1	0	015	1	278	08627	1160	61	81	85	40	80

1023	1	849	150	1	0	000	2	340	07573	1053	33	67	61	33	38
1024	1	799	155	1	0	000	1	348	10944	1302	95	97	99	86	96
1025	1	713	155	1	0	000	2	322	08631	1130	50	45	52	41	61
1026	1	743	157	1	0	010	3	391	09359	1120	68	77	72	67	64
1027	1	836	157	1	1	021	4	245	07024	0874	34	60	62	26	52
1028	1	871	158	1	0	000	1	248	08333	1040	78	66	79	64	82
1029	1	670	158	1	0	800	1	227	07669	0985	52	52	30	74	31
1030	1	990	158	1	0	052	5	267	09228	1110	61	67	75	36	85
1031	1	816	158	1	0	002	1	334	10127	1123	72	83	73	77	64
1032	1	830	158	1	0	030	3	244	07305	1230	28	87	73	31	33
1033	1	689	158	1	0	004	1	233	08917	1170	89	89	91	86	86
1034	1	766	158	1	0	000	1	292	06931	0970	27	64	56	23	43
1035	1	667	158	1	0	001	2	253	08872	1030	84	87	96	57	95
1036	1	898	159	1	0	010	3	240	08372	0990	83	82	83	67	90
1037	1	813	159	1	0	000	1	239	07766	0936	44	70	53	46	45
1038	0	410	205	1	0	000	3	305	08095	0942	43	56	53	32	61
1039	1	565	220	0	0	000	1	297	10759	1321	88	53	60	87	82
1040	1	924	220	1	0	001	1	207	08002	1110	71	83	72	86	52
1041	1	658	290	1	0	000	7	228	06970	1048	63	57	38	84	38
1042	1	825	290	1	0	020	2	265	08042	1053	63	95	84	72	52
1043	1	800	355	1	0	800	3	242	09168	1300	89	74	79	99	69
1044	1	645	355	1	0	000	3	212	07289	1100	49	63	61	40	61
1045	1	720	355	1	0	000	3	305	10422	1240	93	93	95	81	95
1046	1	777	370	1	1	000	5	278	08746	1090	81	96	96	62	90

1047	1	750	430A	1	0	023	4	295	07053	0880	34	66	42	46	26
1048	1	720	432	1	0	000	5	261	07104	0855	34	57	51	26	52
1049	1	728	485	1	1	016	5	230	08164	0991	53	48	56	38	75
1050	1	827	490	1	0	003	2	336	09544	1260	70	58	65	67	69
1051	1	852	550	1	1	000	2	343	10593	1300	97	87	96	87	99
1052	1	654	550	1	0	000	6	367	08899	1020	57	77	67	62	52
1053	1	822	560	1	0	004	3	245	08399	1100	76	74	81	84	61
1054	1	661	560	1	0	007	6	275	06925	0880	35	75	68	23	59
1055	1	750	590	1	0	000	1	274	06958	0940	59	65	54	60	57
1056	1	734	590	1	0	000	1	342	07463	0950	35	57	42	46	28
1057	1	778	590	1	0	800	1	341	08090	0990	52	62	52	69	34
1058	0	657	590	1	0	000	7	221	08512	1200	68	54	66	69	61
1059	1	821	590A	1	0	001	6	272	08728	1130	79	62	56	96	52
1060	1	708	595	1	0	000	2	302	07826	1100	65	63	72	50	76
1061	1	682	600	1	0	006	5	248	07057	0900	33	75	72	24	52
1062	1	851	600	1	1	000	2	279	07783	1040	49	57	59	50	48
1063	1	815	620	1	0	000	5	268	09100	1090	70	52	65	55	80
1064	1	799	640	1	0	002	1	260	09067	1218	86	67	65	97	66
1065	0	499	640	1	0	005	3	252	08331	1123	67	46	63	53	76
1066	1	680	640	1	0	000	1	237	08515	1120	69	45	36	90	41
1067	1	857	640	1	0	043	5	200	07228	0880	51	63	43	69	33
1068	1	825	720	1	0	000	1	190	08737	1321	75	71	82	62	80
1069	0	348	745	1	0	000	3	288	08804	1100	69	95	97	44	88
1070	1	736	765	1	1	000	5	280	07934	0900	52	54	58	36	75

Data 1--continued

1071	1	707	770	1	0	001	3	258	09212	1150	84	65	79	74	86
1072	1	659	770	1	0	000	3	238	10184	1170	92	80	81	98	78
1073	0	445	775	1	0	000	1	264	08238	1123	53	54	31	90	17
1074	1	706	785	1	0	000	2	320	09348	1270	81	88	91	57	92
1075	1	931	865	1	1	000	7	255	07549	0990	50	45	57	48	54
1076	1	819	867	1	0	000	3	291	08139	1110	57	74	89	26	90
1077	1	789	880	1	0	000	3	269	08615	1190	49	57	54	67	31
1078	1	751	915	1	0	000	7	212	07842	1053	45	78	65	53	41
1079	1	995	925	1	0	020	7	226	07566	0973	50	85	79	50	52

DATA SET 2

SUBJ	R	PERF	DET	s	A	FLY	M	GPA	*GIS*	SATE	AA	PL	NV	VB	QT
2001	1	786	010	1	0	002	3	324	09054	1123	53	86	84	57	52
2002	1	750	010	1	0	800	1	210	08506	0973	59	86	73	60	57
2003	1	702	060	1	0	000	4	220	08390	1053	61	86	81	55	64
2004	1	781	090	1	0	007	3	327	08845	1048	63	54	69	46	78
2005	0	377	115	1	0	000	5	304	08423	1080	52	52	59	38	71
2006	1	515	115	1	0	800	3	301	09233	1150	82	56	66	77	80
2007	1	799	115	1	0	020	5	324	09081	1080	57	69	64	55	59
2008	1	778	130	1	1	032	1	384	11562	1361	91	77	78	98	76
2010	1	765	150	1	0	002	2	308	09030	1110	81	76	81	74	80
2011	1	725	150	1	0	000	1	263	09759	1370	95	91	94	97	90
2012	1	903	150	1	0	015	1	246	08638	1010	65	78	69	72	54
2013	1	821	150	1	0	000	6	282	08196	1100	62	86	89	55	66
2014	1	784	150	1	0	003	3	346	10192	1270	86	85	84	86	80
2015	1	837	150	1	1	007	3	230	07329	0980	52	66	66	48	59
2016	0	000	150	1	0	000	3	248	07613	1000	57	70	87	27	88
2017	1	804	150	1	0	002	5	277	08371	0880	47	61	45	48	44
2018	1	683	150	1	0	000	1	292	08684	1150	71	61	53	81	57
2019	1	840	150	1	0	006	1	299	07680	0950	27	70	66	30	33
2020	1	826	157	1	0	000	4	324	09339	1090	57	70	59	50	64
2021	1	678	157	1	0	000	4	238	07905	1090	51	58	65	50	54
2022	1	761	1.57	1	0	000	4	255	08237	1090	71	75	48	97	34
2023	1	837	157	1	0	027	6	258	07528	1053	37	62	44	33	48

2024	1	832	157	1	0	007	3	348	08199	0936	44	71	76	40	54
2025	1	823	157	1	0	000	3	265	08051	1110	61	70	64	64	54
2026	1	683	157	1	0	019	4	283	07651	1000	50	66	67	44	59
2027	1	740	157	1	1	000	6	339	10111	1270	86	88	89	74	90
2028	1	792	157	1	0	010	4	267	09607	1170	81	88	93	69	85
2029	1	768	158	1	0	000	3	311	08989	1230	72	94	92	55	85
2030	0	437	158	1	0	007	5	330	09926	1200	75	58	55	84	59
2031	1	734	158	1	0	000	2	363	09459	1190	68	79	81	55	76
2032	1	702	158	1	0	000	2	278	07960	1060	43	60	56	44	45
2033	1	774	158	1	0	001	2	214	09266	1200	83	70	84	74	85
2034	1	787	165	1	0	000	5	340	07983	1090	45	46	53	36	61
2035	1	800	205	1	0	030	3	230	08559	1123	72	82	70	95	40
2036	1	793	205	1	0	000	3	332	09342	1218	68	89	81	64	66
2037	1	769	205	1	0	000	5	232	08261	1015	68	79	83	57	75
2038	0	000	215	1	0	000	2	380	11218	1350	93	77	88	90	90
2039	1	740	215	1	0	000	7	261	08501	1053	54	69	72	67	43
2040	0	532	220	1	0	000	1	318	09326	1218	75	76	61	84	59
2041	0	433	220	1	0	000	3	323	09810	1270	91	53	69	87	88
2043	1	962	220	1	0	000	3	270	10127	1502	97	94	94	98	93
2044	1	748	225	1	1	000	3	230	08342	1220	71	56	74	55	82
2045	1	783	250	1	0	000	3	369	09505	1218	79	69	80	50	93
2046	1	730	250	1	0	000	3	233	08035	1080	69	80	81	62	71
2047	1	783	255	1	0	041	2	360	09992	1270	88	80	82	86	85
2048	1	708	355	1	0	005	5	229	07772	1130	59	54	51	67	48

2049	1	808	365	1	1	000	3	300	09714	1320	90	71	82	86	88
2050	1	735	370	1	1	000	5	263	08415	1110	47	55	77	26	76
2051	0	370	370	1	0	000	1	267	09045	1130	78	65	66	86	61
2052	0	000	370	1	0	000	1	227	08271	1190	63	77	67	86	34
2053	1	728	425	1	0	010	3	246	08885	1270	81	88	83	78	76
2054	1	854	425	1	0	000	6	245	09688	1218	69	79	78	47	85
2055	0	000	425	1	0	000	3	305	09942	1361	83	96	79	92	66
2056	1	851	425	1	0	021	5	231	07435	1090	38	75	53	44	38
2057	1	734	425	1	0	002	3	247	08913	1218	84	73	75	96	64
2058	1	751	432	1	0	003	6	280	07649	0942	31	75	60	33	34
2059	1	686	442	1	0	000	3	286	08100	0985	52	75	73	50	57
2060	1	813	442	1	0	010	5	265	09650	1112	75	85	88	62	80
2061	1	682	465	1	0	001	1	308	09146	1053	76	65	62	84	61
2062	1	995	485	1	0	023	1	189	07428	0980	53	93	87	48	61
2063	1	701	536	1	0	060	3	294	08835	1240	76	82	62	74	71
2064	1	770	536	1	0	000	3	236	07856	1130	47	55	67	38	61
2065	1	817	550	1	0	000	3	394	10759	1240	85	64	91	67	92
2066	1	625	560	1	0	011	1	227	06862	0930	43	63	45	50	38
2067	1	847	560	1	1	010	3	383	10351	1150	68	61	79	53	78
2068	1	851	560	1	1	000	7	289	09146	1020	71	59	81	49	76
2069	1	761	560	1	0	029	3	260	07368	1020	72	69	71	69	71
2070	1	831	585	1	0	003	2	357	11674	1450	97	86	91	99	91
2071	1	754	585	1	0	000	3	282	09651	1320	99	84	91	99	97
2072	1	881	590A	1	0	044	1	209	07089	0815	25	71	65	26	33

2073	0	466	595	1	0	000	3	243	09853	1280	90	76	84	92	82
2074	0	000	600	1	0	000	1	383	09998	0940	69	56	47	78	54
2075	1	713	605	1	0	000	6	217	06991	0800	31	51	57	23	52
2076	1	733	670	1	0	000	1	248	08208	1015	38	51	43	33	52
2077	1	689	720	1	0	000	3	283	10015	1450	95	84	95	90	94
2078	1	670	720	1	0	000	5	289	10211	1310	91	77	80	84	91
2079	1	808	720	1	0	060	1	265	09999	1240	93	87	87	93	88
2080	1	735	720	1	0	000	7	293	10022	1220	84	69	81	77	85
2081	0	466	720	1	0	000	2	297	09338	1310	81	63	63	77	78
2082	1	898	730	1	0	000	3	309	10192	1320	81	94	95	72	82
2083	1	814	752	1	1	000	1	238	09353	1330	92	75	76	97	80
2085	1	554	752	1	1	000	7	239	08002	1110	65	82	86	60	66
2086	0	505	755	1	0	002	6	277	07298	1093	35	61	53	30	48
2087	1	839	765	1	0	028	5	221	07749	1123	37	62	51	44	34
2088	0	390	770	1	0	000	3	286	08745	1170	62	50	48	67	54
2089	1	693	770	1	1	000	3	247	08873	1160	75	58	73	69	75
2090	1	854	772	1	0	000	2	247	07477	1010	23	62	45	26	28
2091	1	704	915	1	0	004	3	309	09115	1053	63	64	69	60	64
2092	1	653	915	1	0	002	3	296	09760	1170	68	64	72	69	61
2093	1	664	915	1	0	000	5	317	08883	1123	75	84	82	55	86
2094	1	775	915	1	1	000	3	253	08526	1218	71	97	96	72	66

SUBJ	R	PERF	DET	s	A	FLY	M	GPA	*GIS*	SATE	AA	PL	NV	VB	QT
3001	1	748	012	1	0	000	1	253	08236	0985	52	71	46	72	33
3002	1	676	015	1	0	035	5	200	07122	0985	52	79	75	32	78
3003	1	845	017	1	0	061	5	245	08759	1080	95	96	94	90	94
3004	1	622	019	1	0	001	7	249	07195	0855	31	41	38	38	31
3005	1	765	019	1	0	013	5	217	07676	1048	63	65	74	53	71
3006	1	790	019	1	0	004	5	282	07815	0892	37	62	49	30	54
3007	1	840	019	1	0	005	5	352	07966	0954	47	70	72	44	54
3009	1	757	035	1	0	000	7	330	09364	1165	83	86	90	78	80
3011	1	793	035	1	0	030	3	280	08428	0985	52	71	68	67	38
3012	1	849	045	1	0	000	4	272	07429	0900	40	62	58	53	31
3013	1	798	045	1	1	020	3	329	10890	1440	99	97	94	99	96
3014	1	704	055	1	0	003	1	241	09072	1106	85	66	66	87	76
3015	1	729	055	1	0	002	3	272	09297	1280	88	69	68	99	64
3016	1	621	055	1	1	004	4	282	06994	0835	28	50	50	27	38
3017	1	696	055	1	0	000	1	344	08812	1100	54	57	60	46	66
3018	1	698	075	1	0	000	1	255	07438	0979	51	57	62	50	54
3019	1	757	075	1	0	002	6	399	11028	1230	90	95	91	96	78
3020	1	869	075	1	0	035	7	292	09332	1141	80	64	64	78	75
3021	1	724	075	1	0	005	3	269	07703	0997	54	75	76	55	57
3022	1	784	085	0	1	000	7	289	09155	1130	40	85	82	32	57
3023	1	831	088	1	0	040	7	242	08138	1110	69	60	51	87	43

3024	1	696	880	1	0	009	5	357	09618	1117	76	82	81	66	80
3025	1	660	880	0	0	014	7	287	10256	1160	84	74	71	86	76
3026	0	521	880	1	0	006	1	287	07855	0930	43	71	70	44	45
3027	1	827	880	1	0	050	3	400	12010	1390	98	86	93	93	98
3028	1	743	105	1	0	000	3	250	07149	1123	35	54	54	32	45
3029	1	797	128	1	0	000	1	243	09175	1250	80	47	56	81	71
3030	1	625	128	1	0	002	6	285	07277	0940	31	57	51	33	34
3031	1	746	128	1	0	078	2	346	08767	1050	68	74	72	77	54
3032	1	735	128	1	1	000	3	280	08978	1050	53	63	67	48	61
3033	1	829	128	1	0	000	6	240	08422	1026	59	53	57	50	66
3035	1	805	150	1	0	004	7	239	08301	1050	52	55	43	53	57
3036	1	796	150	1	0	007	3	378	08685	1130	65	61	79	46	80
3037	1	717	150	1	0	002	7	314	09338	1053	92	83	89	81	93
3038	1	821	158	1	1	000	1	303	08563	0930	67	60	64	53	76
3039	1	822	165	1	0	000	3	300	09542	1200	82	73	80	67	88
3040	1	802	165	0	0	019	2	270	10819	1310	95	86	90	93	92
3041	0	559	172	1	0	000	5	311	08686	1037	61	60	63	60	59
3044	1	797	172	1	0	008	1	297	07484	1010	51	94	75	62	41
3045	1	631	172	1	0	000	7	326	09230	0950	51	50	51	60	43
3046	0	309	172	1	0	001	1	304	07595	0870	40	<b>5</b> 5	51	41	43
3047	1	612	206	1	1	000	6	228	08456	1250	67	75	86	39	90
3048	1	748	206	1	0	012	7	248	06838	0785	21	44	47	15	41
3049	0	000	206	1	0	003	5	265	07345	0899	38	62	61	27	58
3050	1	721	206	1	0	010	7	275	06934	0835	28	50	52	30	34

3051	1	750	215	1	0	007	1	300	08332	1180	45	47	37	72	21
3052	1	740	225	1	0	002	5	226	09135	1230	93	54	58	93	88
3053	0	000	295	1	0	000	1	330	07386	0785	21	46	52	19	23
3054	1	814	305	1	0	019	4	200	07937	1123	59	90	88	41	76
3055	1	744	326	1	0	000	7	200	08675	1170	84	76	81	67	91
3056	1	834	330	1	0	018	1	325	08101	1050	54	51	51	46	66
3057	1	595	330	ı	0	000	3	277	09201	1200	88	98	97	74	92
3058	1	811	330	1	0	078	1	254	08570	0990	62	93	80	48	75
3060	1	761	330	1	1	006	1	250	08286	0980	54	71	64	69	41
3061	1	806	330	0	1	064	3	279	08709	1090	44	85	66	55	34
3062	1	697	330	1	0	000	7	264	08806	1160	81	75	70	74	80
3063	1	794	330	0	1	000	5	212	08666	1170	87	95	88	78	88
3064	1	771	330	1	0	000	3	286	08514	1000	78	73	79	55	90
3065	1	741	330	1	0	016	7	254	07335	0990	53	52	46	50	59
3066	1	729	330	1	0	000	3	285	09589	1200	76	54	58	97	43
3067	1	764	330	1	0	014	1	305	09019	1110	70	80	87	50	85
3068	1	860	330	1	0	021	1	275	07584	0830	25	82	62	32	26
3069	0	548	380	1	0	004	1	291	09064	1090	52	53	44	69	34
3070	1	866	390	1	0	010	4	317	08410	0886	36	53	53	26	57
3071	1	882	390	1	0	022	3	307	09731	1270	92	91	94	87	90
3072	1	700	400	1	0	000	3	305	08608	1090	70	83	77	64	71
3073	1	602	4:0	1	0	000	2	279	08239	1110	63	71	71	55	69
3074	1	795	415	1	0	002	5	290	07120	0899	38	52	45	44	38
3075	1	824	415	1	0	035	1	216	08186	1015	57	75	65	62	52

3076	1	774	415	1	0	000	3	245	09858	1270	78	96	96	50	93
3077	1	798	420	1	0	013	2	256	08566	1129	78	80	86	62	85
3078	0	406	420	1	0	000	7	297	07794	0942	54	66	60	77	33
3079	1	778	475	1	0	000	5	280	08330	0990	75	63	81	53	88
3080	1	790	475	0	0	011	5	252	09358	1150	71	73	75	64	75
3081	1	810	475	1	0	031	1	232	07079	0980	45	66	51	60	33
3082	1	694	535B	1	0	005	5	267	07575	0800	40	48	48	50	33
3083	1	681	550	1	1	800	3	325	07621	0930	43	53	64	30	64
3084	0	432	607	1	0	000	2	372	10106	1170	84	69	70	81	80
3085	1	653	607	1	1	000	7	246	07496	0886	36	51	64	27	54
3086	1	715	665	1	1	009	7	300	09377	1141	80	85	91	74	78
3087	1	745	665	1	0	003	7	249	07940	1040	65	61	65	55	71
3088	0	361	685	0	0	000	1	234	08725	1090	75	94	84	86	57
3089	1	734	695	1	0	000	5	282	07144	1015	23	51	39	30	24
3090	0	000	695	1	0	000	1	261	08185	1110	68	53	60	86	43
3091	1	719	695	1	0	006	3	278	07266	0930	43	56	58	38	54
3092	1	506	772	1	0	000	5	253	07443	0822	26	67	53	26	34
3093	1	581	772	1	1	000	1	250	08425	1117	76	65	61	86	59
3094	1	810	800	1	0	000	5	301	07633	0911	37	58	63	23	64
3095	1	782	800	1	0	037	5	254	08003	1123	61	67	70	40	80
3096	1	799	800	1	0	000	1	310	10064	1321	97	90	96	97	93
3097	1	737	800	1	0	000	5	317	07454	0973	37	57	62	32	52
3098	1	679	800	1	0	000	3	288	08131	1123	54	51	53	44	69
3099	1	793	820	1	1	000	5	276	07380	0899	38	56	51	46	34

# Data Set 3--Continued

3100	1	654 875	1 0	000 7 271	08487	1080 75	65	73 62	80
3101	1	837 875	1 0	000 3 306	09693	1090 68	75	71 67	7 64
3102	0	000 875	1 0	000 5 224	07076	1050 57	78	80 44	71



# LATR Program subjects

Total Number of Subjects	=	Number=79
LATR Results (R)	=	Pass=69, Fail=10, % Fail=12.7
Performance (PERF)	=	Mean=737.795, SD=138.511
Sex (S)	=	Males=73, Females=6, 7.6%
Varsity Athletics (A)	=	Number=7, 8.9%
Prior Flying Experience	=	Number=29, Mean time=12.759
SAT Scores (SAT)	=	Mean=1104.734, SD=132.351
University GPA (GPA)	=	Mean=2.778, SD=45.893
AFROTC Quality Index Score	=	Mean=86.107, SD=10.941
Academic Majors Social Science Math and Physics Engineering Aviation Science Business Computer Science Other	= = = = =	Number=19 Number= 2 Number=13 Number= 4
Air Force Officer Qualifying Academic Achievement Pilot Navigator Verbal Quantitative	Tes = = = =	Mean=65.127, SD=18.516 Mean=69.620, SD=14.655 Mean=69.101, SD=16.521 Mean=62.810, SD=21.149

## LATR Program Subjects

Total Number of Su	bjects =	Number=90	)		
LATR Results (R)	=	Pass=76,	Fail=14,	ફ	Fail=15.6

Performance (PERF) = Mean=733.753, SD=126.967

Sex (S) = Males=90, Females=0

Varsity Athletics (A) = Number=12, 13.3%

Prior Flying Experience = Number=38, Mean time=15.211

SAT Scores (SAT) = Mean=1142.444, SD=139.005

University GPA (GPA) = Mean=2.822, SD=47.485

AFROTC Quality Index Score = Mean=88.772, SD=10.449

### Academic Majors

Social Science = Number=17

Math and Physics = Number= 9

Engineering = Number=34

Aviation Science = Number= 6

Business = Number=13

Computer Science = Number= 7

Other = Number= 4

### Air Force Officer Qualifying Testing

Academic Achievement = Mean=66.978, SD=18.959
Pilot = Mean=72.133, SD=12.676
Navigator = Mean=72.300, SD=14.449
Verbal = Mean=64.278, SD=21.341
Quantitative = Mean=66.878, SD=17.964

### LATR Program Subjects

Total Number of Subjects = Number=96

LATR Results (R) = Pass=85, Fail=11, % Fail=11.5

Performance (PERF) = Mean=727.293, SD=110.801

Sex (S) = Males=89, Females=7, 7.3%

Varsity Athletics (A) = Number=14, 14.6%

Prior Flying Experience = Number=54, Mean time=

SAT Scores (SAT) = Mean=1054.604, SD=136.967

University GPA (GPA) = Mean=2.800, SD=0.411

AFROTC Quality Index Score = Mean=84.435, SD=10.181

### Academic Majors

Social Science = Number=23

Math and Physics = Number= 5

Engineering = Number=20

Aviation Science = Number= 4

Business = Number=21

Computer Science = Number= 4

Other = Number=19

### Air Force Officer Qualifying Testing

Academic Achievement = Mean=60.344, SD=20.742 Pilot = Mean=68.135, SD=14.894 Navigator = Mean=67.385, SD=15.531 Verbal = Mean=57.990, SD=21.690 Quantitative = Mean=61.948, SD=21.058

# All Subjects/Composite Group LATR Program

Total Number of Subjects = Number=265

LATR Results (R) = Pass=230, Fail=35, % Fail=13.2

Performance (PERF) = Mean=732.659, SD=124.758

Sex (S) = Males=252, Females=13, 4.9%

Varsity Athletics (A) = Number=33, 12.5%

Prior Flying Experience = Number=121, Mean time=15.488

SAT Scores (SAT) = Mean=1099.381, SD=140.748

University GPA (GPA) = Mean=2.801, SD=0.446

AFROTC Quality Index Score = Mean=86.407, SD=10.622

Academic Majors

Social Science = Number=62
Math and Physics = Number=25
Engineering = Number=73
Aviation Science = Number=12
Business = Number=47
Computer Science = Number=15
Other = Number=31

Air Force Officer Qualifying Testing

Academic Achievement = Mean=64.023, SD=19.635 Pilot = Mean=69.936, SD=14.153 Navigator = Mean=69.566, SD=15.562 Verbal = Mean=61.562, SD=21.508 Quantitative = Mean=64.608, SD=19.756

# LATR Fail Group (Unsuccessful Subjects Only)

Total Number of Subjects = Number=35 LATR Results (R) = Fail=35, % Fail=100 = Mean=452.160, SD=102.853 Performance (PERF) Sex (S) = Males=33, Females=2, 5.7% Varsity Athletics (A) = Number=0 Prior Flying Experience = Number=8, Mean time=3.875 = Mean=1111.800, SD=142.621 SAT Scores (SAT) University GPA (GPA) = Mean=2.882, SD=0.450 AFROTC Quality Index Score = Mean=86.907, SD=10.343 Academic Majors Social Science = Number=11
Math and Physics = Number= 3
Engineering = Number= 9 Engineering Aviation Science = Number= 0 = Number= 7 Business Computer Science = Number= 1 = Number= 4 Other Air Force Officer Qualifying Testing Academic Achievement = Mean=64.143, SD=17.471 Pilot = Mean=66.200, SD=14.465 Navigator = Mean=65.457, SD=14.754 = Mean=65.200, SD=22.506 Verbal

Quantitative

= Mean=60.457, SD=19.159

### LATR Pass Group (Successful Subjects Only)

Total Number of Subjects = Number=230

LATR Results (R) = Fail=230

Performance (PERF) = Mean=763.148, SD=81.437

Sex (S) = Males=219, Females=11, 4.8%

Varsity Athletics (A) = Number=33, 14.3%

Prior Flying Experience = Number=113, Mean time=16.310

SAT Scores (SAT) = Mean=1097.491, SD=140.679

University GPA (GPA) = Mean=2.789, SD=44.584

AFROTC Quality Index Score = Mean=86.331, SD=10.684

Academic Majors

Social Science = Number=51
Math and Physics = Number=22
Engineering = Number=64
Aviation Science = Number=12
Business = Number=40
Computer Science = Number=14
Other = Number=27

Air Force Officer Qualifying Testing

Academic Achievement = Mean=64.004, SD=19.979
Pilot = Mean=70.504, SD=14.050
Navigator = Mean=70.191, SD=15.617
Verbal = Mean=61.009, SD=21.349
Quantitative = Mean=65.239, SD=19.810

## Prior Flying Experience Group (Greater than 4 Hours)

Total Number of Subjects = Number=85

LATR Results (R) = Pass=82, Fail=3, % Fail=3.5

Performance (PERF) = Mean=778.200, SD=97.293

Sex (S) = Males=80, Females=5

Varsity Athletics (A) = Number=10

Prior Flying Experience = Number=85, Mean time=21.059

SAT Scores (SAT) = Mean=1063.965, SD=137.916

University GPA (GPA) = Mean=2.773, SD=0.494

AFROTC Quality Index Score = Mean=84.416, SD=11.311

### Academic Majors

Social Science = Number=21

Math and Physics = Number= 5

Engineering = Number=23

Aviation Science = Number= 6

Business = Number= 20

Computer Science = Number= 2

Other = Number= 8

### Air Force Officer Qualifying Testing

Academic Achievement = Mean=59.788, SD=19.446
Pilot = Mean=71.400, SD=13.603
Navigator = Mean=68.765, SD=14.750
Verbal = Mean=58.424, SD=21.062
Quantitative = Mean=61.082, SD=20.002

# Zero Flying Experience to 4 Hours Total Experience Group

Number of Subjects = Number=170

LATR Results (R) = Pass=151, Fail=32, % Fail=21.1

Performance (PERF) = Mean=709.888, SD=130.856

Sex (S) = Males=172, Females=8

Varsity Athletics (A) = Number=23

Prior Flying Experience = Number=0, Mean time=0

SAT Scores (SAT) = Mean=1116.106 SD=139.334

University GPA (GPA) = Mean=2.814, SD=42.332

AFROTC Quality Index Score = Mean=87.347, SD=10.178

### Academic Majors

Social Science = Number=41

Math and Physics = Number=20

Engineering = Number=50

Aviation Science = Number= 6

Business = Number=27

Computer Science = Number=13

Other = Number=23

### Air Force Officer Qualifying Testing

Academic Achievement = Mean=66.022, SD=19.459
Pilot = Mean=69.244, SD=14.391
Navigator = Mean=69.944, SD=15.957
Verbal = Mean=63.044, SD=21.615
Quantitative = Mean=66.272, SD=19.474

# Subjects not Varsity Athletics

Total Number of Subjects = Number=232

LATR Results (R) = Pass=197, Fail=35, % Fail=15.1

Performance (PERF) = Mean=728.748, SD=129.290

Sex (S) = Males=222, Females=10, 4.3%

Varsity Athletics (A) = Number=0

Prior Flying Experience = Number=110, Mean time=15.245

SAT Scores (SAT) = Mean=1099.371 SD=138.643

University GPA (GPA) = Mean=2.805, SD=0.449

AFROTC Quality Index Score = Mean=86.348, SD=10.569

### Academic Majors

Social Science = Number=57

Math and Physics = Number=23

Engineering = Number=63

Aviation Science = Number=10

Business = Number=41

Computer Science = Number=13

Other = Number=25

### Air Force Officer Qualifying Testing

Academic Achievement = Mean=64.047, SD=19.614
Pilot = Mean=70.043, SD=13.919
Navigator = Mean=68.974, SD=15.724
Verbal = Mean=62.142, SD=21.381
Quantitative = Mean=63.991, SD=19.965

# Varsity Athletics Group

Total Number of Subjects	= 1	Number=33
LATR Results (R)	= ]	Pass=33, Fail=0, % Fail=0
Performance (PERF)	= 1	Mean=758.970, SD=85.324
Sex (S)	= 1	Males=30, Females=3, 9.1%
Varsity Athletics (A)	= 1	Number=33 All
Prior Flying Experience	= ]	Number=11, Mean time=17.909
SAT Scores (SAT)	= 1	Mean=1099.455, SD=157.081
University GPA (GPA)	= 1	Mean=2.773, SD=43.222
AFROTC Quality Index Score	= 1	Mean=86.822, SD=11.145
Academic Majors		
	= 1	Number= 5
Math and Physics	_	Number= 2
Engineering		Number=10
Aviation Science	_	Number= 2
Business		Number= 6
Computer Science	= 1	Number= 2
Other	= 1	Number= 6
Air Force Officer Qualifying	Test	ina
Academic Achievement		
Pilot		Mean=69.182, SD=15.917
Navigator		Mean=73.727, SD=13.884
Verbal		
verbar		Mean=57.485, SD=22.294
Quantitative	= 1	

# Males Only

Total Number of Subjects	=	Number=252
LATR Results (R)	=	Pass=219, Fail=33, % Fail=13.1
Performance (PERF)	=	Mean=732.984, SD=123.730
Sex (S)	=	Males=252, Females=0
Varsity Athletics (A)	=	Number=30, 11.9%
Prior Flying Experience	=	Number=116, Mean time=14.922
SAT Scores (SAT)	=	Mean=1093.052, SD=139.789
University GPA (GPA)	=	Mean=2.802, SD=.449
AFROTC Quality Index Score	=	Mean=85.789, SD=10.372
Math and Physics Engineering Aviation Science	= = =	Number=59 Number=23 Number=71 Number=12 Number=44 Number=15 Number=28
Air Force Officer Qualifying Academic Achievement Pilot Navigator Verbal Quantitative	= =	ting Mean=63.298, SD=19.473 Mean=69.421, SD=13.946 Mean=69.131, SD=15.587 Mean=60.690, SD=21.337 Mean=64.052, SD=19.735

# Females Only

Total Number of Subjects	=	Number=13
LATR Results (R)	=	Pass=11, Fail=2, % Fail=15.4
Performance (PERF)	=	Mean=726.083, SD=150.176, 12N
Sex (S)	=	Males=0, Females=13
Varsity Athletics (A)	=	Number=3
Prior Flying Experience	=	Number=5, Mean time=28.600
SAT Scores (SAT)	=	Mean=1222.077, SD=99.684
University GPA (GPA)	=	Mean=2.773, SD=0.396
AFROTC Quality Index Score	=	Mean=98.384, SD=8.280
Academic Majors		
Social Science	_	Number=3
Math and Physics		Number=3
Engineering		Number=2
Aviation Science		Number=0
Business	=	
Computer Science	=	
Other	=	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
Air Force Officer Qualifying	Тес	tina
Academic Achievement	=	•
Pilot	=	
Navigator	=	
Verbal	=	
Quantitative		Mean=75.385, SD=17.552
		·

## Academic Major/Social Science (1)

Total Number of Subjects = Number=62

LATR Results (R) = Pass=51, Fail=11, % Fail=17.7

Performance (PERF) = Mean=728.172, SD=138.085

Sex (S) = Males=59, Females=3

Varsity Athletics (A) = Number=5, 8.1%

Prior Flying Experience = Number=29, Mean time=16.276

SAT Scores (SAT) = Mean=1076.145, SD=143.635

University GPA (GPA) = Mean=2.734, SD=.459

AFROTC Quality Index Score = Mean=85.525, SD=10.293

### Air Force Officer Qualifying Testing

Academic Achievement = Mean=62.629, SD=19.581
Pilot = Mean=68.629, SD=14.327
Navigator = Mean=64.000, SD=16.049
Verbal = Mean=66.968, SD=21.461
Quantitative = Mean=56.484, SD=20.024

### Academic Major/Math + Physics (2)

Total Number of Subjects = Number=25

LATR Results (R) = Pass=22, Fail=3, % Fail=12.0

Performance (PERF) = Mean=737.833, SD=111.141

Sex (S) = Males=23, Females=2

Varsity Athletics (A) = Number=2, 8.0%

Prior Flying Experience = Number=10, Mean time=18.100

SAT Scores (SAT) = Mean=1178.480, SD=124.811

University GPA (GPA) = Mean=3.084, SD=.445

AFROTC Quality Index Score = Mean=82.008, SD=11.754

### Air Force Officer Qualifying Testing

Academic Achievement = Mean=72.480, SD=20.337
Pilot = Mean=72.840, SD=12.766
Navigator = Mean=75.880, SD=14.802
Verbal = Mean=67.000, SD=19.904
Ouantitative = Mean=73.680, SD=19.763

## Major/Engineering (3)

Total Number of Subjects = Number=73

LATR Results (R) = Pass=64, Fail=9, % Fail=12.3

Performance (PERF) = Mean=739.141, SD=121.060

Sex (S) = Males=71, Females=2, 2.7%

Varsity Athletics (A) = Number=10, 13.7%

Prior Flying Experience = Number=30, Mean time=15.300

SAT Scores (SAT) = Mean=1165.795, SD=126.144

University GPA (GPA) = Mean=2.893, SD=.438

AFROTC Quality Index Score = Mean=89.881, SD=9.936

### Air Force Officer Qualifying Testing

Academic Achievement = Mean=71.178, SD=17.083
Pilot = Mean=74.260, SD=14.455
Navigator = Mean=76.986, SD=12.359
Verbal = Mean=66.342, SD=20.817
Quantitative = Mean=71.973, SD=17.045

### Major/Aviation Science (4)

Total Number of Subjects = Number=12

LATR Results (R) = Pass=12, Fail=0, % Fail=0

Performance (PERF) = Mean=764.833, SD=78.848

Sex (S) = Males=12, Females=0

Varsity Athletics (A) = Number=2, 16%

Prior Flying Experience = Number=7, Mean time=15.143

SAT Scores (SAT) = Mean=999.25, SD=117.407

University GPA (GPA) = Mean=2.66, SD=.371

AFROTC Quality Index Score = Mean=79.98, SD=8.56

### Air Force Officer Qualifying Testing

Academic Achievement = Mean=50.167, SD=16.364
Pilot = Mean=68.667, SD=13.527
Navigator = Mean=63.83, SD=16.061
Verbal = Mean=48.667, SD=19.992
Quantitative = Mean=33.333, SD=18.208

### Major/Business (5)

Total Number of Subjects = Number=47

LATR Results (R) = Pass=40, Fail=7, % Fail=14.9

Performance (PERF) = Mean=732.756, SD=136.411

Sex (S) = Males=44, Females=3

Varsity Athletics (A) = Number=6, 12.8%

Prior Flying Experience = Number=26, Mean time=17.154

SAT Scores (SAT) = Mean=1049.234, SD=129.278

University GPA (GPA) = Mean=2.72, SD=.415

AFROTC Quality Index Score = Mean=83.069, SD=9.389

Air Force Officer Qualifying Testing

Academic Achievement = Mean=57.936, SD=18.927 Pilot = Mean=65.468, SD=12.842 Navigator = Mean=65.532, SD=14.527 Verbal = Mean=51.830, SD=19.492

## Academic Major/Computer Science (6)

Total Number of Subjects = Number=15

LATR Results (R) = Pass=14, Fail=1, % Fail=6.7

Performance (PERF) = Mean=724.667, SD=100.723

Sex (S) = Males=15, Females=0

Varsity Athletics (A) = Number=2, 13.3%

Prior Flying Experience = Number=7, Mean time=6.286


SAT Scores (SAT) = Mean=1072.133, SD=140.274

University GPA (GPA) = Mean=2.875, SD=.529

AFROTC Quality Index Score = Mean=84.362, SD=12.169

### Air Force Officer Qualifying Testing

Academic Achievement = Mean=55.867, SD=21.057
Pilot = Mean=71.000, SD=13.206
Navigator = Mean=67.933, SD=15.586
Verbal = Mean=50.867, SD=24.175
Quantitative = Mean=61.200, SD=18.222



1.00 OCCURRENCE															****	•						I • • • • • • • I • • •	40 50		751.000	15554.635	-1.236	000.605	
APPROXIMATELY 1												*	****	医安全性性坏疽 计计算计算法 医拉拉斯氏性神经神经神经神经神经神经神经神经神经神经神经神经神经神经神经神经神经神经神经	<b>~************************************</b>	<b>安全的现在分词 计对应 医克拉特氏性 医克拉特氏性 医克拉特氏性 医克拉特氏 电电子电阻 医克拉特氏性 医克拉特氏性 医克拉特氏性 医克拉特氏性 医克拉特氏性 医克拉特氏性 医克拉特氏征 医克拉特氏征 计记录器 计记录器 计记录器 计记录器 计记录器 计记录器 计记录器 计记录器</b>						<u> </u> <u> </u> <u> </u> <u> </u> <u> </u> <u> </u>	30	JENCY	MEDIAN	VARIANCE	SKEWNESS	WININIM	
EOWALS											*	*****	*******	****	********	****	******					· · · · I · · · · + · · ·	20	HISTOGRAM FREQUENCY	7.813	124.759	1.092	686.009	186829.000
CHE SYMBOL	* *	***	**	****	***	*	****	***	***	****	****	******	****	****	****	****	***	*****	****	**	***	I I	10	HIS	STN ERR	STP OFV	SEKURT	RANGE	SIJM
MIDPOINT	322	355	388	421	454	487	520	553	586	619	652	685	719	151	784	817	850	883	916	949	685				732.659	750.000	1.908	.153	000*\$66
COUNT	~	4	c,	¢	m	-	ŧΩ	4	£	7	13	25	59	36	4 1	37	21	•	r	2	m				X B M	HOOF	KURTOSIS	S E SKEW	HAXIMUM

1.9

MISSING CASES

582

COUNT	MIOPOINT	JUBELSYMBOL	EQUALS APPROXIMATELY		4.00 0	4.00 OCCURRENCES
144	-1	****	************************************	****	*	
36	m	****				
54	7	****				
14	11	***				
α	15	**				
<b>60</b> >	61	**				
vo	E 6.	**				
~	27	*				
Ý	31	**				
•	5 E	*				
~	39	•				
<b>P</b> ∩	43	*				
c	47					
2	51	*				
0	55					
~	95	*				
2	63	*				
0	44					
0	7.1					
c	75					
2	79	*				
		:	•••[••••+•••[•••••]••••		• I • • • •	100000001000000
		0	90	120	160	200
		HIST	HISTOGRAM FREQUENCY	ر≺		
ZHAN	7.072	STD ERR	.844	HEDIAN		٥•٥
MODE	0.0	STP DEV	13.744	VARIANCE		198.908
KURTOSIS	8.369	S F KURT	1.993	SKEWNESS		2.769
SESKEW	.150	RANGE	78.000	MUMINIA		0.0
HAKTMIJA	78.000	204	1874.003			
VALID CASES	265	10 DNISSIM	CASES 0			

VALUE LABEL		VALUE	FREGUENCY	PFRCENT	VAL I D PERCENT	CUM
		1	62	23.4	24.4	24.4
		~	25	4.6	9.4	32.8
		m	7.3	27.5	27.4	40.4
		4	12	4.5	4.5	6.49
		S	47	17.7	17.7	95°8
		· e	15	5.7	7.7	84.3
			31			100.0
		TOTAL	265	100.0	10001	
COUNT	VALUE	ONE SYMBOL	EQUALS APPROXIMATELY	ROXIMATEL		1.50 OCCURRFNCES
9	1.00	*******************	****	*****	******	
8	00.0	*****	****			
73	3.00	************************	*****	*****	******	******
12	00.4	*****				
47	5.00	****	****	******		
52	6.00	*****				
31	7.00	****	*****			
		Issassassassassassassassassassassassassa	I		. I	I
		0 15	30	4.5	9	75
		SIH	HISTOGRAM FREGUENCY	UENCY		
7 4 11 2	3.475	STD ERR	.122	MEDIAN	2	3.000
# OC 3:	3.000	STD DEV	1.989	VARI	VARIANCE	3.955
KUSTOSIS	-1.028	S E KURT	1,993	SKEW	SKEWNESS	.358
SESKER	.150	RANGE	6.000	MINIM	WRM	1.000
MIINIXY	7.000	MAS	921.090			
VALID CASES	265	MISSIMG CASES	ASES 0			

.80 OCCURRENCES							**															I	32 40		277.090	1995.835	.468	189.000	
						****	******************	*	****	*********	****											I	24	ENCY	MEDIAN	VAPIANCE	SKEWNESS	HINIM	
. EQUALS APPROXIMATELY					****	******	***********	*********	*****	*******	******	*****		******	**:							I	16	HISTOGRAM FREQUENCY	2.744	44.675	1.993	211.000	74235.000
ONE SYMBOL	***	****	*****	********	********	****	*****	*********	******	****	********	****	******	****	*****	*****	*****	****	*****	****	*	I I	8	SIH	STD ERR	STD DEV	S E KURT	RANGE	SUM
TNIDPOIM	185	196	207	218	229	240	251	262	273	284	295	306	317	329	339	350	361	372	383	394	405				280-132	245.000	248	.150	400.000
COUNT	~	•	*	0	61	23	32	50	25	<b>6</b> 0 &	2.5	61	<b>6</b> 0	1.5	1 1	7	¢	m	5	m	-				MEAN	MODE	KURTOSIS	S E SKEW	MAXIMUM

MISSING CASES

265

		11028	<b>-</b>	<b>.</b>	•	
		8121.		•	•	
		20511		•	4	
		11674		₫.	4	
		12010	-	₫.	4.	100.0
		TOTAL	265	100.0	100.0	1
TNICO	TNIDGGIM	ONE SYMBOL	EQUALS	APPROXIMATELY	.60	.60 NCCURRENCES
1.3	6954	***	******			
•	7201	*****	*****			
000		****	*********	********		
15		· · · · · · · · · · · · · · · · · · ·	*****	*******	*	
18		****	****	*****		
22		***	****	********	***	
26		<b>经检查检查证证证证证证证证证证证证证证证证证证证证证证证证证证证证证证证证证证</b>	********	********	*****	***
2.4	8583	<b>经验证的证据的证据证明的证明的证据证明的证明的证明的证明的证明证明的证明的证明的证明的证明的证明的证明的证明的证明</b>	*******	*******	****	*
16	A930	***	*****	****		
20	9177	***	***	*****		
£	9454	***	*****	****		
12	9671	***	******			
12	9166	***	******			
12		***	******			
4		****				
4	10659	***				
\$	10906	***				
7	11153	**				
0	11400					
~	11647	***				
-	11894	*	,	,		
		+ • • • • •	I + I + I	:		· · · · · · · · · I
		9	12	1.9	<b>~</b> i	30
		SIH	HISTOGRAM FREQUENCY	IENCY		
MEAN	8640.713	SIN ERR	65.254	MEDIAN		8526.000
MODE	9002.000	STD DEV	1062.258	VARIANCE		1128392.11
KURTOSIS	204	S E KURT	1.993	SKEWNES		.481
E SKE¥	.150	RANGE	5172.000	MINIM	<b>K</b> 1	6838.000
MINTAN	12010-000	MIS	2289789.00			

¢

MISSING CASES

265

w
-
•
w

1 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	00000000000000000000000000000000000000	* * * * * * * * * * * * * * * * * * *			* * * *
<b>ω</b> α ⊷ α ⊷	# # # # # # # # # # # # # # # # # # #	# # # # # # # # # # # # # # # # # # #	**** **  ***  **  Instruction of the state	24 CY	32 40
REAN RODE RUSTOSIS S F SKEE	1099.381 1090.000 289 -150	STD ERR STD DEV S F KURT RANGE	8.646 140.748 1.993 717.000	MEDIAN VARIANCH SKEENESS AINIAUA	1106.000 19910.009 115 785.000

MISSING CASES

265

				1	į
17,000	MUMINIH	82.000	RANGE	.150	SESKEW
259	SKEWNESS	1.993	SEKURT	919	KURTOSIS
390.315	VARIANCE	19.754	STD DEV	900.08	MODE
64.000	WEDIAN	1.214	STD ERR	64.608	NAM
	×∪×	HISTOGRAM FREQUENCY	HIS		
24 30	8.	12	9		
I I	•••• I ••••	I	I+I		
			*****	98	v
		******	***	<b>4</b> 0	13
***	****	***************************************	***	90	54
		****	的作者的专业的专业的专业的专业的专业的	86	12
**	*****	***************************************	****	82	53
	****	医克里斯氏试验检检检检检检检检检检检检检检检检检检检检检检检检检检检检检检检检检检检检	***	7.8	19
		***	***	74	σ
	***	**************************************	*****	70	1.7
	***	<b>经验证证券的证券的证券的证券的证券的证券的证券的证券的证券的证券的证券的证券的证券的</b>	***	99	21
		****	***	62	12
	*****	**************************************	****	58	21
*****	*****	*************	****	5. 4.	27
			***	50	u1
			*****	46	Ś
		******	*******	4	13
			***	38	7
	***	<b>化学的 医克拉克氏性 化二甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲甲</b>	***	<b>4</b> E	61
			****	39	•
			****	56	m
			**	2	8
				•	-

MISSING CASES

965

		99. 99. 99. 99. 99. 14. [07.	265	1001	20.00	0.00 0.00 0.00 0.00
TUBUL	MIDPOINT	JOHNS AND	ENUALS APPRO	APPROXIMATELY	.50	OCCURRENCES
c	0					
-		**				
7	4.5	****	**			
•	40	*****				
1.6	15	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	***		•
22	4 (		化二甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基			
32	۲. ۲.		p. 医动物性性 计数据 医乳状性 医乳状性 医乳性性 医乳性性 医乳性性 医乳性性 医乳性性 医乳性性		**	***
	, r	****	在 · · · · · · · · · · · · · · · · · · ·	****	***	
2 2	99	****	*****************	*****	*****	**
15	69	*****	****	****		
14	72	****	***	***		
23	75	***	***************************************	******	******	*****
13	7.8	****	经存储存储存储存储存储存储存储存储存储存储存储存储存储	*		
12	8	***	<b>安全的人名英格兰 医克里氏 医克里氏 医克里氏 医克里氏 医克里氏 医克里氏 医克里氏 医克里氏</b>			
4	84	***	*	***		
10	44	***	经存款的复数的现在分词的现在分词	******	***	
•	06	***				
10	6.6	***	****			
12	96	法法律法律法法法律法律法律法律法律法律法律法律法律	****			
~	50	<b>.</b>				
		••••	I	•	+ • • • • I • • • • • • •	[ • • • • • • • • ]
		'n	10	15	8	0 25
		SIA	HISTOGRAM FREQUENCY			
7 A M	69.936	STD ERP	.369	MEDIAN	_	69.000
11/10メ	75.000		14.153	VAPIANCE	CE	200-310
KUSTESIS	983	S E KURT	1.993	SKEWNESS	.55	.173
SESKEM	.150	RANGE	57.000	MINIM	Σ	41.000
•	000	7110	000			

MISSING CASES


265

78.5	80.8	91.5	A.3.4	84.9	86.4	89. 8.	87.1	7.16		93.2	95.1	96.2		4.66	100.0		
. s	۳•2	80	1.9	1.5	1.5	1.9	8.	2.6	٥.	1.1	6 • 1	1.1	5.6	æ	•	* * * * * * * * * * * * * * * * * * * *	100.0
1.5	2.3	θ.	1.9	1.5	1.5	٠. د.	α: •	2.6	٥.	1.1	1.9	1.1	2.6	<b>6</b> 0	4	1 1 1 1 1 1	100.0
4	•	8	S	4	4	r	7	4	-	m	r	٣	^	61	-	1 1 1 1	265
.93	v 63	ď,	a A	5.7	d: C.	Ø	ن 0	ī 6	Ć	۲, ۳	0	0	9 <sub>0</sub>	44	39		TOTAL

ONE SYMBOL EQUALS APPROXIMATELY .60 OCCURRENCES			***		<b>乔斯特特特特特特特特特特特特特</b>	***	法数据的法律代价等的证据的证据的证据的证据的证据的证据的证据的证据的证据的证据的证据的证据的证据的	计数据存储器 计存储器 医医疗性 医性性性 医性性性 医性性性 医性性性 医性性性 医性性性 医性性	法法律的证据的证据的证据的证据的证据	医安格特氏氏征检检检检检检检检检检检检检检检检检检检检检检检检检检检检检检检检检检检	<b>安全的复数人名英格兰斯特 化二苯甲基苯甲基苯甲基苯甲基苯甲基苯甲基苯甲基苯甲基苯甲基甲基甲基甲基</b>	专业经济的经济的基础的经济的	· · · · · · · · · · · · · · · · · · ·	计数据存储器 计分类系统 医克格特氏 医克格特氏病 计记录器 计记录器 计记录器 计记录器 计记录器 计记录器 计记录器 计记录器	法法律法法法法律法律法律法律法律法律法	会力学的女子小爷的小爷的人会被会力分别在他的女女女女女女女女女女女女女女女	经按检验证据分子的证券的证据的证据的证据的证据的证据的证据的证据的证据的证据的证据的证据的证据的证据的	计数据法律符件计计计计算法数据法数据法数据	李林林的女子人女子子想要的女女女	化安全基本 化二二二二二二二二二二二二二二二二二二二二二二二二二二二二二二二二二二二二	**	[ • • • • • • • • • • • • • • • • • • •	0F 24 30	HISTOGRAW FREQUENCY
0	*	#	* * *	* * *	* * *	* *	* * *	* * *	*	* *	* * *	# #	* *	* *	* *	* *	* *	* *	* * *	* *	****		c	
MIDPOINT	31.33	34.67	38.00	41.33	44.67	43.00	51.33	54.67	53.00	51.33	64.67	69.00	71.33	74.67	79.00	41.33	7 A . 4 A	00.5%	51.43	74.46	98.00			
FNOCC	^	-	4	מי	11	¢	<u>.</u> بر	10	1.2	19	30	11	4 1	19	13	22	<u>.</u>	r.	C.	61	m			


.150 RANGE 84.000 MINIMUM 1 99.000 SUM 16314.000	1 17 **	*****  *******************************	**************************************	######################################	16 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	MAX
	13 25 ***********************************				-1.005	CURTOSIS
APPROACH TOTAL A CONTRACTOR	13 25 ***********************************				55.000	JOE
55.000 STD DEV 21.509 VAPIANCE 46	25				61.562	E A N
61.562 STD ERR 1.32; MEDIAN 55.000 STD DEV 21.509 VAPIANCE 4	25		TOGRAM FREQUENCY	SIH		
HISTOGRAM FREQUENCY 61.562 STD ERR 1.32; MEDIAN 55.000 STD DEV 21.509 VARIANCE 4	0.00 m m 4 4 4 $0.00$ 6 $0.0$ F $0.0$ 6 $0.0$ 7 $0.0$ 6 $0.0$ 7 $0.0$ 8 $0.0$ 7 $0.0$ 8 $0.0$ 7 $0.0$ 8 $0.0$ 9 $0.0$ 1 $0.$	20				
61.562 STD ERR 1.32; MEDIAN 62.000 STD DEV 21.509 VARIANCE 462.609	$\alpha$	1+	I	1		
10   15   20   15   20   15   20   20   20   20   20   20   20   2	0 0 0 m m m m m m m m m m m m m m m m m	***	***	****	97	19
19 97 **********************************	0 0 0 0 0 0 4 4 4 6 6 6 6 6 6 6 6 6 6 6		**	***	66	~
7 93 ***********************************	0 0 0 0 0 0 4 4 4 10 10 10 10 10 10 10 10 10 10 10 10 10		***	****	66	13
13 99 **********************************	0 0 0 m m 4 4 4 m m 6 6 6 7 7 6 11 5 6 m 7 1 m 6 m 7 1 m 6 m 7 1	***	****	****	28	19
19	0 0 0 0 0 0 4 4 4 5 5 5 6 6 6 7 7 		**	****	8	7
7 81 ###################################	<i>a a a a a a a a a a a a a a a a a a a </i>		***	***	77	12
12 77 **********************************	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	<b>英格特技术特特</b>	***	***	73	19
19	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		***	***	69	2.5
25 69 ###################################	0 0 0 0 0 0 0 4 4 4 6 6 6 6 11 5 6 6 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			****	65	•
6 65 **********************************	0 0 0 W W W 4 4 4 W W → 5 0 M F → 50 0 M F		***	***	19	15
15 61 **********************************	<i>a a a a a a a a a a a a a a a a a a a </i>	***	***	***	57	10
19   57   ********************************	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		***	****	53	<b>6</b> 0
9   57   ********************************	2 2 2 2 2 2 4 4 4 4 2 2 2 2 2 2 7 1 2 2 2 2 2 7 1 2 2 2 2 2	***	***	****	4 9	53
23 49 ***********************************	21	***	****	***	45	61
19	21		***	***	41	o
41 ************************************	21		***	***	37	æ
9 41 ***********************************	21		***	***	33	12
12 33 **********************************	21 年本 25 年本本本在安全市在安全市场及会会市场市场市场市场市场		***	****	29	10
10				****	25	13
13 25 ***********************************			***	*	21	


		P. G. Gi G.	~ v	40	4 (	4 F.
		Ca	4			
		0	~	1.1	-	0.00
		6	•	1 • 1	:	92.1
		ć6	∢	1.5	· -	93.6
		10	4	1.5		05.1
		35	S	1.0	c • :	97.0
		46	4	۲.۶	٠.	98.5
		a c	-	4.	₹.	98.9
		60	m	1.1	1:1	100.0
		TOTAL	265	100.0	100.0	
COUNT	INIUdūla	ONE SYMPOL E	Egyals appa	<b>APPAJKTMATELY</b>	.60	OCCUPRENCES
2	20	* * *				
•	2	******				
•	88	********				
•	60	********				
•	35		******			
•	0.	***	<b>*</b>			
<b>\$</b> 1	4		********			
_	4.9	********				
22	52	· · · · · · · · · · · · · · · · · · ·	********	********	****	****
4.	99	<b>经验证的证券的证券的证券的证券的证券的证券的证券的证券的证券的证券的证券的证券的证券</b>	********			
13	60	***	*******			
15	99	· · · · · · · · · · · · · · · · · · ·	******	***		
21	6.9	** 经保存债务的证券的 医多种性性 医多种性性 医克勒氏性 医克勒氏性 医克勒氏性 化二甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基	*******	*******	*	
1.7	72	医医疗性医疗性性性性性性性性性性性性性性性性性性性性	*****	***		
8-1	9.	经存款的现在分词 医克拉斯氏性神经神经神经神经神经神经神经神经	****	****		
æ	C)		****			
61	<b>3</b>	****	****	*****		
<u>-</u>	eri ec	****	*****			
4.	6		****			
6	96	医有种性性性性性性性性性性				
4	001	* * * * *				
		•••••	••••••• ] ••••••• ] •••	••• 1		
		v	1.3	1.8	90	30
		H1810	HISTOGRAM EREQUENCY	FNC		
HEAN	64.923	STD FAR	502.1	MEDIAN	7	67.000
MODE	52.000	STD DEV	19.635	VARIANCE	E C	385.553
۵	973	S E KURT	1.993	SKEWNES	S & 2	206
S E SKEW	.150		78.000	MINIM	Εſ	21.000
MAXIMUM	000.06	-	6956.000			
VALID CASES	265	MISSING CASES	0 S39			




	618	.0589	.7963**	.5048**	.8182**	0196	.1290	.4117**	.5665**	**0769*	.6631**	1.0000
	70	.0767	.6334##	.1979##	.7938**	0443	.1228	**6764*	.7765**	.3607##	1.0000	.6631**
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<u>د</u> د	.0272	**5769*	.1315	.8459**	.0156	.1005	.3582**	.3325**	1.0000	.3607**	**0269*
· ·	> 2	**9502*	.5532**	.1367	.6573**	.0175	.0355	.8036**	1.0000	.3325**	**5977	**5995*
	PL	.2291**	.4211**	.0411	.4791**	.1750*	0712	1.0000	**9608*	.3582**	**6754.	.4117**
	NEWFLY	2586**	.1732#	.0434	.1485*	7006**	1.0000	0712	.0355	.1005	.1228	.1290
RELATION	FLY	**0583*	0532	0520	0293	1.0000	7006**	.1750*	.0175	.0156	0443	0196
α	<b>4</b>	.0198	********	.1894*	1.0000	0293	.1485#	.4791##	.6573**	.8459**	.7938**	.8182**
PEARSON CO	6₽ A	0320	.2243**	1.0000	.1894##	0520	.0434	.0411	.1367	.1315	*1979**	.5048**
	SATE	.0330	1.0000	.22 . 144	**6008*	0532	.1732*	.4211**	.5532**	.6972**	.6334**	.7963**
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	OFRF	1.0000	.0330	0320	.0198	.2830**	2586**	**1622*	.2056#	0272	.0767	.0548
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		PERF	SATE	<b>6PA</b>	44	FLY	NEWFLY	<b>P</b>	>2	6>	70	618

" . " IS PRINTED IF A COFFFICIENT CANNOT BE COMPUTED \*\* - SIGNIF. LE .001 \* - SIGNIF. LF .01






255 CASES PLOTTED.




255 CASES PLOTTED.


**a** w **a** w




255 CASES PLOTTED.




255 CASES PLOTTED.



255 CASES PLOTTED.



255 CASES PLOTTED.



255 CASES PLOTTED.

PLOT OF PERF WITH FLY

•							
10001				-			
		-					
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			***				
	:	-	~				
:4 1 112 16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	-	-	_	~		~
800+8 3 2 12 11 1 12	~				1 1		
11 1110	•	-					
: H 21 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<b>-</b>						-
17 2 11 12 1							
700+81 1 2 1					_		
:91 112		-					
- 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2							
1111							
600+2							
ه مد							
500+1 1 1							
•••							
N F							
· · · · · · · · · · · · · · · · · · ·							
400+2							
2:							
:1							
ro .							
				,			
5 10 20	25 30	35 40	4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	55	99 09	75	.+
						,	

255 CASES PLOTTED.

DATA INFORMATION

265 UNWEIGHTED CASES ACCEPTED.

SIZE OF THE PLOTS

HORIZONTAL SIZE IS 80 VERTICAL SIZE IS 40 FREQUENCIES AND SYMBOLS USED (MOT APPLICABLE FOR CONTROL OR OVERLAY FLOTS)

>	*	×	<b>&gt;</b>	7	*				
,	,	•	1	1	,				
31	32	33	34	35	36				
ر	Z	z	٥	۵	0	~	s	<b>-</b>	<b>-</b>
•	1	•	1	•	1	ı	•	ı	1
2	22	23	24	25	26	27	28	59	30
6	U	٥	LL.	L	g	2	_	7	¥
•	ı	1	1	1	1	1	•	1	•
-	12	E	4	15	16		<u>.</u>	19	20
_	~	۳	9	S	v	_	Œ	<b>о</b>	∢
•	•	ı	•	í	•	í	•	•	•
_	N	m	4	Ŋ	ç	~	•	σ	0

### **APPENDIX F**

ANTIMALE NUMBER NEW STANDARD S	GROUP	- c - c - c	A A	· · ·					* POOLFD	POOLFD VARIANCE F	F.S.T. MATERIAL	l	TANADADA MANADADA MANADA	
CARDUP   1 35	V A R I	# J & &		4 4 2	STANDARD PEVIATION	STANDARD	> * * * 7 - A		* T * VALUE	DFGPEES OF FPEEDOM	2-TAIL PROB.		DEGREES OF	2-TAIL PROB.
ATE GROUP 1 15 CANUP 2 230 1007-4013 14.564 7.618 7.61	FLY	•	35		1.901	0.120		;	* *		1	ŀ		
### GROUP   15   1111.6000   142,621   24,107   1.01 0.845   0.576   1.02 0.841   1.03 0.845   0.576   1.03 0.841   1.03 0			230	P.0130	14.509	0.957	* * *		+ -2.90	263	* * *	-7.07	261.06	0.000
GROUP 1         35         CROUP 2         230         276,900         44,544         2,040         1,17         1,115         263         0,251           GROUP 2         230         276,900         44,544         2,040         1,317         1,317         1,317         1,317         1,317         0,969         0,251           GROUP 2         230         70,403         14,465         2,445         1,06         0,773         -1,68         263         0,094         -           GROUP 2         230         70,1913         15,617         1,010         1,112         0,773         -1,68         263         0,094         -           GROUP 3         35         65,2000         14,464         2,494         1,112         0,773         -1,68         263         0,094         -           GROUP 2         230         70,1913         15,617         1,010         1,110         -1,18         2,100         -1,18         -1,140         -1,110         -1,110         -1,110         -1,110         -1,110         -1,110         -1,110         -1,110         -1,110         -1,110	SATE	!	35	1111.8000	142.621	24.107			**	) ! ! ! ! ! !	1 * *	! ! ! !		
GROUP 1 35 286.2705 45.060 7.618 1.02 0.883 1.15 263 0.251 1			230	1007-4013	140.679	9.276	<i>-</i>		* * *	£96	* * *	0.55	44.67	0.582
GROUP 1 35 64.1970 17.471 2.057 1.317 1.71 0.352 0.068 0.068 1.0680 1.317 1.0680 1.317 1.0680 1.317 1.0880 1.317 1.0880 1.317 1.0880 1.318 0.098 1.318 0.098 1.318 0.098 1.318 0.098 1.318 0.098 1.318 0.098 1.318 0.098 1.318 0.098 1.318 0.098 1.318 0.098 1.318 0.0898	1 V d 9	GROUP 1	35	288.2266	4.060	7.618		1	* *	!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!	* * 	 	 	
GROUP 1 35 64.1474 1.377 1.317 1.317 1.317 2.057 1.317 1.0.352 1.0.04 267 0.969 1.000 2 2.445 1.000 1.			230	276.9900	48.584	2.940	<del>.</del>		1.15	263	***	1.14	44.73	0.259
GROUP 2 230	· ·	680UP 1	35	64.1420	17.471	2.054		 	* *	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	***	1	† † † † † † †	
GROUP 1 35 66.2000 14.465 2.445 1 1.06 0.773 1 -1.69 263 0.094 4 CROUP 2 230 70.1913 15.617 1.030 1 1.010 22.506 3.804 1 1.11 0.615 1.07 263 0.284 1 1.11 0.615 1.07 263 0.284 1 1.11 0.615 1.07 263 0.284 1 1.11 0.615 1.07 263 0.284 1 1.11 0.615 1.07 263 0.284 1 1.11 0.615 1.07 263 0.284 1 1.11 0.615 1.07 263 0.284 1 1.408 1 1			230	64.0043	19.979	1.317	<u>-</u>		* * *	26 64	* * * 696.0	0.04	48.59	996.0
GROUP 2 230 70.5041 14.050 0.926 10.06 0.773 1 -1.68 263 0.094 1	,	6R011P 1	3.5	66.2000	111111111111111111111111111111111111111	2 4 4 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		!	[	/ 	; * * ; ; ; ; ;	! ! !	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1
GROUP 1 35 65.4571 14.754 2.494 1.12 0.715 1.67 267 0.094 1.5 680UP 1 35 65.2000 22.506 3.804 1.11 0.675 1.07 263 0.284 1.11 0.675 1.07 263 0.284 1.11 0.675 1.07 263 0.284 1.11			230	70.5043	14.050	0.926	* * *		a	263	* * *	-1.65	₽₽• <b>₽</b> ₽	0.107
GROUP 2 230 70.1913 15.617 1.030	<b>&gt;</b>	GROUP 1	3.5	65.4571	14.754	2.494		1	* *	} { { } ! ! ! ! ! !	**		1 9 1 6 9 1 1	1
GROUP 1 35 65.2000 22.506 3.804 * * * * * * * * * * * * * * * * * * *			230	70.1913	15.617	1.030	<u>.</u>		4 # #	263	n.094 * *	-1.75	46.38	0.086
# 1.11 0.635 # 1.07 263 0.284 # 2 230 f1.0047 21.349 1.408 # # # # # # # # # # # # # # # # # # #	Œ	GROUP 1			22.506	4 C & * E		1	* *	}  1  1  1  1  1  1  1  1  1  1  1  1  1	**			
			230	61.0047	21.349	1.408	* * *		1.07	£:	0.294 #	1.03	4 3 . 8 3	0.307

1				1 1 1 1 1 1	1 1 1	<b>-</b>	 ⊟ ⊢	5 T			1 1 1	1 1	1 1 1 1	
90085	680UP 1 - R	E.	ċ											
GROUS	680UP 2 - R	Ę	-											
									* POCLED	VARIANCE E	STIMATE	* SEPARA	POOLEN VARIANCE ESTIMATE * SEPARATE VARIANCE ESTIMATE	STIMATE
VARIABLE	ABLE	NUMBER OF CASES	Z A A S	STAHDARD	STANDADD		F VA! 1)E	F 2-TAIL VALIJE PROP.	* + + VALUE	DEGPEES OF 2-TAIL FREEDOM PROB.	2-TATL PROB.	* T * VALUE	DEGREES OF FREEDOM	2-TAIL PROB.
-	QT GR04P 1	35	60.4571	19.150	3.239				• •			**	0 0 0 0 1 1 1	
	SROUP 2	230	1022-59	17.810	1.306		1.07	0.849	-1.34	543	0.183	+ -1.37	45.78	0.178
618					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	1	!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!	*	;	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
	נשמוזם ו	۶,	8400.7103	1034.383	174.843	* *			*		,	* 1	1	•
	GROUP 2	230	9634.1003	1068.437	70.451				0	200	• 6	0.51	9/•	18/0
P. F. R. F.	GROUP	GROUP 1 24	450.1600 102.95	102.853	20.571		! ! !	1 1 1 1 1 1		#	1 1 1 1 1 1 1	 	! ! !	1 2 1 3 1 1
	69011P 2	230	763.147A	91.437	5.370	• • •	C •	1.60 0.086	-17.64 * * *	e E	c 0 0 0	M C • • • • • • • • • • • • • • • • • • •	27.37	•
1														

40049	6400P 2 - A	6 G	<i>:</i> -					•	POOLED	POOLED VAPIANCE ESTIMATE	STIMATE *		SEPARATE VARIANCE E	ESTIHATE
-	ABLE	NUMBER OF CASES	2 4 9 5	STANDARD DEVIATION	STANDARD ERROR	· · ·	F 2-1 VALUF PR	2-TAIL * PPONG. *	VALUE	DEGREES OF FREEDOM	2-TAIL *	T	DEGREES OF FREEDOM	2-TAIL PROB.
	C400P 1	222	728.74.7	129.290	8.677 14.853		2.30 0.	900	1.30	1 1 1 1 1 1 1 1 1 2 1	0.195	92	26.62	<b>+</b> 80 • 0
SATE	GROUP 1	232	1 0 4	138.643	9.102		1.28 0.	# * * * * * * * * * * * * * * * * * * *	00.0-	£92	7 0 6 ° C	00.0	39.42	866.0
¥ d d	41.		5214	44.955	2.951	****	1.08 0.	1 * * * * * * * * * * * * * * * * * * *	E E C C C C C C C C C C C C C C C C C C	26.5		6 m · 0	42.47	0.701
125	. 40045	232		19.614	1.208	****	1.05 0.	* * * * * * * * * * * * * * * * * * *	0.00	6	0.957	0 0.05	41 . 16	856.0
		232		13.919	0.914		1.31 0.	6920	E E E	6	4	0 30	39.28	0.769
 	GROUP 2				1.032		1.28 0.	* * * * *   	-1.65	E & & & & & & & & & & & & & & & & & & &	0 101		 	0.077
	GROUP 1	232	62.1422 57.4848	21.391	3. RB1		0 60.1	0.701		263	0.245		40.82	0.266

SEPARATE VARIANCE ESTIMATE	DEGREES OF 2-TAIL FREEDOM PROB.	44.13 0.150	40.62 0.819	0.52 43.09 0.608
SEPARATE	T	-1.46	-0.23	88.00
STIMATE	* ? 2-TAIL * PROB. *	0.179	0.811	* * * * * * * * * * * * * * * * * * *
POULED VARIANCE ESTIMATE	DEGREES OF 2-TAIL FREEDON PROB.	263	263	263
PUNLED	VALUE	38	42.0-	64.0
1 + 1 1	2-TAIL *	1.24 0.468 *	** 629 1:1	*************
1 100 1- 1	VALUE	1 - 2 4	1	
1	* * *	****	****	: * * * * * !
1 1 1 2	STANDARD	3.116	69.394	0.911
, , , ,	STANDARD DEVIATION	19.965	1056.985	13.870
; ; ; ;		63.9914	GROUP 1 232 R634.8103 1056.98	FLY GROUP 1 232 7.2284 13.87 GROUP 2 33 5.9697 12.97
, , , , ,	NUMBER Of CASES	1 2 E E E E E E E E E E E E E E E E E E	232	232
GROUP 2 - A	VARIABLE	GROUP 1	GROUP 1	GROUP 1
GROUP	V A R	- E	\$15	i >-   -1   15

0.000 0.005 \* PODLED VARIANCE ESTIMATE \* SEPARATE VARIANCE ESTIMATE 2-TAIL 0.506 0.016 0.239 0.555 0.100 DEGREES OF FREEDOM 216.60 166.35 144.17 164.92 173.50 168.75 177.11 -0.67 VALUE 4.69 -2.86 -2.44 -1.65 **-**1.18 -0.59 \* T DEGREES OF 2-TAIL \* \* VALUE FREEDOM PROB. \* 0.482 0.103 0.005 0.016 0.000 0.248 0.566 263 253 263 263 263 263 263 \* -0.70 4.26 -2.85 -2.43 1.16 \* -1.64 -0.5R \* VALUE PROB. 1.05 0.800 1.36 0.089 1.00 1.000 2-TAIL 1.81 0.003 1.02 0.931 1.17 0.419 1.12 0.566 L STANDARD ERROR 10.553 10.036 10,385 1.475 1.189 14.959 5,360 3.155 2.109 1.611 1.450 1.073 1.600 2.2R4 STANDARD DEVIATION 130.856 137.916 19.459 97.293 139.334 40.419 42.332 19.446 13.603 21.615 14.750 21.062 14.391 15.957 また ヘア 778.2000 1063.9647 1116.1056 71.4000 709.8882 48.423E 277.3176 281.4611 59.7882 66.6222 F9.2444 68.7647 A3.0444 69.9404 OF CASES NUMBER а а 170 180 180 83 9.5 190 180 180 Ę £ Œ. ę. 180 3.5 GROUP 2 - NEWFLY GRITT I - NEWFLY GROUP 1 GROUP 2 68001 GROUP 1 GROUP 2 GROUP 1 GROUP 2 GROUP 1 GROUP 1 GROUP 1 GAUIP 2 GROUP d(1009 CROUP VARIABLE SATE PFRF **GP**▲ 1 4 \* 2 **6** 127

STIMATE	2-TAIL PROB.	0.048	0.0
POOLFD VARIANCE ESTIMATE * SEPARATE VARIANCE ESTIMATE	DEGREES OF 2-TAIL FREEDOM PROB.	160.90	.03 150.21 0.044
SEPARATE	YALUE	-1.99	~2.03
•	* * *	* * * * *	
STIMATE	2-TAIL PROB.	0.046	0.036
VARIANCE E	T DEGREES OF 2-TAIL VALUE FREEDON PROB.	263	6
POOLFD	TVALITE	-2.01	-2.11
	* * *	* * * * *	****
- 1	F 2~TAIL	1.05 0.757	1.24 0.245
- - -	r VALUE	1.05	1.24
•		1	****
	STANDARD ERROR	2.170	122.692 **
 	STANDARD	20.002	1131.166
00.5	Z E D N	61.0824	8734.7278
1 C C	MUMBER OF CASES		85
GROUP 1 - NEWELY	VARTABLE	GROUP 1 85 61.0424 20.00	615 GROUP 2 180 8734.7276 1017.96

	7 2 - SEX	EA	<b>:</b>					* POOLED	VARIANCE ESTIMATE	STIMATE +		SEPARATE VARIANCE ESTIMATE	STIMATE
ARII	BLE	NUMBER OF CASES		STANDARD DEVLATION	STANDARD ERROR	* * *	F 2-TAIL ALUE PROB.	# T * VAL UE	DEGREES OF FREEDOM	2-TATL # PROR. #	T DI	DEGREES OF Freedom	2-TAIL PROB.
PERF	GROUP 1	21	726.0833	150.176	43.852	; ; ;	!				1 1 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	
	GROUP ?	243		30	7.937	- * * *	1.47 0.284	6 -0- * * *	15 16 16	* * *	91.0	11.75	0.878
SATE	6R0UP 1	13	1222.0769	90.684	27.647	* * *	;						
	לאסווף א		0516	139.78	A. AO&		1.97 0.183	# # #	263	* * *	4 4 0		0.00
GP A	GROUP 1	13	277.38ak	39.671	11.003	* *	;	**	 	* * *		1 5 1 7 1 8 1 8 1 8	 
	6R011P 2	252	280,2738	44.984	\$ E & C	* * *	1.29 0.653	m c c - + + +	263	* * * I & # * O	-0.25	3 3 6 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	0.803
; ;	1 400a5	13	78.6769	18.053	5.007		!		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			0 5 5 0 7 7	
29	5 90085	<b>252</b>	4702.59	19.473	1.227	-	0.4.0	* * *	e C N	* * *	5 · 8 · 8 · 8 · 8 · 8 · 8 · 8 · 8 · 8 ·	1 3 • 4 B	6.013
P	t annat	E	1620.64	1 0	4.163	* * *	!					0 1 1 1 1 1 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
,	5 411LB	252	9024.69	13.946	0.879		924.0	* * *	5. G	* * *		60 • 61	20.0
2	GR011P 1	1.3	0000*42	12.845	1.563	* *		* * *		1 * * · · · · · · · · · · · · · · · · ·	! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! !		
	5800P 2	252	69.1310	Œ	0.982		202	× * *	r, c	* * * *	0 0 N	<b>A</b>	150.0
69	GROUP 1	13	78.4615	18.141	5.031		!		1				
	GROUP 2	252	60.6905	21.337	1.344		1.38 0.443	66.2 * * *	502	* * *	6. 4.	13.77	• 00 • 0

GROUP	GROUP 1 - SEX GROUP 2 - SEX		;	t t t t	f 1 1 1	<b>⊢</b>	<b>⊢</b>		! !		1 1 1	f 1 1	1 1 1	1 1 1 1	
		,							* POOLE	ED VARI	ANCE FS	TIMATE .	SEPARAT	* POOLED VARIANCE FSTIMATE * SFPARATE VARIANCE ESTIMATE	STIMATE
VARI	VARTABLE	NUMBER DF CASES	SEAN	STANDARD DEVLATION	STANDARD		F VAL UE	F 2-TAIL VALUE PROB.	* T * VALUE		DEGREES OF 2-TAIL FREEDOM PROB.	* 2-TAIL * PROB. *	T	DEGREES OF FREEDOM	2-TAIL Prob.
,   0	GROUP 1	13	75.3846	17.552	4.868					-					
	GROUP 2	61 60 61	64.0516	19.735	1 - 2 4 3		97.	180.0	5°03		97 0 N	* * * 5000	2.29	13.61	0.0
\$19	GROUP 1		GROUP 1 13 9838-4615	828.082	229.669		1		* *	!	1			1 1 1 1 1 1 1 0	 
	GROUP 2	252	8578.92a6	1037.264	65.341	* * *	1.57	1.57 0.381	4 4 4 91		£ 02	* * * oco c	5. C	14.02	00000
FLY	GROUP 1		GRQUP 1 13 11.0000	19.205	5.327					!			1 1 1 1 1		• • •
	GROUP 2	252	6.8690	13.425	0.846	• • •	9 9 8	0.0	* * *		F: 6	* * *	0.77	12.61	0 . 4 . 87

### **APPENDIX G**

1		•
•		•
ı		,
		•
•		
•		
•		
•		
•		
•		
٠		
٠		
1		
4		
0		
_		
z		
c		
- -	×	
<b>~</b>	SEX	
ح س	6×	
>	0	
0		
⋖		
-		
v		
S		
0		
Œ		
v		
•		
•		
ï		
ï		
į		
•		
•		
ı		
•		
•		
•		
•		
•	~	
•		
ı		

<	•														
OT SEA	! !														
6	1														
	•														
	1														
	1 1 1 1 1			ROW	TOTAL				13.2%		230			265	100.00
						<b>:</b>	ŧ	••	**	+	••	••	+		
	! !								2 :		219			252	21.20
						:	+		••	++!	••	••	+		_
		SEX						N	~	+		:2 : -2 :	+	13	A. 0.4
	•		••	••	••	••	+		••	+	••	••	+	_	
	1		COUNT	ADJ RES			+	•			~			COLUMN	TOTAL
	•														
¥	l 1														
	•						œ								

CHI-SOUARE	D.F.	SIGNIFICANCE	MIN R.F. CF	CELLS WITH F.F.< 5
)	* * * * * * * * * * * * * * * * * * * *		1 1 1 1 1 1 1 1 1	
•		1.0000	1.717 1	1 OF 4 ( 25.0%)
0.05652		0.8121	( BEFORE YATES CORRECTION )	CORRECTION )
			WITH	WITH SEX
STAT	STATISTIC	SYMMETRIC	DEPENDENT	DEPENDENT
	J 1 7 8 2 8 4 5 5 1	* * * * * * * * * * * * * * * * * * * *		
LAMBDA		•	•	•
UNCERTAINTY COEFFICIENT	COEFFICIENT	0.00035	0.00026	0.00052
SOMERS. D		0.01324	0.02289	0.00932
ETA			0.01460	0.01460
STAT	STATISTIC	VALUE	SIGNIFICANCE	CR
	******	* 1 1 1		:
IHd		0.01460		
CONTINGENCY COEFFICIENT	COEFFICIENT	0.01460		
KENDALL'S TAU B	0 n	0.01460	0.4062	
KENDALL'S TAU C	U	0.00427	0.4062	
PEARSON'S R		0.01460	0.4065	
GAMMA		0.09363		

NUMBER OF MISSING DBSERVATIONS #

•	1 1 0	1 1	1	1	1		1		œ	S O	S	<b>«</b>	9	٦ ۽	_ =	-	Z		F	ı	•	1	1	•	,	•	1	i	1	•	1	ı
٠	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	•	1	1	1	•	1	1	1	1	i	1	•	- 1	E	ŧ	1	٠	1	1	•	1	1		1	•	1	o.	PAGE	-	<b>P</b>	-
•	- '	COUNT :	z				: :		en (	••		<b>*</b>			<b>s</b> n			•		-		ROW	- =									
Ľ	-	0	}	• •• •• • • • • • •	) {	1			o m		: ::	0 4		~ *			60				• •• •• •	13,	3.2×									
			-1.	 	)			1	₹.		1.1			4			4.6	• •• ••		27	 I	230 86.8%	230 6.8%									
		COLUMN TOTAL	83.4X	; ; ; ; ; ;		1 % 1 % 1 % 1 % 1 % 1 % 1 % 1 % 1 % 1 %	•	73 27-5%		•	= *	12 .5X	_	47 17.7%	×	•	15	, ! ! *	=	31	t	265 100.0%	, N									
-	CHI-SQUARE		S	SIGNIFICANC	FIC	V.V.	'n		Z		E F		J	CELLS WITH	S.	ITH	ш.	<b>.</b> ★	N)													
	3.69802	•	i	0.7175	0.7175	Į,	j			. ~	1.585		. •	4 OF	!	=	-	1 60	.6%													
124	STA	STATISTIC				SYMMETRIC	MET	RIC		> ā	F B	A Č				¥ I	WITH M Dependent	D I														
722.0	LAMBDA UNCERTAINTY COEFFICIENT Somers' D ETA	NTY COEFFICIE D	<b>+</b>					.00920		† 1	1 1	0.02555 0.02555 0.02591 0.11813	3.55 3.55 3.50 3.13	! ! ю ⊷ ю		:	0.0000	0.01042 0.00561 0.09155 0.04852	9 2 2 2 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3	<u>;</u>												
	STA	STATISTIC				₹ i	VALUE				SIGNIFICANCE	1417	CA	E C																		
	CRAMER'S V CONTINGENCY COEFFICIENT KENDALL'S TAU R KENDALL'S TAU C PEARSON'S R GAMMA	COEFFICIE Au B Au C	F-			00000	1813 1731 4871 4198 4852	ម្មិស្សិស				000	0.1964 0.1964 0.2158	<b></b>																		
ž	NUMBER OF M	MISSING OBSERVATIONS	ERVAT	IONS				0																								

THE HOUSE STATE OF THE STATE OF						
			CELLS WITH E.F.< 5 1 OF 4 (25.0%) CORRECTION )	#17# A Dependent	0.050 WG 0.14 W 4 G 0.14 V 12	
	×	<b>26</b> 26	MIN E.F. CELLS WITH E. 4.358 1 OF 4 (	WITH ROEPENDENT	0.04852 0.15086 0.14712	516N1FICANCE 000000000000000000000000000000000000
	ROW TOTAL 1: 10 35 : 0 : 35 2.4 : -2.4 : 13.2X		SIGNIFICANCE 0.0340 0.0166	SYRMETRIC	0. 0.04943 0.14708	VALUE  0-14712 0-14712 0-06579 0-14712 1-00000
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	A COUNT : ADJ RES :	•	CHI-SQUARE D.F.	STATISTIC	LAMBDA Uncertainty coefficient Sdwers' d Eta	STATISTIC  PHI CONTINGENCY COEFFICIENT KENDALL'S TAU B KENDALL'S TAU C PEARSON'S R GAMMA

NUMBER OF MISSING OBSERVATIONS #

### **APPENDIX H**

### ANALYSIS OF VARIANCE

			T FOR M	4	4	~	P14.931	m	ŏ		748.044	748.172	751.932
			95 PCT CONF INT	1.8647 T	0.9024 T	0.4863 T	714.7355 TO	1.7732 T	8.8882 T	663.9287 TO	717.2730 TO	717-1453 TD	713.3856 TO
F F ATTO PROB.			MAXIMUM	σ	54.000	62	866.0000	90	54	0000*566	0000*560		
α•	26		MINIMUM	00.	432.0000	0	$\circ$	0	.00	341.0000	0000 • 00		
MEAN SQUARES 4994.273	15820.369		STANDARD ERROR	.131	2.686	4.36	22.7616	0.33	00.9	3.91	7.8127	7.8766	7.8766
SUM OF SQUARES 29965-6391	3923451.679	3953417.318	STANDARD <b>Dev</b> iation	138.0853	111.1414	121.0604	78.8483	136.4110	100.7229	130,9691	124.7583	125,7791	
. o	248	254	MEAN	728.1724	737,8333	9.1	764.8333	732,7556	• 6	712.8333	732.658F	ECTS MODEL	ECTS MODEL
SQUACE	GROUPS		T N O O O	ខ	54	7.1	12	45	15	30	255	FIXFD EFFE	RANDOM EFFE
BETWEEN	WITHIN	TOTAL	GROUP				GRP 4				TOTAL	13	9

WARNING - BETWEEN COMPONENT VARIANCE IS NEGATIVE IT WAS REPLACED BY 0.0 IN COMPUTING ABOVE RANDOM FFFECTS MEASURES

-314.0081 RANDOM EFFECTS MODEL - ESTIMATE OF BETWEEN COMPONENT VARIANCE

### **APPENDIX I**

ANALYSIS DISCRIMINANT 1

### ON GROUPS DEFINED BY R

265 (UNWEIGHTED) CASES WERE PROCESSED.
O OF THESE WERE EXCLUDED FROM THE ANALYSIS.
265 (UNWEIGHTED) CASES WILL BE USED IN THE ANALYSIS.

NUMBER OF CASES BY GROUP

	-		
CASES	0.56	230.0	265.0
0			
NONBER	35	230	265
٥	6	~	TOTAL

GROUP MEANS

¥	64.14286 64.00435	64.02264			
\$19	8690.71429 8633.10435	8640.71321			
1	3.22857	3.47547			
<b>4 d</b> 9	288.22857 278.90000	280.13208			
SATE	1111.80000	1099.38113	10	60.45714	64.60755
FL	0.68571	7.07170	89>	65.20000	61.56226
< <	0.0.14348	0.12453	> 2	65.45714	69.56604
S X X	0.94286	0.95094	آه	66.20000	69.93585
α	° ~	TOTAL	ά	0-	TOTAL
	173				

GROUP STANDARD DEVIATIONS

4	17.47122	19.63549			
S I S	1034.38270 1068.43656	1062,25803			
1	2.07344	1.96869			
6P.A	45.06863	44.67477			
SATE	142.62081	140.74804	10	19.15931	19.75639
FLY	1.89071	13.74437	<b>6</b> 0 >	22.50595 21.34884	21.50821
•	0.35132	0.33081	> 2	14.75355	15.56159
SEX	0.23550	0.21639	1	14.46456	14.15310
α	0 -	TOTAL	α	0 -	TOTAL

263 DEGREES OF FREEDOW	
COVARIANCE MATRIX WITH	
WITHIN-GROUPS	
POOLED WIT	

14	SEX	٠.	FLY	SATE	ĕ₽Ā	I	618	٧٧
× × v	0.4699478E-01 -0.5405852E-02 0.1074723	0.1074723	44 P					
SATE	6.049413	0.2463382	-91.54477	19861.68				
<b>6</b> P A	0.1458446	-0.1889734	-24.39842	1400,220	1993,372			
Ŧ	-0.1482654E-01	0.5729873E-01	-1.078421	-44.81131	-9.688322	3.960579		
618	-59.14230	6.161912	-239,2147	119417.3	23987.24	-306.3689	1132299.	
٧٧	-0.6945493	-0.1955695E-01	-7.819170	2221.473	166.6424	-5.451163	17129.44	387.0163
ፈ	-0.4982972	-0.1659448	30.62847	849.1955	30.73764	-2.791304	6241.209	133,7091
>	-0.4219824	0.4436766	-0.1397161	1224,101	100.4629	-1.202399	9430.802	201.6902
<b>8</b> ×	-0.8308150	-0.4421557	8.078988	2111.545	122.3407	-9.546107	15957.36	358,5551
10 T	-0.5378528	0.4642916	-16.02239	1775,841	180.4481	0.4415417	14001.84	309.1729
	T T	> 2	œ >	υt				
ส	198.9319							
>	175.3179	240.4953						
<b>6</b> >	111.5346	113.9978	462,3330					
10	120.5364	237.0348	156.1685	389.1579				

POOLED WITHIN-GROUPS CORRELATION MATRIX

	SEX	<	FLY	SATE	V d5	I	819	¥¥	٩٢	> 2	<b>9</b>
SEX	1.00000										
<	-0.07607	1.00000									
F. Y	-0.06869	-0.05769	1.00000								
SATE	-0.19801	0.00533	-0.04792	1.00000							
¥d9	0.01507	-0.01291	-0.04031	0.22253	1.00000						
=	-0.03437	0.08782	-0.03997	-0.15977	-0-10904	1.00000					
618	-0.25639	0.01766	-0.01658	0.79630	0.50490	-0.14467	1.00000				
<b>V V</b>	-0.16286	-0.00303	-0.02932	0.80125	0.18973	-0.13923	0.81827	1.00000			
ã	-0.16297	-0.03589	0.16020	0.42722	0.04881	-0.09944	0.41585	0.48189	1.00000		
· >	-0-12552	0.08727	-0.00066	0.56009	0.14510	-0.03896	0.57150	0.66110	0.80153	1.00000	
: œ	-0-17824	-0.06273	0.02772	0.69681	0.12744	-0.22308	0.69743	0.84764	0.36777	0.34187	1.00000
10	-0.12577	0.07179	-0.05992	0.63875	0.20488	0.01125	0.66702	0.79666	0.43321	0.77481	0.36817
	-										
	;										
10	1.00000										

CORRELATIONS WHICH CANNOT BE COMPUTED ARE PRINTED AS 99.0.

WILKS' LAMBDA (U-STATISTIC) AND UNIVARIATE F-RATIO WITH I AND 263 DEGREFS OF FREEDOM

VARIABLE	WILKS. LAMBDA	<b>L</b>	SIGNIFICANCE
		10 10 10 10 10 10 10 10 10 10 10 10 10 1	
EX	0.99979	0.56115-01	0.8129
	0.97835	5.819	0.0165
FLY	0.96906	8.398	0.0041
SATE	0.99881	0.3131	0.5762
GPA	0.99498	1.326	0.2505
-	0.99765	0.6207	0.4315
618	0.99966	0.8904E-01	0.7656
×	66666	0.1506E-02	1696.0
ىد	0.98936	2.829	0.0938
>	0.98935	2.631	0.0937
60	0.99563	1.154	0.2836
<u>_</u>	0.99326	1.785	0.1827

•0
GROUP
FOR
MATRIX
COVARIANCE

44	305.2437 110.5294 135.6681 316.2941		<b>«</b>	399.1572 137.1506 211.4926 364.8297
615	1069948. 15152.84 4625.735 4845.252 16513.97		ა ლ	1141557。 17422。91 6481。061 10111。63 15874。72
×	4.299160 -397.4034 -1.768908 2.011765 4.951261 -9.400000		x	3.910309 -292.8529 -5.997874 -3.504424 -2.116043 -9.567800
GPA	2031.182 -26.75966 24006.86 138.6429 -71.88118 -87.31345 145.2471		e P A	1987,759 -7.153712 23984.32 170.7996 45.96769 128.3424 118.9397
SATE	20340.69 288.4882 15.37059 107018.1 2110.088 775.2176 818.4471 2270.512	367.0790	SATE	155650 12125661 12125661 2236.011 860.1791 1284.329 2087.943
FLY	3.574790 -39.34706 4.291597 0.6571429E-01 -175.6807 -6.360000 -5.360336 -5.740336	VB 506.5176 38.02353	FLY 210.5107	-28.65808 -1.28.65808 -248.6477 -8.008791 36.11130 0.6918170 10.21823
<		NV 217.6672 37.52353 205.6672	1.23.4.4.4.4.2.8.9.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0	E - 0 1
SEX	0.5546218E-01 0.5210084E-01 -5.511765 2.719328 -0.4537815E-01 -54.69328 -1.664706 -1.355462	PL 209.2235 169.6118 91.75294 105.2000	SEX A 0.4573761E-01 -0.6208468E-02 -0.1295481	E - 0 2
•,	0 < X P S X P S Y S Y S Y S Y S Y S Y S Y S Y S Y S	⊒ > ∞ ⊢ d z > c	S E X S E S E S E S E S E S E S E S E S	

									385,5525	133,1340	200.8508	357.2637	307.9256						
		¥							II)	_	~	₽?)	M						
		GIS						1128392.	17065.47	6189,035	9363.697	15924.70	13917.11						
							3.954889	-307.0942	-5.435049	-2,639837	-1.042882	-9.647141	0.5963979						
		GPA				1995.835	-9,956975	23958.22	166.1599	26.00093	95.00071	126.3762	174.6316						
392.4360	EEDOM	SATE			19810.01	1410.275	-45.10993	119059.8	2213,287	838.8920	1211.670	2110.448	1761.241	ļ	10				390,3151
455.7728 173.7097	264 DEGREES OF FREEDOM	FLY		100.001	-102,9327	-31.95648	-0.8410377	-285,5551	-7.903145	34.04250	3,743353	4.611049	-12.03994	,	<b>8</b>			462,6031	153,2707
243.8846 125.3520 241.6920		< <		0.1094340	0.9176672E-02	-0.3422670	0.6177816E-01		-0.2176958E-01	-0.9425386E-01	0.5201544	-0.5096770	0.5414808		> z		242.1632	111.2928	238.7419
197.4039 176.1651 114.4716 122.8134	TOTAL COVARIANCE MATRIX WITH	X W	0.4682676F-01	-0.5231561E-02			-0.1446541E-01	-58.98003			-0.4153087	-0.8321612			Pi	200.3103	176.9986	109.0362	122.4482
0 X X 0	TOTAL CC		SEX	× ū	SATE	GPA	x	618	٧٧	7	>	A.B	10			7	>	<b>6</b>	41

Ω

8

**>** 

٦

ANALYSIS r z ∢ Z I ر 100 0 1 S • 1

.

ON GROUPS DEFINED BY R

ANALYSIS NUMBER

CANDNICAL DISCRIMINANT FUNCTIONS

PRIOR PROBABILITY FOR EACH GROUP IS 0.50000

## CANONICAL DISCRIMINANT FUNCTIONS

I CANDNICAL DISCRIMINANT FUNCTIONS REMAINING IN THE ANALYSIS. # MARKS THE

# STANDARDIZED CANONICAL DISCRIMINANT FUNCTION COEFFICIENTS

FUNC 1

SEX 0.22072
A 0.48990
FLY 0.5322
SATE -0.35183
GPA -0.351829
M 0.28951
AA -1.91118
PL 0.38241
NV -0.89566
QT 1.50784

STRUCTURE MATRIX:

POOLED WITHIN-GROUPS CORRELATIONS BETWEEN DISCRIMINATING VARIABLES AND CANONICAL DISCRIMINANT FUNCTIONS (VARIABLES ORDERED BY SIZE OF CORRELATION WITHIN FUNCTION)

FUNC 1

FLY 0.63213

A 0.52619

NV 0.36702

PL 0.31095

GPA -0.23436

O 18809

M 0.10412

GIS -0.09754

SEX -0.06395

AA

UNSTANDARDIZED CANONICAL DISCRIMINANT FUNCTION COEFFICIENTS

149

FUNC

1.516025 FLY 0.4877497E-01 GPA -0.5434677E-02 NV 0.3099251E-01 VB -0.1650551E-01 (CONSTANT) -0.1511912 CANONICAL DISCRIMINANT FUNCTIONS EVALUATED AT GROUP MEANS (GROUP CENTROIDS)

GROUP FUNC

0 -0.72190

TEST OF EQUALITY OF GROUP COVARIANCE MATRICES USING BOX+5 M

THE RANKS AND NATURAL LOGARITHMS OF DETERMINANTS PRINTED ARE THOSE OF THE GROUP COVARIANCE MATRICES.

LOG DETERMINANT	(SINGULAR)	51.236345		51.040543
RANK	11	12		12
ROUP LABEL	0	-	POOLED WITHIN-GROUPS	COVARIANCE MATRIX

NO TEST CAN BE PERFORMED WITHOUT AT LEAST TWO NON-SINGULAR GROUP COVARIANCE MATRICES.

1	
1	
•	
•	
•	
•	
v	
u S	
>	
<u>۔</u>	
z	
⋖	
<b>-</b>	
z	
2	
=	
<b>—</b>	
ď	
S	
-	
_	
1	
•	
•	
•	
:	
,	
•	•
ı	
1	
•	
1	
	1

ON GROUPS DEFINED BY R

### ANALYSIS NUMBER

		54	0.00100	1.0000	1.0000
STEPWISE VARIABLE SELECTION	SELECTION RULE: MINIMIZE WILKS: LAMBDA	MAXIMUM NUMBER OF STEPS	MINIMUM TOLERANCE LEVEL 0.00100	MINIMUM F TO ENTER 1.0000	MAXIMUM F TO REMOVE

# CANONICAL DISCRIMINANT FUNCTIONS

~	100.00	1.0000
••••••	VARIANCE	LAMBDA
MAXIMUM NUMBER OF FUNCTIONS	MINIMUM CUMULATIVE PERCENT OF VARIANCE	MAXIMUM SIGNIFICANCE OF WILKS' LAMBDA 1.0000
NUMBER OF	CUMBLATIVE	SIGNIFICAN
MAXIMUM	RINIMOR	MAXIMUM

# PRIOR PROBABILITY FOR EACH GROUP IS 0.50000

15		VAR	IABLES NOT	VARIABLES NOT IN THE ANALYSIS AFTER STEP	S AFTER STEP	0
1			MINIMUM			
	VARIABLE	TOLERANCE	TOLERANCE	F TO ENTER	WILKS. LAMBDA	
	SEX	1.0000000	1.0000000	0.56109E-01	626660	
	<	1.0000000	1.0000000	5.8187	0.97835	
	FLY	1.0000000	1.0000000	8.3976	90696.0	
	SATE	1.0000000	1.0000000	0.31314	0.99881	
	GPA	1.0000000	1.0000000	1.3261	0.99498	
	<b>T</b>	1.0000000	1.0000000	0.62068	0.99765	
	618	1.0000000	1.0000000	0.89040E-01	0.99966	
	44	1.0000000	1.0000000	0.1505BE-02	0.99999	
	7	1.0000000	1.0000000	2.8292	0.98936	
	> 2	1.0000000	1.0000000	2.8309	0.98935	
	<b>6</b> 2	1.0000000	1.0000000	1.1542	0.99563	
	T.O.	1.0000000	1.0000000	1.7850	0.99326	

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

AT STEP 1, FLY WAS INCLUDED IN THE ANALYSIS.

•	
•	B-39762
	8-39762

------ VARIABLES IN THE ANALYSIS AFTER STEP 1 -------

VARIABLE TOLERANCE F TO REMOVE WILKS' LAMBDA FLY 1.0000000 8.3976

***************************************	
STEP	
AFTER	
ANALYSIS	
=======================================	
VARTABLES NO	

		MINIMUM		
VARIABLE	TOLERANCE	TOLERANCE	F TO ENTER	WILKS. LAMBDA
SEX	0.9952822	0.9952822	0.18431	0.96838
<	0.9966714	0.9966714	6.4443	0.94579
SATE	0.9977038	0.9977038	0.17127	0.96842
<b>GPA</b>	0.9983749	0.9983749	1.0353	0.96524
<b>x</b>	0.9984020	0.9984020	0.78962	0.96615
618	0.9997250	0.9997250	0.60516E-01	0.96883
44	0.9991403	0.9991403	0.20589E-02	0.96905
7	0.9743375	0.9743375	1.4694	0.96365
> 2	96666660	96666660	2.7392	0.95903
<b>6</b> 2	0.9992317	0.9992317	1.2881	0.96432
Ţ	0.9964101	0.9964101	2.2081	96096

F STATISTICS AND SIGNIFICANCES BETWEEN PAYOS OF GROUPS AFTER STEP 1 EACH F STATISTIC HAS 1 AND 263.0 DEGREES OF FREEDIM.

GROUP

GROUP

8.3976 0.0041 \*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

AT STEP 2. A WAS INCLUDED IN THE ANALYSIS.

	0.0007
263.0	262.0
2	~
0.94579	7.50788
ILKS. LAMBDA	EQUIVALENT F
	_

2 ----------- VARIABLES IN THE ANALYSIS AFTER STEP

VARIABLE TOLERANCE F TO REMOVE WILKS! LAMBDA A 0.9966714 6.4443 0.96906 FLY 0.9966714 9.0196 0.97835 ------ VARIABLES NOT IN THE ANALYSIS AFTER STEP

	F TO ENTER WILKS! LAMBDA	1247 0.94437	0.17183 0.94517	0.93159 0.94243	0.44096 0.94420	1940E-01 0.94550	0.32026E-02 0.94578	1.5962 0.94005	2.0126 0.93856	1623 0.94241	1.6812 0.93974
	F 70	0.39247	0.17	0.93	0.44	0.80	0.32	1.5	2.0	0.93623	1.6
MINIMOM	TOLERANCE	0.9888562	0.9944046	0.9949854	0.9893463	0.9963922	0.9958014	0.9716358	0.9890621	0.9929320	0.9917247
	TOLERANCE	0.9888562	0.9976972	0.9981419	0.9910642	0.9994449	0.9991179	0.9736251	0.9923648	0.9954827	0.9917247
	VARIABLE	SEX	SATE	GPA	×	615	VV	4	> 2	<b>6</b> >	Ta

F STATISTICS AND SIGNIFICANCES BETWEEN PAIRS OF GROUPS AFTER STEP 2 EACH F STATISTIC HAS 2 AND 262.0 DEGREES OF FREEDOM.

GROUP

GROUP

7.5079 0.0007 \*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

AT STEP 3, NV WAS INCLUDED IN THE ANALYSIS.

SIGNIF. BETWEEN GROUPS 0.0000 263.0 DEGREES OF FREEDOM 3 1 263.0 0.93856 5.69545 WILKS! LAMBDA EQUIVALENT F

------ VARIABLES IN THE ANALYSIS AFTER STEP 3 ------

VARIABLE TOLERANCE F TO REMOVE WILKS! LAMBDA
A 0.9890621 5.6935 0.95903
FLY 0.9966522 8.8750 0.97047
NV 0.9923648 2.0126 0.94579

------------ VARIABLES NOT IN THE ANALYSIS AFTER STEP

0.8712405 2.4107	0.3222835 0	WILKS. LAMBDA 0.93627 0.93362 0.93366 0.93365 0.9384 0.9384	F TO ENTER 0.63589 2.1271 1.3923 0.52672 1.7676 1.3886 0.31725E-01	MINIMUM TOLERANCE 0.9746911 0.6782306 0.9911307 0.6572561 0.5544048 0.3222835	TOLERANCE 0.9746911 0.6818751 0.9988880 0.6720187 0.5591775 0.3222835
0.3222835 0.31725E-01 0.9384		0.93357	1.3886	0.5544048	0.5581775
0.5544048 1.3886 0.3222835 0.31725E-01	0.5544048 1.3886	0.93222	1.7676	0.6672561	0.6720167
0.6672561 1.7676 0.5544048 1.3886 0.3222835 0.31725E-01	0.6672561 1.7676 0.5544048 1.3886	0.93665	0.52872	0.9811307	0.988880
0.9811307 0.52672 0.6672561 1.7676 0.5544048 1.3886 0.3222835 0.31725E-01	0.9811307 0.52672 0.6672561 1.7676 0.5544048 1.3886	0.93356	1.3923	0.9708908	0.9765430
0.9708908 1.3923 0.9811307 0.52872 0.6672561 1.7676 0.5544048 1.3886 0.3222835 0.31725E-01	0.9708908 1.3923 0.9811307 0.52672 0.6672561 1.7676 0.5544048 1.3886	0.93094	2.1271	0.6782306	0.6818751
0.6782306 2.1271 0.9708908 1.3923 0.9811307 0.52672 0.6672561 1.7676 0.3222835 0.31725E-01	0.6782306 2.1271 0.9708908 1.3923 0.9811307 0.52672 0.6672561 1.7676 0.5544048 1.3886	0.93627	0.63589	0.9746911	0.9746911
0.6782306 2.1271 0.6782306 2.1271 0.9708908 1.3923 0.9811307 0.52872 0.6572561 1.7676 0.3222835 0.31725E-01	0.6786911 0.63589 0.6782306 2.1271 0.9708908 1.3923 0.9811307 0.52672 0.6672561 1.7676 0.5544048 1.3886	WILKS' LAMBDA	F TO ENTER	TOLERANCE	TOLERANCE
TOLERANCE F TO ENTER 0.9746911 0.63589 0.6782306 2.1271 0.9708908 1.3923 0.9811307 0.52872 0.6572561 1.7676 0.3522835 0.317255-01	TOLERANCE TOLERANCE F TO ENTER 0.9746911 0.9746911 0.65839 0.6818751 0.6782306 2.1271 0.9765430 0.978908 1.3923 0.9888880 0.9811307 0.55872 0.5584048 1.3886			MINIMON	

F STATISTICS AND SIGNIFICANCES BFTWEEN PAIRS OF GROUPS AFTER STEP 3 EACH F STATISTIC HAS 3 AND 261.0 DEGREES OF FREEDOM.

GROUP 0

GROUP

AT STEP 4. VB WAS INCLUDED IN THE ANALYSIS.

4 1 263	•
4 260.0 0.0008	

------ VARIABLES IN THE ANALYSIS AFTER SIEP 4 ------

WILKS! LAMBDA	0.94731	0.96207	0.94241	0.93856
F TO REMOVE	4.8568	8.9857	3.4890	2.4107
TOLERANCE	0.9796869	0.9960697	0.8712405	0.8739779
VARIABLE	<	FLY	> 2	<b>69</b>

------ VARIABLES NOT IN THE ANALYSIS AFTER STEP

		MINIMOM		
VARIABLE	TOLERANCE	TOLERANCE	F TO ENTER	WILKS. LAMBDA
SEX	0.9523428	0.8539388	0.31942	0.92879
SATE	0.3930695	0.3930695	0.34363	0.92870
GPA	0.9698657	0.8606669	1.0990	0.92601
I	0.9429046	0.8333378	0.15932	0.92936
618	0.3865874	0.3865874	0.17309	0.92931
٧.	0.1230164	0.1230164	0.16604	0.92934
,	0,3148913	0,3148913	0.17252	0.92932
<b>9</b> T	0.3835200	0.3835200	0.35176	0.92867

F STATISTICS AND SIGNIFICANCES BETWEEN PAIRS OF GROUPS AFTER STEP & EACH F STATISTIC HAS & AND 260.0 DEGREES OF FREEDOM.

GROUP

GROUP

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\* \* \* \* \* \* \* \* \* #

WAS INCLUDED IN THE ANALYSIS. GPA ŝ AT STEP

BETWEEN GROUPS SIGNIF. 0.0012 259.0 DEGREES OF FREEDOM 263.0 60 4.13917 0.92601 WILKS' LAMBDA EGUIVALENT F

------ VARIABLES IN THE ANALYSIS AFTER STEP

WILKS. LAMBDA 0.95677 0.94288 0.93983 0.93356 F TO REMOVE 8.6053 1.0990 4.7202 3.8671 2.1123 0.9941092 TOLERANCE 0.8606669 0.8680020 VARIABLE FLY GPA **>** 

10 ---------- VARIABLES NOT IN THE ANALYSIS AFTER STEP

WILKS' LAMBDA 0.92534 0.92468 0.92571 0.92503 0.92572 0.92407 0.93626E-01 0.83655E-01 0.79690E-01 F TO ENTER 0.36935 0.27102 0.18462 0.54127 0.8472991 0.3839329 0.8301356 0.2402486 0.1216066 0.3097268 TOLERANCE 0.3767704 MINIMOM 0.3839329 TOLERANCE 0.9506278 0.9354616 0.2402486 0.1216066 0.3097268 0.3767704 VARIABLE SATE GIS 4 ۲. p

F STATISTICS AND SIGNIFICANCES BETWEEN PAIRS OF GROUPS AFTER STEP 259.0 DEGREES OF FREEDOM. S AND EACH F STATISTIC HAS

GROUP

0

GROUP

4.1392 0.0012 F LEVEL OR TOLERANCE OR VIN INSUFFICIENT FOR FURTHER COMPUTATION.

#### SUMMARY TABLE

	SIG. LABEL	.0041	.0007	60000	9000	6100
WILKS.	LAWBOA	90696.		.93856		
VARS	ž	-	~	m	•	¥
ACTION	STEP ENTERED REMOVED	1 FLY	2 ¥	>	4 <8	400

### CANDNICAL DISCRIMINANT FUNCTIONS

	SIGNIFICANCE 0.0012	
	т. В	
	OA CHI-SQUARED 20.026	
	CORRELATION: FUNCTION WILKS: LAMBDA CHI-SQUARED D.F. SIGNIFICANCE: 0 0.9260060 20.026 5 0.0012	
AFTER	FUNCTION 0	,
CANONICAL : AFTER	CORRELATION :	0.2720185 :
CUMULATIVE	PERCENT	100.00
PERCENT OF	VARIANCE	0.07991 100.00
	EIGENVALUE	0.07991
	FUNCTION E	<b>:</b>

1 CANONICAL DISCRIMINANT FUNCTIONS REMAINING IN THE ANALYSIS. # MARKS THE

# STANDARDIZED CANONICAL DISCRIMINANT FUNCTION COEFFICIENTS

FUNC 1	0	.6611	-0.24264	.4806	0
157	⋖	FLY	GP A	> =	8>

STRUCTURE MATRIX:

POOLED WITHIN-GROUPS CORRELATIONS BETWEEN DISCRIMINATING VARIABLES AND CANGWICAL DISCRIMINANT FUNCTIONS (VARIABLES ORDERED BY SIZE OF CORRELATION WITHIN FUNCTION)

0.18809 0.10412 -0.09754 0.52619 0.36702 0.33095 -0.06113 0.63213 -0.25120 -0.23436 -0.08395 

UNSTANDARDIZED CANONICAL DISCRIMINANT FUNCTION COEFFICIENTS

0.4877497E-01 -0.5434677E-02 0.3099251E-01 1.516025 FUNC 1 FLY GPA > © 158

-0.1650553E-01 -0.1511912

(CONSTANT)

CAMONICAL DISCRIMINANT FUNCTIONS EVALUATED AT GROUP MEANS (GROUP CENTROIDS)

GROUP

-0.72190 0.10985

0 -

TEST OF EQUALITY OF GROUP COVARIANCE MATRICES USING BOX+S M

THE RANKS AND NATURAL LOGARITHMS OF DETERNINANTS PRINTED ARE THOSE OF THE GROUP COVARIANCE MATRICES.

LOG DETERMINANT	(SINGULAR)	22.251803		22.023373
RANK	•	<b>s</b> n		<b>I</b> O
GROUP LABEL	•	•	POOLED WITHIN-GROUPS	COVARIANCE MATRIX

NO TEST CAN BE PERFORMED WITHRUT AT LEAST TWO NON-SINGULAR GROUP COVARIANCE MATRICES.

#### ANALYSIS NUMBER

	DBIS DISTANCE (D SQUARED)		24	0.00100	1.0000	1.0000
STEPWISE VARIABLE SELECTION	SELECTION RULE: MAXIMIZE MINIMUM MAHALANDBIS DISTANCE (D SOUARED)	BETWEEN GROUPS	MAXIMUM NUMBER OF STEPS	MINIMUM TOLERANCE LEVEL 0.00100	MINIMUM F TO ENTER 1.0000	MAXIMUM F TO REMOVE 1.0000

### CANONICAL DISCRIMINANT FUNCTIONS

MAXIMUM NUMBER OF FUNCTIONS	-	100.00	1.0000
	AAXIMUM NUMBER OF FUNCTIONS		MAXIMUM SIGNIFICANCE OF WILKS! LAMBDA

# PRIOR PROBABILITY FOR EACH GROUP IS 0.50000

		GROUPS		-	-		-				-	-	-	-
		BETWEEN GROUPS		٥	0		0				0	0	0	0
0							-01				-01	-01	-01	-01
STEP		D SQUARED		0.1915471	0.2764433		0.4365579E-01				0.9313442E-01	0.9319219E-01	0.3799649E-01	0.5876125E-01
AFTER		D 501		0.191	0.27		0.430				0.931	0.931	0.379	0.587
VARIABLES NOT IN THE ANALYSIS AFTER STEP		F TO ENTER	0.56109E-01	5.8187	8.3976	0.31314	1.3261	0.62068	1.89040E-01	0.15058E-02	2.8292	2.8309	1.1542	1.7850
z		Ŀ	0	•	_	0		0	0	0				
TABLES NOT	MINIMUM	TOLERANCE	1.0000000	1.0000000	1.0000000	1.0000000	1.0000000	1.0000000	1.0000000	1.0000000	1.0000000	1.0000000	1.0000000	1.0000000
VAR		TOLERANCE	1.0000000	1.0000000	1.0000000	1.0000000	1.0000000	1.0000000	1.0000000	1.0000000	1.0000000	1.0000000	1.0000000	1.0000000
		VARTABLE	SEX	⋖	FLY	SATE	GPA	I	615	VV	7	>	82	10

WAS INCLUDED IN THE ANALYSIS. 1. FLY AT STEP

		NEGREES	9	FREEDOM	SIGNIF.	RETWEEN GROUPS	ROUPS	
WILKS' LAMBDA	0.96906			263.0	1 1 263.0			
EQUIVALENT F	20165.0	•		0.000	1 10000			
MINIMUM D SQUARED	0.276443					•	-	
EQUIVALENT F	8.39762	-		263.0	263.0 0.0041			

VARIABLE	: TOLERANCE	F TO REMOVE	D SQUARED	BETWEEN GROUPS
FLY	1.0000000	8.3976		

1 1 1 1 1 1	BETWEEN GROUPS
	BETWEEN
-	
STEP	D SQUARED
TER	nos c
S	Ū
LYSI	œ
Y Z Y	ENTE
HE	<b>1</b> 0
Z	u.
IABLES NOT	MINIMUM VARIABLE TOLERANCE TOLERANCE F TO ENTER
× >	ñ
	TOLERAN
; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	VARIABLE

			IN IN I					
	VARIABLE	TOLERANCE	TOLERANCE		D SQUARED	BETWEEN GROUPS	GROUPS	
	SEX	0.9952822	0.9952822					
	<	0.9966714	0.9966714	6.4443	0.4961941	0	-	
4	SATE	0.9977038	0.9977038	0.17127				
A	GPA	0.9983749	0.9983749	1.0353	0.3117485	0	-	
4	<b>x</b>	0.9984020	0.9984020	0.78962				
	818	0.9997250	0.9997250					
	44	0.9991403	0.9991403	0.20589E-02				
	J4	0.9743375	0.9743375	1.4694	0.3265490	0	-	
	> 2	96666660	96666660	2.7392	0.3698490	0	-	
	<b>6</b>	0.9992317	0.9992317	1.2881	0.3203674	0		
	₽.	0.9964101	0.9964101	2.2081	0.3517401	0	-	

F STATISTICS AND SIGNIFICANCES BFTWEEN PAIRS OF GROUPS AFTER STEP EACH F STATISTIC HAS 1 AND 263.0 DEGREES OF FREEDOM.

GROUP

GROUP

AT STEP 2. A		WAS INCLUDED IN THE ANALYSIS.	IN THE ANALY	\$15.				
WILKS' LAMBDA Equivalent f		0.94579 7.50788	DEGREES OF FREEDOW 2 1 263.0 2 262.0	REEDOW 263.0 262.0	SIGNIF. 0.0007	BETWEEN GROUPS	GROUPS	
MINIMUM D SQUARED Equivalent f	RED	0.496194 7.50788	8	262.0	0.0007	c	-	
0 6 9 9 9 9	۲× ۲۰		INALYSIS AFTE	R STEP	2		•	
VARIABLE TOLE A FLY 0.99	TOLERANCE 0.9966714 0.9966714	F TD REMOVE 6.4443 9.0196	D SQUARED		BETWEEN GROUPS	SANO		

2	
STEP	
AFTER	
ANALYSIS	
1HE	
Z	
NO.	
VARIABLES NOT IN THE ANALYSIS AFTER STEP	

			MINIM			1		
	VARIABLE	TOLERANCE	TOLERANCE		D SQUARED	BETWEEN GROUPS	GROUPS	
4	SEX	0.9888562	0.9888562	Ŭ				
6	SATE	0.9976972	0.9944046	0.17183				
•	GPA	0.9981419	0.9949854	0.93159				
	=	0.9910642		Č				
	615	0.9994449						
	VV	0.9991179						
	7	0.9736251			0.5521763	0	-	
	> 2	0.9923648	0.9890621	2.0126	0.5667796	0	-	
	<b>8</b> ^	0.9954827						
	QT	0.9917247			0.5551599	0	_	

F STATISTICS AND SIGNIFICANCES BETWEEN PAIRS OF GROUPS AFTER STEP EACH F STATISTIC HAS 2 AND 262.0 DEGREES OF FREEDOM.

0 GROUP

GROUP

-
#
*
*
•
_
•
•
*
_
#
*
#
*
#
*
*
•
#
#
#
#
*
*
*
#
*
#
*
#
*
#
*
#
#
#
#
#
*
*
•
-
#
*
*
#
*
#
*
•

ANALYSIS.
IN THE
INCLUDED I
WAS
3. NV
AT STEP

		DEGRE	S 0F	FRFEDOM	SIGNIF.	BETWEEN	GROUPS	
WILKS' LAMBDA	0.93856	m	_	263.0		3 1 263.0		
EQUIVALENT F	5.69545		ED.	261.0	6000.0			
HINIMUM D SQUARED EQUIVALENT F	0.566780 5.69545		m	261.0	261.0 0.0009	0		

------- VARIABLES IN THE ANALYSIS AFTER STEP

VARIABLE	VARIABLE TOLERANCE	CE F TO REMOVE	D SQUARED	BETWEEN GROUPS
<	0.9890621	5.6935		
FLY	0.9966522	8.8750		
>	0.9923648	2,0126		

		BETWEEN GROUPS		0	0		0	0		•	
AFTER STEP		D SQUARED		0.6422474	0.6161780		0.6294926	0.6160441		0.6523095	
IN THE ANALYSIS		F TO ENTER	0.63589	2.1271	1.3923	0.52872	1.7676	1.3886	0.31725E-01	2.4107	0.962825-01
TABLES NOT	MINIMOM	TOLERANCE	0.9746911	0.6782306	0.9708908	0.9811307	0.6672561	0.5544048	0.3222835	0.8712405	0.3961384
VAR		VARIABLE TOLERANCE	0.9746911	0.6818751	0.9765430	0.9888880	0.6720167	0.5581775	0.3272835	0.8739779	0.3961384
1	1	9 VARTABLE		SATE	GP A	I	618	٧٧	7	8>	0.1

er, F STATISTICS AND SIGNIFICANCES BETWEEN PAIRS OF GROUPS AFTER STEP EACH F STATISTIC HAS 3 AND 261.0 DEGREES OF FREEDOM.

GROUP

0

GROUP

*
#
#
_
#
#
_
#
-
_
*
#
#
*
_
•
_
*
*
#
*
-
*
-
#
*
*
*
•
_
#
_
*
•
-
•
*
#
#
#
-
•
-
#
-
*
#
#
*
-
-
*
-
*
*
*
*
*
*
*
*
*
*
• • • • •
• • • • •
* * * * * * *
• • • • •
* * * * * * *
* * * * * * *

•							
AT STEP 4. VB	MAS INCLUDED IN THE ANALYSIS.  DEGREES OF FREED	IN THE ANDEGREES O	IN THE ANALYSIS. DEGREES OF FREEDOM SIGNIF.	SIGNIF.	BETWEEN GROUPS	GROUPS	
WILKS. LAMBDA	0.92994	~	263.0				
EQUIVALENT F	4.89735	•	260.0	260.0 0.0008			
MINIMUM D SQUARED	652309	•	•	0 0 0	o	-	

\*\*\*\*\*\*\*\*\*\*\* ------ VARIABLES IN THF ANALYSIS AFTER STEP

VARIABLE	TOLERANCE	F TO REMOVE	D SQUARED	BETWEEN GROUPS	S
∢	0.9796869	4.8568			
FLY	0.9960697	6.9857			
	0.8712405	3.4890			
	0.8739779	2.4107			

_		HINIKE				
D VARTABLE	TOLEPANCE	TOLERANCE	F TO ENTER	D SQUARED	BETWEEN GROUPS	GROUPS
	0.9523428	0.8539388				
SATE	0.3930695	0.3930695				
	0.9698657	0.8606669	1.0990	0.6918131	•	-
	0.9429046	0.8333378				
615	0.3865874	0.3865874				
	0.1230164	0.1230164				
4	0.3148913	0.3148913				
TO	0.3835200	0.3835200				

F STATISTICS AND SIGNIFICANCES BETWEEN PAIRS OF GROUPS AFTER STEP 4 EACH F STATISTIC HAS 4 AND 260.0 DEGREES OF FREEDOM.

GROUP

GROUP

4.8974 0.0008 WAS INCLUDED IN THE ANALYSIS. 5. GPA AT STEP

DEGREES OF FREEDOM SIGNIF. BETWEEN GROUPS	0.0012	259.0 0.0012
OF FREEDOM	259.0	259.0
DEGREES	• en	sn
0.00601	4.13917	0.691813
AND	EQUIVALENT F	MINIMUM D SQUARED EQUIVALENT F

5 -------- VARIABLES IN THE ANALYSIS AFTER STEP

VARIABLE	TOLERANCE	F TO REHOVE	D SQUARED	BETWEEN GROUPS	GROUPS
<	0.9792848	A 0.9792848 4.7202			
FLY	0.9941092	8.6053			
GPA	0.9698657	1.0990			
> 2	0.8606669	3.8671			
<b>8</b>	0.8680020	2.1123			

2 ------- VARIABLES NOT IN THE ANALYSIS AFTER STEP

GROUPS

5							
•	VARIABLE	TOLERANCE	TOLERANCE	F TO ENTER	D SOUARED	ARED	BETWEEN
	SEX	0.9506278	0.8472991	0.36935			
	SATE	0.3839329	0.3839329	0.18462			
	x	0.9354616	0.8301356	0.93626E-01			
	618	0.2402486	0.2402486	0.83655E-01			
	44	0.1215066		0.27102			
	7	0.3097268	0.3097268	0.79690E-01			
	0T	0.3767704	0.3767704 0.3767704	0.54127			

ĸ F STATISTICS AND SIGNIFICANCES BETWEEN PAIRS OF GROUPS AFTER STEP EACH F STATISTIC HAS 5 AND 259.0 DEGREES OF FREEDOM.

GROUP

GROUP

4.1392

F LEVEL OR TOLERANCE OR VIN INSUFFICIENT FOR FURTHER COMPUTATION.

SUMMARY TABLE

	LABEL					
	N GROUPS	-	-	-	~	-
	BETWEEN	0	0	0	c	0
	\$16.	.0041	10000	60000	90000	.0012
まつましてしま	D SOUARED	.27644	.49619	.56678	.65231	.69181
	S16.	.0041	1000	6000	8000.	.0012
WILKS	LAMBDA	90696.	.94579	.93856	.92994	.92601
VARS	z	~	~	F)	•	60
ACTION	STEP ENTERED REMOVED	FLY	≺	> 2	8>	₹65
	STEP	~	æ	F)	•	ŧ۵

### CANONICAL DISCRIMINANT FUNCTIONS

CUMULATIVE CANONICAL : AFTER	SIGNIFICANCE	0.0012	
	D.F.	€0	
	CHI-SOUARED	20.026	
	WILKS! LAMBDA	0.9260060	
AFTER	FUNCTION	0	
••	 Z	••	••
CANDNICAL	CORRELATIO		0.2720185 :
CUMULATIVE	PERCENT		100.00
L	VARIANCE		0.07991 100.00
	UNCTION EIGENVALUE		0.07991
	FUNCTION		*

\* MARKS THE I CANDNICAL DISCRIMINANT FUNCTIONS REMAINING IN THE ANALYSIS.

STANDARDIZED CANONICAL DISCRIMINANT FUNCTION COEFFICIENTS

FUNC 1	0.49700	0.66118	-0.24264	0.48063	-0.35490
166	<b>*</b>	F.L.Y	GPA	> 2	8>

STRUCTURE MATRIX:

POOLED WITHIN-GROUPS CORRELATIONS BETWEEN DISCRIMINATING VARIABLES AND CANONICAL DISCRIMINANT FUNCTIONS (VARIABLES ORDERED BY SIZE OF CORRELATION WITHIN FUNCTION)

FUNC 1

0.33994 0.33974 0.23986 -0.23280 -0.15913 -0.11303 -0.04784 0.48722 0.58532 SATE GIS SEX AA X < 6 P A C FLY 2

UNSTANDARDIZED CANONICAL DISCRIMINANT FUNCTION COEFFICIENTS

0.2291415E-01 0.2720748F-03 -0.7134113E-02 0.4165497E-01 0.7643523E-01 0.4081059E-01 -0.2496478E-02 -0.7464887E-02 -0.9714881E-01 0.2711331E-01 1.494363 1.018171 FUNC SATE GPA 618 SEX 167

CANDNICAL DISCRIMINANT FUNCTIONS EVALUATED AT GROUP MEANS (GROUP CENTROIDS)

FUNC GROUP

-1.720581

(CONSTANT)

-0.77964 0.11864

o =

TEST OF EQUALITY OF GROUP COVARIANCE MATRICES USING BOX'S M

THE RANKS AND NATURAL LOGARITHMS OF DETERMINANTS PRINTED ARE THOSE OF THE GROUP COVARIANCE MATRICES.

LOG DETERMINANT	(SINGULAR)	22.251803		22.023373
RANK	•	<b>v</b> n		*
GROUP LABEL	0	-	POOLED WITHIN-GROUPS	COVARIANCE MATRIX

NO TEST CAN BE PERFORMED WITHOUT AT LEAST TWO NON-SINGULAR GROUP COVARIANCE MATRICES.

i .

#### œ ON GROUPS DEFINED BY

#### ANALYSIS NUMBER

SELECTION RULE: MINIMIZE SUM OF UNEXPLAINED VARIATIONS 1.0000 (RESIDUAL VARIANCE) STEPWISE VARIABLE SELECTION

### CANONICAL DISCRIMINANT FUNCTIONS

100.001 1.0000 

## PRIOR PROBABILITY FOR EACH GROUP IS 0.50000

RESIDUAL VARIANCE 0 0.97725 0.97723 0.99059 0.93536 0.95430 0.98920 0.98552 F TO ENTER 0.56109E-01 0.15058E-02 0.89040E-01 8.3976 0.31314 1.3261 0.62068 2.8292 2.8309 1.1542 1.7850 5.8187 TOLERANCE 1.0000000 1.0000000 1.0000000 00000001 000000001 1.0000000 000000001 1.0000000 1.0000000 1.0000000 00000001 1.0000000 MINIMUM 1.00000000 TOLERANCE 1.0000000 00000000 .0000000 .0000000 000000001 .0000000 .0000000 .0000000 00000000 •0000000 VARIABLE SATE SEX GPA FLY 615 I 4 169

WAS INCLUDED IN THE ANALYSIS.

AT STEP

BETWEEN GROUPS SIGNIF. 0.0041 263.0 DEGREES OF FREEDOM 263.0 90696.0 8.39762 WILKS. LAMBDA EQUIVALENT F

RESIDUAL VARIANCE

0.93536

F TO REMOVE RESIDUAL VARIANCE 8.3976 TOLERANCE 1.0000000 VARIABLE

------- VARIABLES IN THE ANALYSIS AFTER STEP

------ VARIABLES NOT IN THE ANALYSIS AFTER STEP

RESIDUAL VARIANCE 0.92585 0.88964 0.92770 0.92452 0.91536 0.20589E-02 0.60516E-01 F TO ENTER 0.78962 6.4443 1.0353 1.4694 2.7392 1.2881 0.18431 0.17127 2.2081 TOLERANCE 0.9977038 0.9983749 0.9984020 0.9997250 0.9991403 0.9743375 0.9992317 0.9952822 0.9966714 966666600 0.9964101 RINIMON 0.9983749 0.9984020 966666600 0.9992317 TOLEPANCE 0.9952822 0.9966714 0.9977038 0.9997250 0.9991403 0.9743375 0.9964101 VARIABLE SATE SEX 618

F STATISTICS AND SIGNIFICANCES BETWEEN PAIRS OF GROUPS AFTER STEP 263.0 DEGREES OF FREEDOM. I AND EACH F STATISTIC HAS

GROUP

GROUP

8.3976 0.0041 \*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

WAS INCLUDED IN THE ANALYSIS. ÷ AT STEP BETWEEN GROUPS SIGNIF. 0.0007 DEGREES OF FREEDOM 262.0 263.0 N 0.34579 7.50788 WILKS' LAMBDA **EDUIVALENT F** 

RESIDUAL VARIANCE

0.88964

RESIDUAL VARIANCE F TO REMOVE 6.4443 9.0196 TOLFRANCE 0.9966714 0.9966714 VARTABLE FLY

------ VARIABLES IN THE ANALYSIS AFTER STEP

N ------- VARIABLES NOT IN THE ANALYSIS AFTER STEP

RESIDUAL VARIANCE 0.87589 0.87870 0.87813 0.32026E-02 0.80940E-01 F TO ENTER 0.39247 0.93159 0.44096 0.93623 0.17183 1.5962 2.0126 1.6812 TOLERANCE 0.9888562 0.9893463 0.9958014 0.9716358 0.9929320 0.9944046 0.9949854 0.9963922 0.9890621 0.9917247 RININE 0.9888562 0.9910642 0.9994449 0.9991179 TOLERANCE 0.9976972 0.9981419 0.9736251 0.9923648 0.9954827 0.9917247 VARIABLE SATE SEX SPA 618 8 C 4 **>** 

~ F STATISTICS AND SIGNIFICANCES BETWEEN PAIRS OF GROUPS AFTER STEP 262.0 DEGREES OF FREEDOM. 2 AND EACH F STATISTIC HAS

0 GROUP

GROUP

AT STEP 3, NV WAS INCLUDED IN THE ANALYSIS.

BETWEEN GROUPS SIGNIF. 0.0000 261.0 DEGREES OF FREEDOM 263.0 0.93856 5.69545 WILKS' LAMBDA FOUIVALENT F

RESIDUAL VARIANCE 0.87589

3 11111111111 ------- VARIABLES IN THE ANALYSIS AFTER STEP

VARIABLE TOLERANCE F TO REMOVE RESIDUAL VARIANCE
A 0.9890621 5.6935
FLY 0.9966522 8.8750
NV 0.9923648 2.0126

m ------ ANTABLES NOT IN THE ANALYSIS AFTER STEP

RESIDUAL VARIANCE 0.86165 0.86652 0.86403 0.86654 0.85979 0.31725E-01 0.96282E-01 F TO ENTER 0.63589 1.3923 1.7676 2.4107 0.52872 1.3986 2.1271 TOLERANCE 0.5544048 0.9746911 0.6782306 9068016-0 0.9811307 0.6672561 0.3222835 0.8712405 0.3961384 MINIMON 0.9765430 0.988886.0 TOLERANCE 0.5581775 0.6720167 0.8739779 0.3961384 0.9746911 0.6818751 0.3222835 VARTABLE SATE 618 GP. 4 4 5 \*

F STATISTICS AND SIGNIFICANCES BETWEEN PAIRS OF GROUPS AFTER STFP 3 EACH F STATISTIC HAS 3 AND 261.0 DEGREES OF FREEDOM.

GROUP

GROUP

5,695

WAS INCLUDED IN THE ANALYSIS. 4. VB AT STEP

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

RETWEEN GROUPS STGNIF. 0.0008 260.0 263.0 DEGREES OF FREEDOM 0.92994 WILKS. LAMBDA **EQUIVALENT F** 

RESIDUAL VARIANCE

0.85979

1 4 ------ VARIABLES IN THE ANALYSIS AFTER STEP

RESIDUAL VARIANCE F TO REMOVE 3.4890 4.8568 8.9857 TOLERANCE 0.9796869 0.8712405 0.9960697 VARIABLE FLY ž

------ VARIABLES NOT IN THE ANALYSIS AFTER STEP

RESIDUAL VARIANCE 0.85255 F TO ENTER 0.31942 0.17309 0.16604 0.17252 0.35176 1.0990 0.15932 0.3148913 0.8606669 0.8539388 0.3930695 0.8333378 0.3865874 TOLERANCE 0.1230164 HINIMUM 0.1230164 0.3148913 0.3835200 0.9523428 0.3930695 0.9698657 0.9429046 0.3865874 TOLERANCE VARIABLE SATE SEX **GPA G1S** 4 173

F STATISTICS AND SIGNIFICANCES BETWEEN PAIRS OF GROUPS AFTER STEP EACH F STATISTIC HAS 4 AND 260.0 DEGREES OF FREEDIM.

0 GROUP

GROUP

0.0008 4.8974

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

WAS INCLUDED IN THE ANALYSIS. SPA 5 AT STEP BETWEEN GROUPS SIGNIF. 0.0012 DEGREES OF FREEDOM 259.0 263.0 4.13917 0.92601 WILKS. LAMBDA EQUIVALENT F

RESIDUAL VARIANCE

0.85255

5 -----

----- VARIABLES IN THE ANALYSIS AFTER STEP

RESIDUAL VARIANCE F TO REMOVE 3.8671 4.7202 8.6053 1.0990 0.8606669 0.9698657 TOLERANCE 0.9792848 0.9941092 VARIABLE FLY ĕ₽, > 0

S ----- VARIABLES NOT IN THE ANALYSIS AFTER STEP

RESIDUAL VARIANCE 0.93626E-01 0.83655E-01 0.79690E-01 F TO ENTER 0.36935 0.27102 0.18462 0.54127 TOLERANCE 0.1216066 0.3839329 0.8301356 0.24024R6 0.8472991 0.3097268 0.3767704 MINIMUM 0.1216066 0.3097268 0.3839329 0.9354616 0.3767704 TOLERANCE 0.9506278 0.2402486 VARIABLE SATE SEX 615 4 5 4

ĸ F STATISTICS AND SIGNIFICANCES BETWEEN PAIRS OF GROUPS AFTER STEP 259.0 DEGREES OF FREEDOM. S AND EACH F STATISTIC HAS

GROUP

GROUP

4.1392

F LEVEL OR TOLERANCE OR VIN INSUFFICIENT FOR FURTHER COMPUTATION.

SUMMARY TABLE

LABEL					
RESIDUAL Variance	.93536	.88964	.87589	.85979	.85255
516.	.0041	.0007	6000.	9000	.0012
WTLKS. LAMBDA	90696.	.94579	.93856	.92994	.92601
S X X	-	~	m	•	S
ACTION Step entered removed	FLY	< <	> 2	<b>48</b>	GPA
STEP	-	~	m	•	ĸ

### CANONICAL DISCRIMINANT FUNCTIONS

	SIGNIFICANCE	0.0012	
	D.F.	ĸ	
	CHI-SQUARED	20.02	
	CORRELATION : FUNCTION WILKS . LAMBDA CHI-SOUARED D.F. SIGNIFICANCE	0.9260060	
AFTER	FUNCTION	0	
••	 7	••	••
CANDNICAL : AFTER	CORRELATION		0.2720185 :
F CUMULATIVE	PERCENT		100.00
PERCENT OF	VARIANCE		00.001 100.00
	SUNCTION EIGENVALUE		0.07991
	FUNCTION		<b>*</b>

1 CANDNICAL DISCRIMINANT FUNCTIONS REMAINING IN THE ANALYSIS. # MARKS THE

STANDARDIZED CANONICAL DISCRIMINANT FUNCTION COEFFICIENTS

JEED CANUNICAL	FUNC 1	0.49700	0.66118	-0.24264	0.48063	-0.35490
SIANDARDIZED		⋖	FLY	GP A	>	8>

STRUCTURE MATRIX:

POOLED WITHIN-GROUPS CORRELATIONS BETWEEN DISCRIMINATING VARIABLES AND CANONICAL DISCRIMINANT FUNCTIONS (VARIABLES ORDERED BY SIZE OF CORRELATION WITHIN FUNCTION)

FUNC

0.36702 0.33095 -0.25120 0.52619 0.18809 -0.08395 0.63213 -0.06113 -0.23436 0.10412 -0.09754 GIS SEX SATE Pt. GPA FLY 8 10

UNSTANDARDIZED CANONICAL DISCRIMINANT FUNCTION COEFFICIENTS

-0.05001

FUNC

-0.5434677E-02 0.3099251E-01 0.48774976-01 -0.1650553E-01 1.516025 (CONSTANT) -0.1511912 FLY GPA > C > X

CANONICAL DISCRIMINANT FUNCTIONS EVALUATED AT GROUP MEANS (GROUP CENTROIDS)

FUNC GROUP -0.72190

o -

TEST OF EQUALITY OF GROUP COVARIANCE MATRICES USING BOX'S M

THE RANKS AND NATURAL LOGARITHMS OF DETERMINANTS PRINTED ARE THOSE OF THE GROUP COVARIANCE MATRICES.

RANK LOG DETERMINANT 4 (SINGULAR) 5 22.251803	GROUP LABEL  0  1  POOLED WITHIN-GROUPS
---	---

NO TEST CAN BE PERFORMED WITHOUT AT LEAST TWO NON-SINGULAR GROUP COVARIANCE MATRICES.

ANALYSIS NUMBER..

NUMBER OF CANONICAL DISCRIMINANT FUNCTIONS..

LIST OF THE 12 VARIABLES USFD.

VARIABLE LABEL
SEX
SEX
SATE
GPA
GIS
AN
VB
VB

DISCRIMINANT Scores	-2.1549	•	-0.2869	-0.4626	-0.8659	•00•	-1.0713	-0.9946	0.8874	-0.5061	-0.7617	-0.3438	-1.5132	-0.8452	0.0319	-1.0405	-1-1071	0.6546	-0.1035	-0.1680	0.3421	0.7534	-1.3084	0.0646	-1-1709	-0.7434	2.5800	-0.2780	-0.8239	2.6328	-0.3052	0.6176	0.5230	-0.4376	•	1.0270	-0.0864	-0.1013	-1.9338	-0.3817	-1.4064	0.5706	-0.6703	-0.1378	0.2738	2.0004	9	• 19	2,6584
2ND HIGHEST GROUP P(G/D)		.405	•	_	.382	0.4	0.3	0	0.2	0	0.404	4	ċ	ċ	0	ċ	1 0.3324	0					1 0.2935		1 0.3197		0 0.0682				0 0.4943		0	0		0 0.2280		0	•		0.2	0.3	0.4	0.4	0.3	0 0.1097	0.44	ò	0.063
HIGHEST PROBABILITY Group P(D/G) P(G/D)	0.1690 0.8	.9813 0.	.6851 0.	0.7512 0.5	0.9313 0.	0.9017 0.	0.7705 0.	0.8298 0.	0.4420 0.	0.7844 0.53	0.9857 0.	.6630 0	0.4632 0	0.9477	0.9309	0.7942	0.7434 0	0.9084	.8242 0	0	.8232 0.6	0.5256 0	.5970 0.7	0.9569 0	0.6956 0	0.9711 0	0.0138 0	0.6916 0.5	.9647 0.6	.0119 0.9	.6717 0	.6178 0	0.6859 0.6	.7323 0	.7124 0.6	.3637 0	.8376 0	0.8259 0	0.2484 0	0.6907 0.5	.5308 0.7	0.6513 0	0.575	.7976 0.543	7 0.632	0599 0.890	.8567 0.560	.9364 0.6	1 0.0111 0.9361
	*	*		*		*		*		*	*		*	*			# .	*					#		*	#			*					*				*	# #	*	*		*						
ACTUAL	-	~		-	0	0	•	-	-	-	-	0		~	-	0	-	~	-	-	-	•	-	-	•	1		-	-	-	-	-	=	-	-	-	-	0	-		~	-	-	-	-	-	1	-	-
SEL																																																	
M I S V A L																																																	
CASE	-	~	m	•	ĸ	ø	^	<b>s</b> 0	o	10	1.1	12	13	<b>:</b>			17		19	20	21		ຄ 17	N	25	26	27	29	50	30	31	32	33	34	35	36	37	80 FD	39	0.4	7	42	43	:	4.5	94	47	48	64

DISCRIMINANT SCORES	-1.2179					۲	7	7	٩								-1.7852		-0.2672			-0.1892			•			•			•	9559.0	י כ		-		-	0	0.0795	0.3596	P	-0.4439	~	0.680	-0.3639	-1.258	-0.3727	-0.2955
2ND HIGHEST Group P(6/0)	٣,	0	1 0.3960	1 0.4501	0 0.2370	1 0.4228	1 0.2306	1 0.2700	1 0.3648	1 0.2730		0 0.2717	0	0 0.4891	0	1 0.4526	0	0	0		0.113		0 0.3965			0	0			0 0.2081	4 6	8862.0 0	) C		_	0	•	1 0.4895	0 0.4090	0 0.3498	0.4	1 0.4746	0.1	0.2	1 0.4925	0.3	1 0.4905	2
HIGHEST PROBABILITY GROUP P(D/G)	0.6612 0.6	0.2161	0.9836	0.8211 0.5	0.3940	0.9183 0	0.3724 0	0.5105	0.8665 0.6	0.5215 0	0.9813	0.5166 0	-	0.6886	0.8029 0.	0.8122 0	0.3146 0	0.2426 0	0.6996 0.5	0.6265 0	0.0657 0	0.7582 0	-	0.1969 0	0.7030	0.5515 0	0.7528 0	0.3531 0	0.9065 0	0.2988 0.	0 0.6882 0.5107	<b>o</b> c	0.6981	6449	.7870 0.	ò	•	0 0.6875 0.5105	1 0,9688 0,5910	1 0.8096 0.6502	.7676 0	0 0.7371 0.5254	•	1 0.5741 0.7126	.6776 0.	0.6321 0.697	.6840 0.	1 0.6788 0.5079
ACTUAL	** ~	-	*	** ~	-	** -	** -	**	0	**	**	-	-		**		*	-	-	**	-	-			* -	-		*	<b>-</b>		*	<b>-</b>		*	*	_		** (		_		** -	***	** 0	** "		** "	
CASE MIS SEGNUM VAL SEL	90	1.00	52	EN SO	40	55	56	57	5.0	5.0	09	61	62	63	₹9	65	99	67	6.8	69	70		8 <b>0</b>		44	۲. د د د	9.4		78	79	0 6	~ C	# FF	0 60	8.5	90	67	88	68	06	91	92	£6	94	95	96	97	<b>6</b> 0

DISCRIMINANT Scores	-0.5933	561	0.6465	-0.1497	.883	0.4338	1.3371	0.7218	0.1054	8	-0.7055	-0.8901	0.1268	-1.0156	0.1427	-0.0713	F444.0	10.7381	+0.6175	-1.2087	-1.0918	0.0017	1.0193	-1.0263	4410.0	9166.0	0.8741	1.7297	-1.0739	-1.4240	0.1679	M800.0	-0-7503	0/00/0	7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 -	*******	0.7796	0.9800	1.8367	1 • 8355	-0.3863	-1.0919	-0.1829	.008	.711	0.7379	-0.3043
2ND HIGHEST GROUP P(G/D)	1 0.4413	0.248	0 0.2578	0.459	E.	0.334	ċ	•	0.40	0.3	ċ	ò	ė	0		_		•	•	ċ	-	0 0.4260	0		0 0.4232		0 0.2531	_				0 0.3142	1 0.4068	0 0.3124	100000			_	0.1	0 0.1250	•	_	0 0.4669		_	0.276	0 0.4941
HIGHEST PROBABILITY Group P(D/G) P(G/D)	0.8522 0	4343 0	0.4667 0	0.7884 0	0.9171 0	0.7526 0	0.2230	0.5464	0.9894 0.5	0.7052 0.6	0.9409 0.5	0.9121 0	0.9935	0.8135	0.9808 0.	0.9137 0.5	.7444 0.6	0.6286.0	0.8712	0.6679 0.	0.7549 0.	0.9069 0.	0.1	0.8052 0.	1 0.9170 0.5768	0.8870	0.4500	0.1072		0.5193	0.9607 0.	.6747	0.9756	0.00000 0.0000	0447		0.5086	.8412	0.0858 0	1 0.0860 0.8750	0.6941	0.7548	.7630			. 5358	1 0.6724 0.5059
ACTUAL GROUP	*	1 **	-	-	** -	-	-		-		#	** ~		*		* -	(		*	0	o ·		1	*		**		-	0	0	-	(	ο,		:	• -		1 **		-	**	** "	-	-	-	-	-1
CASE MIS SEGNUM VAL SFL	06	100	101	102	103	104	105	106	107	108	109	110	111	112		<b>P</b> (	115	0 1 1	117	80 -	119	120	151	2 :	123	***	126	127	128	129	130	131	132	55 T		98-	137	138	139	140	1+1	1+2	143	144	145	7 + 6	147

2ND HIGHEST DISCRIMINANT GROUP P(G/D) SCORES	#00 850 F. O. O.		22710	0.2935	10000		0.4986	.4498	0.0407	0.4733 -	0.3450	0.4694	0.2369	0.1727	0.4620	0 - 3489	0.2764 -	.2475	.4312	0.3801	0.4418		0.4135 -	0.0629	.0340	0.4057	0.3132	0.3249	•473B	0.4898	•3379	0.0000000000000000000000000000000000000	0.4606	0.2774	0 0.2216 1.0681		•	0.4871 -	0.2512	0.4127	0 0.2372 0.9701	0.3836	0.4113	0.4607	0.4799 -	7 1.730	en .	1 0.3114 -1.2139
HIGHEST PROBABILITY GROUP P(D/G) P(G/D)	40827 0.604	8.0 0840	7025 0.541		0.6180	A 2 8 4	6579 0.5	0.8220	.0093	.7414	. 7912	.7546	.3937	0.1954	1797	0.8060	0.5338	0	0.8880	.9241	.8503	0.2210	.9522	0.0105	0.0010	.9808		0.7150	0.7395	.6804	0.7646	6929.0 9769.0 0	7848	.5375	0.3424	.9874 0.	0.8926	-	.4431 0.	.9550	.3945	1 0.9373 0.6164	.9603	.7844	0.7191	0.1070	.8985	0 0.6641 0.6886
			#				*												*	*			*			*			* :	*	4	•		*		*	*	*						*	*		* :	*
ACTUAL	-	• •	• •	c		• •	•	•	-	-	0			-	0		0	-		~	-	-	-	~		-	,	-	-				-	-	~	-	-	-	-	-	-	-	-	-	0			-
SEL																																																
H I S VAL																																																
CASE	-	0 4		151			154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169		~ 8	1	173	174	175	176	177	971			182	183	184	185	186	187	188	189	190	191	192	193	194	195	196

DISCRIMINANT SCORES	-0.8342	1.9293	1.3352	-0.2004	0.1716	-0.8212	0.2678	1.2391	-0.3132	0.1248	-0.8748	-0.2799	-1.0127	-0.7775	1 - 8222	**************************************	0.4220	00000	10001	-1-7075	1.6251	0.4731	-0.0545	0.3367	4.1275	1.2318	2.4691	1	1.2141	0 4 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1201031	0.6255	0.7886	-1-3993	0.5086	0.8116	1005001	66004.01	-0.8436	1.4193	0.5806	0.5325	11.1450	0.1050	-0-417	0.408	00000-
2ND HIGHEST Group P(G/D)	1 0.3888	116		0 0.4708	0.389	0.391	0.368	ċ	0.496	•	1 0.3801	ċ	<b>F</b>	0	0 (		1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	•				0 0.3270						0	8661.0 0		ċ	0 0.2976	0 0.2679		0		0		-	ċ		0.315				865.00	1 0+4560
HIGHEST PROBABILITY GROUP P(D/G)	0 0.9565 0.6112	0702 0.883	.2238 0	.7497 0	.9578 0	0 6996.	.8814 0	.2625 0.	.6658 0	.9951 0	0.9242 0.	0.6903 0	0.8157 0	0.9983	0.0885	20000	V V V V V V V V V V V V V V V V V V V	0.1072	0.7783	0.3535		0.6							1 0 0630 0 F	8842	.1694	1 0.6122 0.7024		.5355	. 6965	0.4883	0.6783	0.7083	0.9490 0.6	0.1934 0.8	0.6441	0.6789	0.7148 0.6	.8230	0.11.0	1 0.7717 0.6602	0688.
ACTUAL GROUP	**		-	-	~	*	-	-	-	-	0	-	** -	0	<b>-</b>		•	#			-	-	-		-	~	-		<b></b> .	4 -	**	-	-	0				* :	*	~	-	~	0		*		** ~
CASE MIS SEGNUM VAL SEL	161	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	513	4.0	200	21.2	218		<b>8</b> 220		222	223	224	223	0 7 6	228	229	230	231	232	233	<b>484</b>	235	9 (	237	238	239	240	241	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	24 S	4 (	642

SEGNUM VAL							
	SEL	SROUP	GROUP	GROUP P(D/G) P(G/D)	P(6/0)	GROUP P(G/D)	SCORES
246		-	-	0.1807	0.8329	0 0.1671	1.4574
247		0	0	0.9002	0.6262	1 0.3738	-0.9050
248		-	-	0.1321	0.8527	0 0.1473	1.6246
249		-		0.1113	0.8622	0 0.1378	1.7109
250		-	-	0.8106	0.5469	0 0.4531	-0.1210
251		0	0	0.6820	0.6839	1 0.3161	-1.1894
252		* *	0	0.5828	0.7103	1 0.2897	-1.3289
253		٥	0	0.2625	0.8038	1 0.1962	-1.9001
254		_	-	0.7719	0.5357	0 0.4643	-0.1713
255			-	0.9779	0.5935	0 0.4065	6060.0
256			-	0.7117	0.6760	0 0.3240	0.4882
257		-	-	0.8200	0.6475	0 0.3525	0.3462
258		~	-	0.1461	0.8467	0 0.1533	1.5721
259		-	1	0.8485	0.5577	0 0.4423	-0.0724
260		** -	0	0.8098	0.5467	1 0.4533	-0.5390
261		** "	0	0.7870	0.5401	1 0.4599	-0.5094
262			=	0.6391	0.6952	0 0.3048	0.5876
263		~	-	0.6760	0.5070	0 0.4930	-0.2993
564		** -	•	0.7029	0.5152	1 0.4848	-0.3983
265		**	-	0.8480	0.6401	0 0.3599	0.3103
SYMBOLS USED IN PLOTS	18 PL	.078					

SYMBOL GROUP LABEL

+ ··		••
••		•
		•
••	-	••
•		**
· •		•
,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	*
• •		•
• •		•
•	• • • • • • • •	• •
•	and the second of the second o	• •
••		••
••	1 11111 1 1 1	••
••		••
-	1 1 1 1111111 1 11111	•
•		**
•		•
•		• •
••		,
001	!	001
CLASS	111111111111111111111111111111111111111	22222
CENTROIDS		
	•	
•	CANDNICAL DISCRIMINANT FUNCTION 1	
· 9 ~		•
,,	N ·	••
••	22	••
••	22.2	••
12 +	2222	+
•	2222	••
	2222	••
•	2222	••
α	2000	•
•	0 0000 00 0	• •
•	1	•
•	A TERRITER A FER C C C C C C C C C C C C C C C C C C C	• •
•	ć	• •
•	2 2 2	٠
•	222 222222222222222222 222 222	••
••	2 2222222222222222222222 222 222 2	••
	22 222222222222222222222222222222222222	2:
i	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	×
<u>-</u>		

ALL-GROUPS STACKED HISTOGRAM

	•	**	••	••	•	••	**	••	•	••	••	••	*	••	••	2 2:	XX 0UT -3.0 -2.0 -1.0 .0 1.0 2.0 2.0 0UT CLASS 11111111111111111111111111111111111
														N	22	2222	322222
- NO													2 2 2	122 222	122 222 2	2222222	2.0.2222222
CANONICAL DISCRIMINANT FUNCTION							22	22	222?	2222	2222 2 2	2222222	222121222222222222222 22 2 2	121121122222222222222 222 222	22 2 2 1211111221212222222222222 222 22	21 1212211111111221211111221121122222222	1.0
DISCRIMIN	~	22 2	22 2	2222	2222	2222 2	2222	2222	22222 2 2223	2222 22222 2 2222	2 2222222222 2 2222 2 2	2 2222222222 222222	2222222	2222222	21212122	212111122	.0.
CANONICAL		~	~	<b>~</b> i	~	~	~	222	222	2 2222	2 22222	2 22222	22212122		1211112	2211111112	-1.0
•														~	22 2 2	21 121	-2.0
																	X
	16 +	••	••	••	12 +	••	••	••	<b>+</b>	••	••	••	•	••	••	••	X 0UT CLASS 111
				r.	œ	L	0	>	m	z	U	>					75

CLASSIFICATION PROCESSING SUMMARY

265 CASES WERE PROCESSFD.

O CASES WERE EXCLUDED FOR MISSING OR DUT-OF-RANGE GROUP CODES.
O CASES HAD AT LEAST ONE MISSING DISCRIMINATING VARIABLE.
265 CASES WERE USED FOR PRINTED OUTPUT.

ON GROUPS DEFINED BY R

ANALYSIS NUMBER..

NUMBER OF CANONICAL DISCRIMINANT FUNCTIONS..

LIST OF THE 5 VARIABLES USED..

HIGHEST PROBABILITY 2ND HIGHEST DISCRIMINANT GROUP P(G/D) SCORES	0.4917 0.7146 1 0.2	.8578 0.6213 1 0.3787 -0.901	0.9344 0.5689 0 0.4311 0	0.9197 0.5651 1 0.4	0.9466 0.5720 1 0.4280 -0	0.7621 0.5235 0 0.4765 -0.	0.8824 0.6151 1	0.6831 0.5016 1 0.4984 -0.	0.9062 0.6092 0 0.3	.8470 0.5462 1 0.4	0.8324 0.5424 1 0.4576 -0	0.9407 0.5705 0 0.4295	.5127 0.7090 1 0.2910 -1.376	0.8396 0.6258 1 0.3742 -0.	0.9256 0.5667 0 0.4333 0.	0.7878 0.6387 1 0.3613 -0	*8837 0.5558 1 0.4442 -0.575	0.9734 0.5789 1 0.4211 -0	0.9600 0.5755 1 0.4245 -0.671	0.8149 0.5377 0 0.4623 -	0.8476 0.5464 0 0.4536 -	0.3504 0.7545 0 0.2455	0.9452 0.5717 1 0.4283	0.7427 0.5182 1 0.4818 -0.393	0.8069 0.6339 1 0.3661	-9529 0-5737 1 0-4263 -	1 0.0147 0.4149 0 0.0851 2.5500	0.5725 0.6932 1.0.3068	0.0106 0.9221 0 0.0779	.8765 0.6166 1 0.3834	.1038 0.8454 0 0.1546 1.736	.9453 0.5994 0 0.4006	0.7341 0.5158 1 0.4842 -	0.6547 0.6721 0 0.3279	0.6974 0.6614 0.3386	0.8767 0.5540 1 0.4460	0.9780 0.5801 1 0.4199	0.5354 0.7030 1 0.2970	0.7592 0.5227 1 0.4773	.3804 0.7456 1 0.2544 -	.4907 0.7149 0 0.2851	•7101 0•5092 0 0•4908	•8549 0•5483 0 0•4517	-7556 0.5217 0 0.4783 -	.0899 0.8528 0 0.1472 1.805	-8415 0.5448 0 0.4552(	.7613 0.5233 1 0.4767 -	•
ACTUAL HTG GROUF GR	•	**		**	0	** 0	0	** -	-	** "	** -	** 0	**	**	-	0	**	* *	** -	-	-		* :	**	* :	*		**		*	-		:	~	-	*	0	* -	** ~	*	-	-	-	-	-	-	**	_
CASE MIS Segnum val sel	-	2	<b>F</b> :	•	s.	•		60	o	10	1:	12	13	<b>~</b> -		16	17	<b>6</b> 0	19	20	- ~		53 <b>8</b> 8	٠,	52	0 10	~ «	0 0	90	31	32	33	<b>♦</b> €	35	9 '	<b>/</b> E	80 ·	30	0	-	42	m <b>4</b>	•	9.	9•	<b>1</b>	6	64

DISCRIMINANT SCORES	-0.9223	1.0400	-1.0926	-0.1637	.423	-0.9570	67	-1-1415	-0.4456	-1.4296	-0.3863	529	0.8518	-0.5010	-1.0532	-0.1991	-1.8090	1.0530	0.3343	0.5637	1.0465	-0.2776	-0.5518	-2.1107	-0.0106	0.9533	0.5965	-I.0454	-0.1636	1.2192	-0.1519	0.3698	0.2556	2000	0.6020	2220-0-	. 4394	D 0 0 0 0	1014383	-0.2083	0.1936	0.1668	-0.7014	1.7095	0.7517	-0.9566	-1.4325	0.0668	-0.9087
2ND HIGHEST GROUP P(G/D)	1 0.3746	.246	ċ	0.47	.352	•	1 0.2757	.332	_	0.282	•	0 0.3148	ċ	0.45	1 0.3495	•	1 0.2227		ċ		•	••	1 0.4491	0.182	0	0.259	0	ċ	0 0.4704	0.5	0.468	363	0.363		•	•			274.	0	0.397	ċ	.438	0.157	0.293	.367	0.281	4	1 0.3772
HIGHEST PROBABILITY GROUP P(0/6) P(6/b)	0 0.8412 0.6254	0.3523 0.75	0.7109 0	.7845 0.	0.7537 0	0.8141	0.4560 0	0.6748 0	0.7823 0	0.4791 0.	0.7372 0	0.6037	.4581	0.8252	•	0.7573	0.2770	.3456 0	0.8224	0.6500 0.6	0.3489 0.7	0.6984 0.5	0.8649 0.	0.1649 0.	0.9040	0.3990 0	0.6265 0.6	0.7463 0.6	0.7845 0.5	0.2673 0.7	0.7935 0.5	0.7949 0.	0.0000000000000000000000000000000000000	9067.0	•	0.9206	0160.0 00/6.0 1	0.0000000	5.0 607.0	0.7054 0.	•9333 0•6	0.9546 0.5	0.9836 0.5	0.1097 0.8	0.5210 0.7	.8144 0	0.4774 0	.9657 0.576	0,0.8518 0.6228
ACTUAL	**	-	** -			**		* -	0	*	**	~	-	*	*	*	*			**	-	~	** ~	0	-	~	-	**		-				(	6	-				-	-		** "		**	**	** -	-	** "
CASE MIS SEONUM VAL SEL	00	15	52	53	<b>3</b>	5.5	36	57	5.0	3.0	90	61	62	6.3	*	0°	99	67	<b>6</b> 0	69	70	7.1		2 2		7.5	76	7.1	78	79	0	<b>60</b>	N f	r. (	<b>+</b> (	C (	0 1	) (i	10 ·	O*	06	16	92	66	₹6	9.5	96	97	96

DISCRIMINANT	SCORES	Ĭ	1 -1.6504		-0.0058	•		1.0594				-0.5	,		•		•				•		•		•			•				\$ 480°0		•			•	1		•	1.9476			Ť	•			0.911	-0.7588
2ND HIGHEST	GROUP P(G/D)	0 0.4895	•	0	0.4	1 0.4261		0 0.2431				1 0.4553				_			1 0.3645	1 0.4713								1 0.4234				0 0.4796		_		1 0.4277	0	4	0.320			0.1	0	0.4	0	0 0.2021	0.182	.266	1 0.4070
HIGHEST PROBABILITY	GROUP P(D/G) P(G/D)	0.7149 0	ċ	ċ	1 0.9079 0.5621	0.9540 0	.6327 0	0	0.6037 0.	0.9938 0	0.5733	.8411 0	0.9448 0	. 9947	0.8191 0.	0.5798 0	0.8255	0.9127 0	0.8006 0.	0.7811	0.5135 0	0.6297 0.	0.6898		0.8263	0.9679	0.3659	0.9643	BCCB-0	0 9460	2667.0	0.5850	0 8096	0.8753 0	0.6714	.9475 0.	.7478 0	.7053 0	0.6238 0.	En.	.0823	.0771 0.8	.9248 0.5	.8856	\$269.	_	.1658	ς.	0 0.9706 0.5930
ACTUAL	GROUP		**	-	-	**			~	-	0	** "	** -		**	-	** "	-		**	0		**	-	**	<b>~</b>	-	*	<b></b> .	- (	0 (	<b>-</b>		. 0	~	** -		_	-	** -		-	-	**	-	-	<b>-</b>		* *
CASE MIS	SEONUM VAL SEI	66	100	101	102	103	104	105	106	107	108	109	110	111	112	113	<b>+11</b>	5 1 1 2	116	117	118	611	120	_	122	_	124	125	126	127	200	130	73.6	132	133	134	135	136	137	138	139	140	141	142	143	**1		146	1+1

DISCRIMINANT Scores	-0-4975	2.4444	-0.3870	-2.0635	0.0564	-0.7110	-0.2304	-0.6289	2.4965	-0.5041	-1.0837	-0.0746	0.8258	1.7410	-0-4:16	8/08.0	-1.3237		0.526.0-	1696-0-	40404	1.7767	-1.2669	2 2653	2.9204	-0+9051	0.7222	700101 01	10.5131	0 - 7920	-0.7067	1.8316	-0.7051	-1.0584	1.1010	-0.9204	40		0.6651	0.0784	1.8074	0.6293	-0.2314	-0.2471	0.0249		######################################	-1.0/32
2ND HIGHEST Group P(G/D)	1 0.4603	.092	0.483	0.188	0.425	0.416	0.484	1 0.4333	0.088	0	0.343		0	ċ	1 0.4781	<b>5</b> (	1 0.3002	•		•	0	0		200	0	0	0 0.2983	7001.0	1 0.4981	0 0 2863	0	0.144	0		0 0.2323	1 0.3750	0.472	0	0	0	0.147	0.314	0.484	0.487	0	181	0.4879	. 343
HIGHEST PROBABILITY Group P(D/G) P(G/D)	0 0.8224 0.5397	0.0196 0.	0.7377 0.	0.1797 0.811	.9574 0.5	0.9913 0.	0.7337 0.5	0.9259 0.	0.0170 0.9	0.8276 0.5	0.7175 0.6	ċ	0.4740 0.	0.1029 0.	0.7563 0	0.4485 0	0.2473 0	0.3001	0.6465	0.879.0	0.7261 0.	ė.	0.5707 0	0.0311 0	0 6 6 6	0.8546 0	1 0.5403 0.7017	0 0 0 0 0 0		0.4952 0.	9	0.0851 0.	0.9866 0.	0.7365 0.	0	0.8425 0.0	0.7786 0.	0.1910 0.	0.5787 0.	0	0.8	035 0.	.7329 0.	0.7211 0.	0.9323 0	0 1201	0 0 1264 0 4643	0.1254 0.054
ACTUAL GROUP	** -	-	o	0		*		**		** ~	0		-	-	ο .	- 1	ο.			*		-	*		-	**					**	-	** -	** -		*	* *	* ~ .	<b></b> .	-	<b></b>	-	-		*		* *	
MIS M VAL SEL	€	64	0	51	~	m	•	<b>.</b>	56	57	58	59	90	61	29		•		0 1	. 0	£ 9	69	0,1	1.1	72	73	**	n y	7.7	- 22	79	80	81	82	<u>m</u>	e .	ığı	0 1	<u>.</u>	<b>SO</b> (	<b>6</b> €	06	-6	25	E &		o •	٥
CASE		-	- 2	15	15	- 2	<b>S</b>	- 5	15	9	15	51	16	9 2	9 :	<b>.</b> :	- :		- :		<b>9</b> :	_	<u>-</u> :	-	17	-1				- 1	17		18	1.8	<b>E</b>	E (	<b>50</b> (		E (	= :	E :	o :	<u>-</u>	6 :	<b>5</b>	Ž .	P (	F 7

HIGHEST DISCRIMINANT SCORES	5.0- 0	.0739 2	•2329	• 4568	0. 6668	- 4728 -0	-4932 -0	• 2804 O	.4788 -0	.3269 0	.3430	.4519 -0	.2986 -1	.3886	.1150 2.	.3775	.4367		0.2733 -1.4818		- 4296 -	.1543 1	.4030 0	٩	•	.0280	.2305	.0248 4	- 4314 -	.1640	.4707	.4678	- 2697 -	.2944	.2898	.3021	•4723 -0	.2969 0	.4642	.4857 -0	- 3670 -	1983 1	.3080	0.2964 0.7336	0.3265 -1.1767	0- 4444	.3797 0.283		0.4196 -0.6960
2ND HIGHEST Group Pig/d)		_	0	_		0		0				0	_					0	_	_	-	٥	0	0	0			0		0		0			0			0	-	_	_	0	0	0	-	0		0	~
MIGHEST PROBABILITY GROUP PID/G) PIG/D)	8766 0.5	0.0087	3089	0.8355	009.0	0.7758 0.527	0.7016	0.4734	0.7536		0.8750	0.8541	0.5414	0.8975		0.8528	0.9124	0.5	0 0.4473 0.7267	1991	0.9400					0.0001			0.9330	_	0.7835	0.7943	0.4344	0.5252	0.5079	0.5546	0.7775	0.5347	0.8078	0.7285	0.8108		0.5772	1 0.5328 0.7036	0.6493	0.8830		0.5616	0 0.9793 0.5804
	*			*	*		*		*				*				*		*	*									*				*						*	*	*								*
ACTUAL GROUP	-	-	=	-	-	-	-	-	-	-	0	-	~	0	-	-	0	-	-	-	0	-	-	-	-	-	~	-	-		~	-	-	-	-	٥	-	-	-	-	•	-	1		0	-	-	-	I
SEL																																																	
MIS VAL																																																	
CASE	197	198	199	200	201	202	203	204	205	206	207	208	508	210	211	212	213	214	215	216	217			92 92	22	222	223	224	225	226	227	228	558	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	242

DISCRIMINANT	SCORES	1.4771	-1.3404	1.5658	1.7723	-0.2514	-0.2390	-0.9702	-1.1296	-0.1990	-0.3127	0.4772	-0.2141	1.7823	-0.4617	-0.4R06	-0.8000	0.6862	-0.3849	-0.7196	0.3846
2ND HIGHEST	GROUP PIG/D)	0 0.1850	1 0.2973	0 0.1741	0 0.1508	0 0.4886	0 0.4861	1 0.3653	1 0.3351	0 0.4778	1 0.4986	0 0.3427	0 0.4809	0 0.1497	1 0.4677	1 0.4638	1 0.3987	0 0.3046	1 0.4836	1 0.4149	0 0.3602
HIGHEST PROBABILITY	GROUP P(0/G) P(G/D)	1 0.1715 0.8150	0 0.5363 0.7027	1 0.1454 0.8259	1 0.0964 0.8492	1 0.7179 0.5114	1 0.7272 0.5139	0 0.8039 0.6347	0 0.6835 0.6649	1 0.7574 0.5222	0 0.6824 0.5014	1 0.7133 0.6573	1 0.7460 0.5191	1 0.0944 0.8503	0 0.7947 0.5323	0 0.8093 0.5362	0 0.9377 0.6013	1 0.5644 0.6954	0 0.7361 0.5164	0 0.9982 0.5852	1 0.7835 0.6398
							*	*			*				*	*	*		**	*	*
ACTUAL	GROUP	~	0	-	-	-	0	-	0	-		-	-		~	-	-	-	-	-	0
	SEL																				
MIS	VAL																				
CASE	SEGNUM	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	563	264	265

SYMBOLS USED IN PLOTS

SYMBOL GROUP LABEL

<b>+ ••</b> •		••	• •	• •	•	••	•	••	••	••	•	••	••	••		DUT 00000000	) ) ) ) )			•	••	••	••	+	••	••	••	+	••	••	**	*	••			X	2222222
																3.0°																		~	22222	0.6	2222222
																2.00			- 2	•										~	8	22	2 22	22222	22222222	2.0	2222222
											1 1 1	1 1 1	1 1 1	1 1 1		1.0			TECNOTIES										22	22	22 2	222 22	22222	2222222	222222222222222	0.1	2222222
		•	 				-	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	111	*********	.0		OR GROUP	1 SCRIMINA			~	~	61	2 2	2222	2222	2222	22222	22222222	22222222	2222222	2222222	2222222	2222222	0	11122222
		- :				1 1 1	11111	111111 11	11111 11	11111 11	111111 11	111111 11	111111 11	111111 11	+	-1.0	-	HISTOGRAM FOR	CANDAICAL DISCRIMINANT FUNCTION						N	~	€.	22	2 22		22 22	222 22	22 222 22	222 2222	2222222222222222	-1.0	1111111111
						•	•	-	_	-	-	-	_	-		-3.0 -2.0 -1.0 .0 1.0 2.0 3.0 0 1.11111111111111111111111111111		I	U																222	-2.0	111111111111111111111111111111111111111
															* • • • • • • • • • • • • • • • • • • •	-3.0																				-3.0	1111111111
• ·· ·	• •	• •	· ·	• •	• •	•	÷ 2	••	••	••	+	••	••	••	×	OUT CLASS 1111				20 +	••	••	••	15 +	••	••	••	10 +	••	••	••	+	••	••	; ; ;	OUT	CLASS 1111
	u	La	r u	<b>.</b> (	, :	<b>&gt;</b> (	u	z	U	<b>&gt;</b> -						5	CENT					9	u.	œ	w	0	>	ш	z	U	<b>&gt;</b> -						Ĵ

## ALL-GROUPS STACKED HISTOGRAM

	•	••	••	••	•	••	••	••	•	••	••	••	•	••	.:	12	X	100	22222	
															~	22222	X	3.0	CLASS 11111111111111111111111111111111111	
- z											~	٧	25	2 22	22222	222211111111111111121212222222222222222	+	2.0	122222222	
IT FUNCTIO									~	22	22	222	222 22	22222	222222	12121222		1.0	:2222222	
ISCRIMINAN	a	~	2	2 2	2 2	2 22 2	22222	2222	222222	22222 2	222 2222222	22222222	22 222 2222222	21 221 22222222	212121222	21212122	.,	0	111222223	N
CANONICAL DISCRIMINANT FUNCTION			~	~	~	8	2 22	22 22222	22 22	22 22	2 222 22	2 222 22	22 222 22	21 221 22	22111112112121212222222222	112111111	+	-1.0	111111111	-
3																1 222	+	-2.0	111111111	
																		-3.0	111111111	
	+	••	••	••	+	••	••	••		••	••	•••	+	••	••	••	×	DOT	11111	98
	20			u.	α 1.	w	•	כי	10	2	: •	<b>&gt;</b>	•						CLASS	CENTROIDS

CLASSIFICATION PROCESSING SUMMARY

265 CASES WERE PROCFSSED.

6 0 CASES WERE EXCLUDED FOR MISSING OR DUT-DF-RANGE GROUP CODES.

9 0 CASES HAD AT LEAST ONE MISSING DISCRIMINATING VARIABLE.

265 CASES WERE USED FOR PRINTED DUTPUT.

ANALYSIS NUMBER.. 3

NUMBER OF CANONICAL DISCRIMINANT FUNCTIONS..

LIST OF THE 5 VARIABLES USED..

VARIABLE LABEL

FL 4 6P A VB

2ND HIGHEST DISCRIMINANT	_	1 0.2854 -1.4096	.37870	1311	1 0.4349 -0.6211	-	0 0.4765 -0.1928	1 0.3849 -0.8698	1 0.4984 -0.3137	0 0.3908 0.2277	4538	- 4576 -	.4295	2910	0.3742 -	• 4 3 3 3	.3613	.4442	.4211 -0.688	.4245 -0.671	0.4623	•		42R3	.4918	996-0-	-4263 -	.0851	.4587	0.3068 -	.0779	0.3834 -	0.1546	.4006	0.4842	0.3279	3386	1460	661	.2970	.4773	0.2544 -	0.2851	8061	0 0.4517 -0.0730	0.4783	.1472	.4552	0	0 0.1277 2.0036
HIGHEST PROBABILITY	GROUP P(D/G) P(G/D)	0.4917 0	0	.9344 0	0 0.9197 0.5651	•	0.7621 0	ċ	.6831 0	0.9062 0	.8470	0.8324 0.	.9407 0	0.5127 0	0.8396 0.	.9256 0	0.7878 0	.8837 0	0.9734 0.	0.9600	0.8149 0	0.8476 0	<b>•3504</b>	0.9452	.7427	0.8069 0.	.9529 0	0.0147 0	0.8284 0	0.5725	0.0106 0	.8765 0	0.1038 0.	0.9453 0	.7341 0	0.6547 0	6974	0.8767 0	0.9780 0	.5354 0	0.7592 0	.3804 0	.4907 0	.7101 0	.8549 0	.7556 0	0 6680.	.8415 0	.7613	1 0.0583 0.8723
ACTUAL	GROUP	**	*		*	0	**	0	*		**	*	*		* -	7				**		-	-	** -	**	** "	** -	1	-	**	-	**		-	**	-		-	0	** -	** 1	*	-		-	-		-	*	_
CASE MIS	*	1	N	n	*	'n	ø	~	80	σ	10	11	12	13		<b>S</b>	16	17	•	19	20	21	22		8	չ 97		27	28	29	30	31	32	m en	e m	35	NO (	37	60 PM	39	04	1.	42	₽#	**	4.5	•	<b>74</b>	<b>60</b> (	6*

2ND HIGHEST DISCRIMINANT GROUP P(G/D) SCORES	0.4895	0	0.3232	0.4379 -0.005	.4261 -0.664	0.3223 0.5	0.2431 1.059	0.3148 0.6	0.4159	0.3070	0.4553	0.4284 -0.652	0.4130	1 0.3691 -0.9506	100000	4000	0.3645	-4713 -	.2912	0.3215	-0-	0.1820	0.4592 -	0.4225	•2501	0.4234	0.2755	0 0.1384 1.8928	1 0.3041 10.4702	0.3796	0.4045	0.3831 -	0.3321	0.4277	0.4804	- 4922 -	0.3200	0.3148 -1	0.1429 1.	0.1399	0.4335	0-4437 -0	.4944	0.2021	0.1826	.2664 0.9	1 0.4070 -0.7588
HIGHEST PROBABILITY GROUP P(D/G)	0.7149 0.	0.3531	0.6364 0.	0.9079 0	9540 0	0.6327 0	0.3423 0	0.6037 0	0.9938 0.	0.5733 0.	0.8411 0	0.9448 0.	0.9947 0.	6191 0	9 0	0.9127 0.	0.8006	•	0.5135	0.6297 0.	0.6898	.1643	0.8263	0.9679	• 3659	0.9643	1 0.4554 0.7245	0.0746	2667	0.8613	0.9608	0.8753	.6714	0.9475 0.	0.7478 0.519	0.7053 0	0.6238 0.6	0.6035 0.685	0.0823 0.8	0.0771	.9248 0.5	0.8856 0.556	6974 0.505	0.2169 0.797	0.1658 0.8	.4226 0.733	.9706 0.993
		* *			*						*	*		*	*			*			*		*			*								*				*				*				;	P
ACTUAL GROUP	***	-	-	-	~	-	-	-	-		_		-		-		0	-	0	0	-	~	~	-	-	-		(	<b>.</b>	· ·	-	0	-	-	-	-		-			-	-		-	-	P4 (	-
SFL																																															
H1S VAL																																															
CASE	66	100	101	102	103	104	105	106	107	108	109	011		2 .	7 -	5	116	1117	118	119	-	2 2 98	12	123	124	125	126	127	200	081	131	132	133	134	138	136	137	138	139	140	141	142	143			94 :	147

DISCRIMINANT	•••	-0.4975	2.4444	.387	•	056	-0.7110	230	528	2.4965	-0.5041	•	-0.0746	0.8258	1.7410	-0.4116	0.8678	-1.3237	1.1460	-0.5280	-0.5697	-0.2404	1.7767	.288	2.2653	2.9204	100000	0 7222	2000-00-0	0.315	7	0.47.0	1.8316	-0.7051	-1.0584	1.1313	-0.9204	440	•	665	0.0784	0	0.6293	-0.2314	-0.2471	.024	1.461	364	-1.0732
2ND HIGHEST		•	0.0	0.483	0.188	4	0.416	0.484	0.4	0	0.4		•	0	0	1 0.4781	0.2	0.3	0.2	0.4	1 0.4454	0			0	0	1 0.3779	0 (	•	0		1 0.4175			1 0.3485				ċ		ċ	0.147	0.3	0.484	.497	0.4	. 187	8 4 9	1 0.3457
HIGHEST PROBABILITY		.8224 0.5	0.0196 0.907	0.7377 0.516	0.1797 0.811	0.5	0.9913 0.	0.7337 0.5	0.9259 0.	0.0170 0.9	0.8276 0.5	0.7175 0.	0.8536	.4740	0.1029 0.8	.7563	0.4485 0.7	0.5473 0.699	0.3001	.8463 0.5	0.8791	0.7261 0.5	0.0955 0.849	.5707 0.6	0.0311 0.894	0.0049 0.936	0.8546	0.5403 0.701	0.04/4/0	.6842 U.5	0.001 0.020	0.0878	0.085	0.9866	.7365	0.3070 0.7	.8426	0.7786	ċ	.5787	.9749 0.5	.0896 0.852	.6035 0.	.7329 0.	0.7211 0.512	0.9323 0.568	0.1767 0.813	7207 0.51	0.7254 0.054
		*					#		*		*									*	*			*			*	4		* 1	•	*		*	*		*	*	*							*		*	# #
ACTUAL		-	-	٥	0	-	-	1	-	1	-	0		~	•	0	-	0	~	•	-			-	-	-	,					•		-	-	-		~	-	-	-	-		-		0	-	•	-
Ü	ח																																																
K I S																																																	
CASE		148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	9	167	168	169	170	171	172	173	174	6/1	176		170	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	661	70
Ü	,																						2	20	0																								

GHEST DISCRIMINANT P(G/D) SCORES	.4460 -0.5666	.0739 2	.2329 1.127	-4568 -0	.3993 -0.797	•4728 -0•	-4932 -	.2804	- 4788 -	.3269	.3830	.4519	- 5986	.3886 -	.1150		2000001 C00000	2733	.3559	.4296	-	.4030	- 4817 -		.0280	.2305	.0248	- 4014 - 00.6379	1040	4678	.2697		.2898	-3021	- 62140	.2969 0.7307 .4464487	7 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	10000	0.00.	11705	2080	# O ( ) *	3205	1 1000	0000	? •
2ND HIGHEST Group P(G/O	1 0		0	-	0	0	0	0	0	0	-	0			0 (		, c	, 0	-	1	0	0	0	0	_		0	- 0	<b>&gt;</b> <	0	-	0	0		0 (	0.	~ -		<b>&gt;</b> C				~ 6		) C	•
ST PROBABILITY P P(D/G) P(G/D)	0 0.8766 0.5540	.0087 0	0.3089 0.	.0355 0.5	.9401 0.6	0.7758 0.	.7016 0.	0.4734 0.	.7536 0	0.6508 0	.8750 0.	0.8541 0	0.5414 0.	.8975 0	9 6	9200	A 797 0	4473 0.7	.7661 0	0	1 0.1032 0.8457	0	Ö	0	0	0	0 (	0 0.9330 0.5686	7835 0	.7943 0	0	0	.5079	_	n	0.0347 0.7031	0.00	0.8108	2010	0 6778	211C-0	0.0356	0.0493 0.073 0.0830 0.666	8618 0.620	5616 0.696	6070
HIGHEST GROUP	*			*	*		# £		**				*			•	;	*	*									*			*					•	::	: :	•							*
ACTUAL L GROUP	~	~	~	~	~	~	~	-	-	-	0	-	-	0		- 6	<b>-</b>	• -	-	•	-	•	-	-	-		-				-	-	-	ο .	•		-1	-	•	4	-	- (	<b>-</b>	-		. —
HIS VAL SE																																														
CASE	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	4.0	21.5	216	217	218		02 20		222	223	224	225	227	228	229	230	231	232	233	23.4	0 6	237	- C	0 7 6	600	•	1 6 7		•	

·

DISCRIMINANT SCORES	1.4771	-1.3404	1.5658	1.7723	-0.2514	-0.2390	-0.9702	-1.1296	-0.1990	-0.3127	0.4772	-0.2141	1.7823	-0.4617	-0.4806	-0.8000	0.6862	-0.3849	-0.7196	0.3846
2ND HIGHEST GROUP P(G/D)	0 0.1850	1 0.2973	0 0.1741	0 0.1508	0 0.4886	0 0.4861	1 0.3653	1 0.3351	0 0.4778	1 0.4986	0 0.3427	0 0.4809	0 0.1497	1 0.4677	1 0.4638	1 0.3987	0 0.3046	1 0.4836	1 0.4148	0 0.3602
HIGHEST PROBABILITY Group P(D/G) P(G/D)	1 0.1715 0.8150	0 0.5363 0.7027	1 0.1454 0.8259	1 0.0964 0.8492	1 0.7179 6.5114	1 0.7272 0.5139	0 0.8039 0.6347	0 0.6835 0.6649	1 0.7574 0.5222	0 0.6824 0.5014	1 0.7133 0.6573	1 0.7460 0.5191	1 0.0944 0.8503	0 0.7947 0.5323	0 0.8093 0.5362	0 0.9377 0.6013	1 0.5644 0.6954	6 0.7361 0.5164	0 0.9982 0.5852	1 0.7835 0.6398
ACTUAL Group	-	0	-	-	-	** 0	*	0		**	-	-		** -	** -	**	-	**	**	*
MIS I VAL SEL				_	_								_							
CASE	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263		్ట్ 202

SYMBOLS USED IN PLOTS

LABEL			
GROUP	1	0	-
SYMBOL			~

CLASS	# + + + + +	2 + + + + + + + + + + + + + + + + + + +				NOTIFIED INVESTIGATION ACCIDENCE.						•
1   1   1   1   1   1   1   1   1   1	SATURE OF THE STATE OF THE STAT	ENTROIDS  HISTOGRAM  TO ANOMICAL DISCRIMINANT FUNCTION  CLASS  LOS 22 22 22 22 22 22 22 22 22 22 22 22 22	•									
2 + 1111 11 11 11 11 11 11 11 11 11 11 11	CLASS  CL	THE	••			1 1						••
2 + 1   1   1   1   1   1   1   1   1   1	2 + 11111111111111111111111111111111111	2 + 1   1   1   1   1   1   1   1   1   1										•• •
CLASS	CLASS   1   1   1   1   1   1   1   1   1	ENTROIDS  ENTROI					1 1 1 1					• •
ENTROIDS  HISTOGRAM FOR GROUP  CLASS  HISTOGRAM FOR GROUP  CANDRICAL DISCRIMINANT FUNCTION 1  CANDRICAL DISCRIMINANT FUNCTION 1  20  22  22  22  22  22  22  22  22  2	ENTROIDS  HISTOGRAM FOR GROUP  CLASS	EMTROIDS  HISTOGRAM FOR GROUP  CLASS  HISTOGRAM FOR GROUP  CLASS  HISTOGRAM FOR GROUP  CLASS  HISTOGRAM FOR GROUP  CANONICAL DISCRIMINANT FUNCTION 1  20  20  22  22  22  22  22  22  22  2				1 11	1 1 1 1					**
CLASS	ENTROIDS  FINTED  CLASS  LILLILLILLILLILLILLILLILLILLILLILLILLI	CLASS				1 11	1 1 1 1					••
CLASS	CLASS	CLASS	 >			1 11	1 1 1 1					••
CLASS	THIS IS IS IN THE PROOF TH	ENTROIDS  FINANCIAL DISCRIPTION IN THE THIRD			-	11111	11 1 1 1					•
1   1111   1   1   1   1   1   1   1			 z		-	1111	11 1 1 1					••
ENTROIDS  CLASS  LITTILITITITITITITITITITITITITITITITIT	ENTROIDS  ENTROI		<b></b>		-	11111	11 1 1					••
1 111111 11 1 1 1 1 1 1 1 1 1 1 1 1 1			 ~		_	11111	11 1 1 1					••
			÷ -		-	111111	11 1 1 1					+
UT -3.0 -2.0 -1.0 0 0 2.0 3.0 111111111111111111111111111111111	UT -3.0 -1.0 -1.0 -1.0 -2.0 -1.0 -2.0 -1.0 -2.0 -1.0 -2.0 -1.0 -2.0 -1.0 -1.0 -2.0 -1.0 -2.0 -1.0 -1.0 -2.0 -1.0 -1.0 -1.0 -1.0 -1.0 -2.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1	1 111111 11 1 1 1 1 1 1 1 1 1 1 1 1 1	••			11111	11 1 1 1	1 1 1				••
		11111111111111111111111111111111111111	••		-	111111	11 1 1 1	1 1 1				••
Name	Name	X	••		-	111111	11 1 1 1	1 1 1				••
	UIT -3.0 -2.0 -1.0 .0 1.0 2.0 3.0  IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		×				+		+			X
HISTOGRAM FOR GROUP  CANDNICAL DISCRIMINANT FUNCTION 1  CANDNICAL CONTRACTOR CONT	HISTOGRAM FOR GROUP  CANGNICAL DISCRIMINANT FUNCTION 1  CANGNICAL DISCRIMINANT FUNCTIO	HISTOGRAM FOR GROUP  CANONICAL DISCRIMINANT FUNCTION 1  2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		-3.0	-2.0	-1.0	111111222	1.	0 222222	222222	3.0 2222222222	0UT 2222
20 + CANONICAL DISCRIMINANT FUNCTION 1  2	# HISTOGRAM FOR GROUP 1  20 +  15 +  16 +  2	HISTOGRAM FOR GROUP 1  CANONICAL DISCRIMINANT FUNCTION 1  2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	CENTROIDS									
20 +  15 +  15 +  2	20 + 2	CANGNICAL DISCRIMINANT FUNCTION 1  2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				HISTOGRAM	FOR GRO	٩	_			
20 + 15 + 2	15 + 222 22222222 22 2 2 2 2 2 2 2 2 2 2	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				CANONICAL	DISCRIM	NANT FUN	CTION			
15 +	: : : : : : : : : : : : : : : : : : :	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	+ 02									•
: : 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	: : 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	••									••
15 +	: 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	••				8					••
15 +  1	15 + 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2					~					••
: 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	: 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 222 2 2222 2 22222 2 222222 2 2222222 2 2 22222222					2					•
2 2222 10 + 2 22222 2 222222 2 2222222222222222	: 22222 : 22222 : 22222 : 222222 : 2222222222	2 2222 2 22222 2 222222 2 22222222 2 22222222	··				0					••
22222 222222 222222 22222222 22 22222222	: 22222	22222 2 22222 2 222222 2 222222222 2 22222222					2 2222					••
10 + 222222	10 + 222222	222222 2 22222222 2 222222222 2 22222222	 ¬				2 2222					••
: 2222222222	: 222222222	2 2222222					22222					•
: 22 22222222	: 22 22222222	22 22222222				N	22222	25				••
: 22 22222222	: 22 22222222	22 22222222 22 22 22 22 22 22 22 22 22				22	2222222			cv		••
+ 222 22 22 22 22 22 22 22 22 22 22 22 2	5 + 22 22222222 22 22 22 2222222 2 2 2 2	+ 22 22222222 2 2 2 2 2 2 2 2 2 2 2 2 2	 >-			22	2222222		~	~		••
22 22222222222222 2 22 2 2 2 2 2 2 2 2	: 22 222222222222 2 22 2 22 2 2222222	: 22 2222222222222222 222 2222 22222 2222	+				2222222	222	22	22		+
222 2222222222222222222222222222222222	:	: 222 22222222222222222222222222222222	••				2222222	222 222	22 2	22		••
22222222222222222222222222222222222222	:  X++++	: X++++	••			222 222	222222	:222222	22 25	222	~	2
	X+++	X	••		22	2222222	222222	1222222	222228		22222	~
	2252525252525252525252525252525252525252	111111111111111111111111111111111111111	XX	0.64	-2.0	0 - 1 - 1	• 0		!	+		X
			)				,00001111	• • • • • • • • •				

ALL-GROUPS STACKED HISTOGRAM

	•	••	••	••	•	••	••	••	•	••	••	••	•	••	2:		222222222
															Q.	22222	
- 40											N	~	22	2 22	2222	222211111112112121212121212121222222222	X
IT FUNCTI									~	<b>25</b>	25	222	22 222	22222	222222	2121222	1.0
ISCRIMINAN	8	~	8	2 2	2 2	2 22 2	22222	2222	2222	22 22222 2	222222	2 222 222222	22 222 2222222	21 221 22222222	212121222	212121221	.0.111222222
CANONICAL DISCRIMINANT FUNCTION			~	~	~	N.	2 22	22 22222	22 22222	22 22	2 222 22222222	2 222 22	22 222 22	21 221 22	22111112121212222222222	2111111111	-1.0
U																1 222	-2.0 1111111111
																	-3.0
	<b>20 +</b>	••	••	••	15 +	••	••	••	+ 01	••	••	••	+ 5	••	••	••	X OUT 3 111111
	·V			Œ	<b>-</b> α	w	0	2		z	U	<b>&gt;</b>					OLASS CLASS

CLASSIFICATION PROCESSING SUMMARY

204

265 CASES WERE PROCESSED.

O CASES WERE EXCLUDED FOR MISSING OR OUT-OF-RANGE GROUP CODES.

O CASES HAD AT LEAST ONE MISSING DISCRIMINATING VARIABLE.

265 CASES WERE USED FOR PRINTED OUTPUT.

ANALYSIS NUMBER..

NUMBER OF CANONICAL DISCRIMINANT FUNCTIONS.

S VARTABLES USED.. LIST OF THE

VARIABLE LABEL FL GPA VB VB

DISCRIMINANT SCORES	•	,	90	0.0275	~	-0.6549	-0.1928	869	-0.3137	0.2277	10	-0.5103	335	376	924	0.0164	-0.9911	-0.5756	-0.5886	-0.6718	-0.1243	-0.0823	1.0437	53	803	996		2.5500	-0.1069	-1.2863	2.6643	_	167368	178	*0.58£6	•		10.69.01	V40-11	-0.4154		0.7991	-0.2618	-0.0730	-0.2014	1.8059	-0.0902	•	2.0036
2ND HIGHEST Group P(G/D)	6	2	0	4.0		1 0.4280		.384		0	0.453	0		1 0.2910	0.3	0.433		*	0.421	0.424	•		0.2	4.0	4	0.36	ċ	0	ċ	•	0	0.383	•	004.0	7 10 10 10 10 10 10 10 10 10 10 10 10 10	•	ċ	4	~	4	.254	4	0.49	.451	*	147	. 455	4	.127
HIGHEST PROBABILITY GROUP P(D/G) P(G/D)		0 164.0	0.8578 0.6	0.9344 0.	0.9197 0.	0	0.7621 0.	0.8824 0.	0.6831 0.	0.9062 0.	0.8470 0	0.8324 0.	0.9407 0.	0.5127 0.7	0.8396 0.6	0.9256 0.5	0.7878 0.6	0.8837 0.5	0.9734 0.	0.960	0.8149 0.	0.8476	0.3504	0.9452	0.7	0.8069	0.9529 0.573	0.0147	0.8284 0.541	0.5725 0.693	0.0106 0.922	0.8765 0	0.1038 0.	0 6445	0.6647 0.679	4764.0	0.8767 0	0.9780 0.5	0.5354	7592 0	0.3804 0.7	0.4907 0.714	0.7101 0.509	0.8549 0.5	0.7556 0.521	0.0849 0.852	0.8415 0.544	.7613 0.52	0.0583 0.872
ACTUAL L GROUP	•	•	**	-	** "	0	** 0	0	** ~		** -	** -	** 0	*	** "	-	0	** -	**	**	~	-	-	1 **	1 **	**	**	_	-	**		*		- :		• •	*	_	*		** "		-	-	-	_	-	** ~	-
CASE MIS SEONUM VAL SEL	•	-	~	m	•	'n	•	^	<b>5</b> 0	Φ	10	11	12	13	1.4	15	16	17	18	19	50	21		£2 2(			56	27	28	53	0	₩ (	0 I	n -	# 44 0 P	) <b>(</b>	) E	. 60   FN	3.6		<b>+</b> 1	4.2	m <b>4</b>	4	₽	94	47	<b>0</b>	0.4

DISCRIMINANT	SCORES	-0.9223	1.0400	-1.0926	-0.1637	0.4236	-0.9570	-1.4674	-1.1415	-0.4456	-1.4296	-0.3863	0.6290	0.8518	-0.5010	-1.0532	-0.1991	-1-8090	1.0540	M4MM . O	0.5637	1.0465	-0.2776	-0.5518	-2.1107	-0.0108	D. 95 BB	0.5965	-1.0454	-0.1636	1.2192	61210	E # 05 . 0	0.6099	-0.6020	-0.6222	0.1392	1.6386	-0.4385	-0.2683	0.1936	0.1668	-0.7014	1.7095	0.7517	-0.9566	-1.4325		-0.9087
2ND HIGHEST	GROUP P(G/D)	1 0.3746	0 0.2461		0 0.4704	0 0.3528	1 0.3678	•	ċ	ċ	ö		0.314	0.276	ċ	•	ċ	~	0.244	.369	ċ	ċ		1 0.4491	0.182	4	o ·	ċ	ċ	•	0.219	•	9		Ó		•	0 0.1656	0.472	.492	0 0.3976	0 0.4029	1 0.4185	0.157	.293	.367	. 28	0 0.4231	1 0.3772
PROBAB	GROUP PIDIG) PIGID)	0.8412 0	1 0.3523 0.7539	0.7109	0.7845 0	0.7537	0.8141 0.6	0.4560 0	0.6748 0.	0.7823	0.4791 0.	0.7372 0.5	0.6037 0	.4581 0.	0.8252 0	0.7404 0	0.7573 0	0.2770 0	0.3456 0	.8224 0	.6500 0	.3489 0	0.6984 0	0.8649 0	.1649 0.	.9040	3990	.6265 0	.7463 0	.7845 0	.2673 0.	.7935 0.		75080	9046	0.9206 0.	0.9766	1 0.1263 0.8344	.7769 0.5	ċ	1 0.9333 0.6024	0.9546 0.5	0.9836 0	0.1	.5210 0.	0.8144	0.4774 0.718	.9657 0.576	0 0.8518 0.6228
ACTUAL	G K Q U P	** -		** -	~	-	**	**	**	0	**	** ~			** ~	*	#	*	-		**	~		** -	0	-		-	**	_	-		<b></b> .		- C	*		-	**	~		-	** -	-	** 0	** "	**	-	**
SIN	SEGNUM VAL SEL	20	51	52	93	40	55	36	57	58	59	09	6.1	62	63	4	65	<b>9</b>	67	6.3	69	0,2		۲ 20		-	7.2	76	11	78	79	0 80	100	V F	n 4	· v:	99.0	87	88	68	06	91	92	66	40	95	96	26	86

ST DISCRIMINANT	4 K C C C C	CC200- C40	9 0	79 -0.005	4990-	0.587	_	0.628		•	•	.4284 -0.6527		٠		•						•	820 1.5005	•			•	0.	• 1 354 1 • 8928	-4130 -0-101 -4130 -0-101			٠	_		•	•		•	-	-	335 0.0155		•	1.344	26 1.495	<b>~</b> (	-0.758
2ND HIGHEST GROUP P(G/D	•		. "	4	•	0 0 322	0	0	0 0.415	3 0.3	1 0.4	1 0.42	0 0.4130	0	0 0	0	0 0 0	1 0.36	1 0.47	1 0.29	1 0.32	•	0 0	•	0	٠,	•	9	0 0 1	1 0 0 1	0 0 37	0 0.4045	0	۳,	•	4	4	0	0.3	0:1	7	4.0	•	••	ď	•	ů.	•
HIGHEST PROBABILITY GROUP P(G/D)	6	1575	A 40 40 40 40 40 40 40 40 40 40 40 40 40	0 6206	0.4540	0.6327 0	3423 0	.6037 0.	0.9938 0	0.5733 0	0.8411 0	.9448 0.	0.9947 0	.6191 0	0.5798 0.	. 8255	0.9127 0.	0.8006.0	0.7811 0	.5135 0	0.6297 0.	.6898 0.	1643 0.	.8263 0.	0	.3659 0.	9643 0	**************************************	0.0000 0.5010	9953 0	.8613 0.	.9608 0.	.8753 0	.6714 0.	.9475 0.	.7478 0.	.7053 0.	.6238 0.680	.6035 0.	.0823 0.	.0771 0.	0.9248 0.5	.8856 0.	.6974 0.5	.2169 0.797	.1658 0.817	0.4226 0.	.9700 00793
ACTUAL GROUP	-	**	-	-	*	-	-		_	0	**	** -	_	*		**	(		*	0	0	*		*	~ •		*		<b>-</b> 0	. 0	-	-	0		*		- ,		**	<b></b>	_	-	*	-	-	, مم	·	*
MIS VAL SEL																																																
CASE	0		101	102	103	104	105	106	101	108	109	110	111	112	57.	• 1	511	O (	117	91.	611	120		0	~ .	124		127	128	129	130	131	132	E -	461	651	1 30	137	80 F	951	140	141	142		4 -	145	0 4 4	

DISCRIMINANT	SCORES	-0.4975	2.4444	-0.3870	-2.0635	0.0564	-0.7110	-0.2304	-0.6289	2.4965	-0.5041	-1.0837	-0.0746	0.8258	1.7410	-0.4116	0.8678	-1.3237	1.1460	-0.5280	-0.5697	-0.2404	1.7767	-1.2889	2,2653	2.9204	-0.9051	0.7222	-0.4652	-0.3151	-0.4427	0.7920	-0.7067	1.8316	-0.7051	-1.0584	1.1313	-0.9204	-0.4408	-0.9863	0.6651	0.0784	1.8074	0.6293	-0.2314	-0.2471	0.0249	1.4610	-0.3644	-1.0732
2ND HIGHEST	GROUP P(G/D)	0.460	0 0.0921	0.483	1 0.1882		1 0.4166	0 0.4843	•	0 0.0886	ċ	ċ	0		0	1 0.4781	0 0.2736	0	~	4	1 0.4454	0.486	.150	0.306	0	0 0.0639	0	0 0.2983	1 0.4669	1 0.4981	0		1 0.4175	0.144	. 417	ċ	. 232	0.375	0.472	0.362	0	0	0.147	0	0.484	0 0.4878	0.4	.187	1 0.4879	. 345
HIGHEST PROBABILITY	GROUP P(D/G) P(G/D)	0.8224 0.	•	377 0.	0.1797 0.	0.9574 0.5	0.9913 0.	0.7337 0.5	0.9259	0.0170 0.	0.8276 0.5	0.7175 0.6	0.8536 0.	0.4740 0.	0.1029 0.8	0.7563 0.5	0.4485 0.	0.5473 0.6	0.3001 0.	0.8463 0.5	0.8791 0.	0.7261 0.5	0955 0.	0.5707 0.	0.0311 0.	ċ	0.8546 0	0.5403 0.	0.7974 0.5	0.6842 0.	0.7801 0.	0	0.9878 0.	0.0851 0.	0.9866 0.	0.7365 0	0.3070 0.	0.8426 0.	0.7786 0.	0.7915 0.	.5787 0.	.9749 0.	.0896 0.85	.6035 0.	.7329 0.	0.7211 0.	0.9323 0.	0.1767 0.	207 0.512	
<	GROUP	* -	-	0	0	~	** ~		** -	-	** -	0	-	-	-	0	_	0	-	** -	** -	-	_	1 **	-	-	**	~	*	*	**		**		* ~	** ~		**	*	**	-	-	-	-	-	-	**	-	* -	**
CASE MIS	SEGNUM VAL SEL	148	149	150	151	152	153	134	155	156	157	158	159	160	161	162	163	164	165	166	167	168	_	<u>ء</u> 20	_	_	173	174	175	176	177	178	179	180	191	182	P .	- 00 + 00 + 00 + 00 + 00 + 00 + 00 + 00	185	186	187	189	189	190	191	192	193	194	195	196

2ND HIGHEST DISCRIMINANT GROUP P(G/D) SCORES	0-4460	~	1.	.4568	0	.4728	0.4932 -		0.4788	.3269	0	.4519	.2986 -1	0.3886 -0	0.1150 2	0.3775	0.4367	.4452 -0	.2733	1 0.3559 -1.0193	0.4296	0.1543	0.4030 0	0.4817	0.4107	0.0280 3	0.2305	.0248	0.4314	0.1640	0.4707	.4678	0	0.2944	.2898	0.3021 -	0.4723 -	.2969	•	0.4857	1 0.3670 -0.9613		080		- 592	•	0.3797	0 0.3039 0.6903	•
HIGHEST PROBABILITY Group P(D/G) P(G/D)	0.8766 0.554	0.00	0.3089	0.8355	0.9401	0.7758 0.5	0.7016	ò	0.7536 0.	0.6508	.8750	0.8541	0.5414	0.8975	•0416	0.8528	0.9124 0.5	0.8797 0.5	0.4473	0.7661 0.	ċ	.1032 0.	.9549 0.	.7429 0	.9853 0	.0001 0	.3013 0	0.0001	.9330	0.1229	0.7835	0.7943 0.	0.4344 0	0.5252 0.705	0.5079		0.7775	0.5347 0.	0.8078 0.	0.7285 0.	0 0.8108 0.6330	ċ	0	1 0.5328 0.7036	0 0.6493 0.6735	1 0.8830 0.5556	.8618 0.620	.5616	0 0.9793 0.5804
	*			*	*		*		*				*				*		*	*									*				*						*	*	*								*
ACTUAL GROUP	~	-	-	-	-	-	-	<b>1</b>	-	-	0	•	-	0	-	-	•		~	-	0	•	-	-	-		-	-		-	-	-	-		-	0		-	-	-	-	-	-	~	0	-	-	-	_
SEL																																																	
M I S V A L																																																	
CASE	197	198	199	200	201	202	203	204	202	206	207	208	503	210	211	212	213	214	215	216	217		6 2 2			222	223	224	225	226	227	228	229	230	231	232	E 64	234	235	236	237	238	239	240	241	242	243	244	

DISCRIMINANT SCORES	1.4771	-1.3404	1.5658	1.7723	-0.2514	-0.2390	-0.9702	-1.1296	-0.1990	-0.3127	0.4772	-0.2141	1.7823	-0.4617	-0.4806	-0.8000	0.6862	-0.3849	-0.7196	0.3846	
SND HIGHEST GROUP P(G/D)	0 0.1850	1 0.2973	0 0.1741	0 0.1508	0 0.4886	0 0.4861	1 0.3653	1 0.3351	0 0.4778	1 0.4986	0 0.3427	0 0.4809	0 0.1497	1 0.4677	1 0.4638	1 0.3987	0 0.3046	1 0.4836	1 0.4148	0 0.3602	
HIGHEST PROBABILITY Group P(D/G) P(G/D)	1 0.1715 0.8150	0 0.5363 0.7027	1 0.1454 0.8259	1 0.0964 0.8492	1 0.7179 0.5114	1 0.7272 0.5139	0 0.8039 0.6347	0 0.6835 0.6649	1 0.7574 0.5222	0 0.6824 0.5014	1 0.7133 0.6573	1 0.7460 0.5191	1 0.0944 0.8503	0 0.7947 0.5323	0 0.8093 0.5362	0 0.9377 0.6013	1 0.5644 0.6954	0 0.7361 0.5164	0 0.9982 0.5852	1 0.7835 0.6398	
ACTUAL		0	-		-	•	**	0	-	** "	-	_	_	** -	**	**	_	**	*	*	
SFL																					
MIS																					
CASE	546	247	2 4.0	540	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	21	11

SYMBOLS USED IN PLOTS

SYMBOL GROUP LAREL

	•	•••	• ••	• •	• •	•	• •	•	••	•	••	•	•	••	•	••	••	••	X	<b>T</b>	2222					*	••	••	••	•	•	•••	••	•	••	••	••	*	••		: ~	X ! ! ! !	00T	222222
																			+	C 6	2222222222222222																			~	2222 2		3.0	
1 NO																				0,0	~				- NO											~	ι 04	25	2 2 2	~	2222222	*	2•0	22222222
DISCRIMINANT FUNCTION																	1 1 1	1 1 1		1.0	2222222		-	1	INT FUNCTION										22	25	22 2	222	2222	2222222	222222		1.0	:2272222
					1 1 1					11 1 1 1	11 1 1 1	11 1 1 1	• •			11 1 1	11 1 1 1	11 1 1 1	,	0,	111111111111111111111111111111111111111		HISTOGRAN FOR GROUP		CANONICAL DISCRIMINANT			~	~	~	5 5 5	2 222	2 222	22222	22222	22222222	22222222	22222222	222222222	22222222222222	222222222		•	11111222222
CANONICAL	-	_			-			-	-	1111	11111	11111			11111	111111	111111	11111		-1.0	111111111		HISTOGRAM		CANONICAL										N	22	22	222	222	222 222	•		-1.0	1111111111
										~	-	_		•		-	-		+	-2.0	111111111																				~	•	-2.0	111111111
																				0.6-	111111111																						-3.0	111111111
	+	••	•••	•	· +	•	• •	•	••	+ ~	••	••		•	<b>+</b> <b>-</b>	••	••	••	×	) O	=		<b>,</b>			20 +	••	••	••	15 +	••	••	••	+ 01	••	••	••	+	••	••	••	×	100	CLASS 1111
				u	. 02	: u	٠ د	<b>3</b> :	=	w	z	·	, ,	-							ฮ	CENI	•			2	12	2	u.	α	w	0	>	ш	z	U	<b>&gt;</b> -							בו צולים

## ALL-GROUPS STACKED HISTOGRAM

2 22 2 22 22222 22 222222 22 222222 2 22 222222
---

CLASSIFICATION PRICESSING SUMMARY

265 CASES WERE PROCESSFD.

1 0 CASES WERE EXCLUDED FOR MISSING OR OUT-OF-RANGE GROUP CODES.

2 0 CASES HAD AT LEAST ONE MISSING DISCRIMINATING VARIABLE.

265 CASES WERE USED FOR PRINTED OUTPUT.

## **APPENDIX J**

## \*\*\* TOLISIBLE BEGBESSION \*\*\*\*

CORRELATION, COVARIANCE, 1-TAILED SIG, CROSS-PRODUCT:

	PERF	SEX	618	∢	FLY	SATE	GPA	1
PERF	1.000	.012	•059	.081	.283	.033	032	031
	15564.635	.311	7667.044	3.418	492.360	568.894	-176.256	-7.668
	666	.426	10.	260.	000	.300	.305	.311
	3953417,318	78,906	~	868.259	125059.341	144499.000	-44768.965	-1947.671
SEX	• 012	1.000	24	080	073	184	.001	000
	.311	.045	-54.131	900 -	216	-5.409	600•	000
	• 426	666.	000•	.102	.122	• 005	¥64·	664.
	78.906	11.435	-13749.224	-1.447	-54.953	-1374.000	2.212	024
618	650.	- 24	1.000	710.	017	808	664.	154
,	7667.044	-54,131	1090919.887	5.974	-248.480	115948.604	23013.905	-319.498
	.175	000	666.	.393	.393	• 000	000.	1000
	1947429-129		277093651.349	1517,365	-63113.898	29450945,333	5645531.792	-81152.384
⋖	.081	080	.017	1.000	038	000.	025	.092
	3.418	900*-	5.974	.113	178	•016	319	.061
	160.	.102	10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	666.	+274	. 498	.366	.072
	868.259	-1.447	1517,365	28.729	-45.129	000.4	-81.082	15.565
F. Y	.283	073	017	038	1.000	054	050	038
	492,360	216	-248.480	178	194.437	-104.266	-30.965	-1.058
	000	.122		.274	666	.195	.212	.272
-	125059.341	~54,953	-63113.898	-45.129	49386.996	-26483.667	-7865-184	-268,831
SATE	.033	184	.802	000	054	1.000	. 242	- 183
	568.894	-5.409	115948.604	.016	-104.266	19151,349	1478.526	-50,332
	.300	.002	000•	864.	. 195	666	000	.002
	144499.000	-1374,000	29450945.333	4.000	-26483.667	4864442.667	375545.667	-12784.333
GPA	032	.001	664.	022	050	.242	1.000	£60°-
	-176.256	600.	23013.905	319	-30.965	1478.526	1947.678	-8.146
	.305	464.	000•	.366	.212	• 000	666*	690.
	-44768.965	2.212	5845531.792	-81.082	-7865.184	375545,667	494710.337	-2069.075
I	031	000.	154	• 092	038	-, 183	093	1.000
	-7.668	000	-319.498	.061	-1.058	-50,332	-8.146	3.936
	.311	. 499	.007	.072	.272	• 005	690.	666.
	-1947-671	024	-81152.384	15.565	-268.831	-12784,333	-2069.075	999.749
*	020	149	. 818	4004-	660	796	191	E C
	48.275	621	16723.823	024	-7.971	2155.923	164.942	-5.949
	77E.	900	000	.477	.321	000	.00	2000
	12261.729	-157,624	4247851.149	-6.035	-2024.698	547604.333	41895.192	-1510.984

-3.467 -9.603 -9.603 .000 -2439.247 -.014 -.558 -410 -141.639 -.057 .181 .059 36.520 .175 182.844 182.844 .000 46442.420 27599.776 .126 .022 GPA 108.661 \* \* \* .547 .689 2020.854 .000 513297.000 .396 771.382 SATE .000 .641 299345.000 000 442161.667 X 0 X S .021 4.522 .370 .182 .002 -13.276 .019 .381 .220 -3372.055 æ G e E .105 .550 .047 -.020 -.093 -378 -23.506 .083 .548 .093 139.188 .122 -.073 W HULTIPL .000 .580 13881.431 5987.832 15320.390 618 2394626.847 .000 3891379.153 .000 3525883.427 \* \* \* -.176 -.791 -200. .049 .044 .013 -.139 -.104 -113,341 --027 -71.615 -333 -16240.988 .000 101427.988 47733.776 .229 .206 399.323 .077 PERF 102146.788

3

9

	Y Y	4	2	89.	10	
PERF	.020	.229	•206	027	110.	
	48.275	402,153	399.323	-71.815	187.928	
	.377	000.	• 000	. 333	. 111	
	12261.729	102146.788	101427.988	-18240.988	47733.776	
SEX	641	139	104	176	107	
	621	+14	343	791	446	
	.00·	.013	640.	• 005	*00	
	-157.624	-105.271	-87.071	-200.929	-113.341	
618	ec .	. 407	.580	.692	.677	
ı	16723.823	5987.832	9427.665	15320,390	13881.431	
	000	000.	000•	000	000	
	4247851.149	1520909.247	2394626.847	3891379.153	3525883.427	
<	₹00*-	020	.105	073	.083	
	1024	-,093	0880	522	60 4 10 4 60 4 10 4	
	474	.378	1000	.122	• 003	
	-6.035	-23,506	139.694	-132.694	139.188	
F. 4	6000	. 182	.021	• 010	049	
· !	-7.971	35.784	4.522	5.616	-13.276	
	.321	• 005	.370	.381	.220	
	-2024.638	9089,106	1148.506	1426.494	-3372.055	
SATE	. 796	.396	.547	689	.641	
	2155,923	771.382	1178.524	2020.854	1740.794	
	000	000	000.	000	000.	
	547604.333	195931,000	299345.000	513297.000	442161.667	
GP A	.191	680.	.158	.126	.211	
	164.942	36,520	108.661	117.820	182.644	
	100.	.175	900•	.022	000*	
	41895.192	9275.976	27599.776	29926.224	46442.420	
<b>x</b>	153	124	057	228	014	
	-5.949	-3.467	-1.771	-9.603	558	
	• 007	.024	.181	000	.410	
	-1510.984	-880,553	-449.753	-2439.247	-141.639	
V V	1.000	469	.660	7.847	.802	
	383.046	129,082	201.146	351.102	308.072	
	666.	000*	• 000	000	000.	
	97293.749	32786.847	51091.047	89179.953	78250.227	

	82 × × ×	• 352	176.108 104.821 118.411		26624.659 30(	.340	242,322 112,284 236,878	000•	601	1.000	112.284 448.975 155.823	666*	114039.741 395		236.878 155.823 385.312	000	3957
**************************************	P.	1.000			:	*80*		000•			104.821 11:		26624,659 2852	.429	118.411 23		
	44	694.	129.082	000•	32786.847	099.	201-146	000.	51091.047	.847	351.102	000	89179.953	-802	308.072	000•	78250.227

>

8

T<sub>0</sub>

DEPENDENT VARIABLE.. EQUATION NUMBER 1

DESCRIPTIVE STATISTICS ARE PRINTED ON PAGE 163

BEGINNING BLOCK NUMBER 1. METHOD: STEPWISE

VARIABLE(S) ENTERED ON STEP NUMBER 1..

MEAN SQUARE 316679.28923 14374.45861	
SUM DF SOUARES 316679.28923 3636738.02841	SIGNIFF
NIANCE DF 1 253	
ANALYSIS OF VARIANCE D REGRESSION RESIDUAL 25	22.03069
ANALYSIS O REGRESSION RESIDUAL	11
.08010 22.03069 .0000	
R SQUARE CHANGE F CHANGE SIGNIF F CHANGE	
.28302 .08010 .07647 119.89353	
R R SQUARE ERROR	
MULTIPLE R R SQUARE ADJUSTED R SQUARE STANDARD ERROR	

1.000. CONDITION NUMBER BOUNDS:

VAR-COVAR MATRIX OF REGRESSION COEFFICIENTS (B)
BELOW DIAGONAL: COVARIANCE AROVE: CORRELATION

FLY .29106 FLY

YIN ME VIV												
	FLY		PERF		SEX	618	∢	SATE	6P A	¥	*	PL
FLY	1.00000	• ••		• •• •	.07312	.01705	.03789	.05403	.05032	.03826	.02921	18237
PERF	.28302	•••	. 91990	i	.03243	.06367	.09219	.04824	01777	02015	.02804	.17746
WX	07312		.03243	į	. 99465	24550	08261		00275	00302	15157	12548
615	01706	••	.06367	••	24550	17666.	.01636	.80125	. 49841	15484	.81762	.41053
	03789	••	.09219	••	0A261	.01636	.99856	00171	02341	.09039	00472	01265
ATE	05403	••	.04824	••	18816	.80125	00171	.9970A	.23937	18539	. 79441	.40598
A A	05032	••	01777	••	00275	.49841	02341	.23937	.99747	09496	.18949	.06798
	03826	••	02015	••	00302	15484	•0003	18539	09496	.99854	15432	11720
٧,	02921	••	.02804	••	15157	.81762	00472	.79441	.18949	15432	\$1666.	47404
	.18237	••	.17746	••	12548	.41053	01265	.40598	.06798	11720	.47404	.96674
•	.02083	••	.19972	••	10226	.58020	.10584	.54819	.15922	05654	.66083	.80019
•	.01901	••	03255	••	17456	.69257	07259	.69019	.12695	22772	.84719	.34810
•	04850	••	.09047	••	11068	.67624	.08117	.63821	.20862	01617	840084	44755

×	
BER 1	. 01901 . 03255 . 04255 . 04255 . 04255 . 12695 . 34810 . 34810

1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			, , , , , , , , , , , , , , , , , , , ,	VARTAB	LES IN TH	E EQUATION .		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	*	! !
VARTABLE	60	SE B	95% CONFD	CONFONCE INTOVL 8		BETA SE 8	SE BETA COR	CORREL PART COR	PARTIAL	TOLERANCE	-
FLY (CONSTANT)	2.532232	.539498 8.487614	1,469754	3.594710 730.794570		.283024 .06 <i>6</i>	.060299 .283	.283024 .283024	.283024	1.000000	4,694 84,132
N	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		IABLES NOT	IN THE E	VARIABLES NOT IN THE EQUATION	*****				
VARIABLE	S16 T	VARIABLE	BETA IN	PARTIAL T	TOLERANCE	MIN TOLER	۰	SIG T			
FLY	0000	SFX	.032606	.033905	.994653	.994653	.539	.5907			
(CONSTANT)	0000	618	.063686	.066391	604666.	602666	1.056	.2919			
		<	.092326	.096193	.998565	.998565	1.534	.1263			
		SATE	.048384	.050373	.997080	.997080	.801	14241			
		6P.A	017816 -	018552	.997468	.997468	295	.7686			
		I	020182 -	021027	.998536	.998536	334	.7388			
		٧٧	.028061	.029245	.999147	.999147	.464	.6427			
		<b>P</b> C	.183570	.188186	.966739	.966739	3.042	.0026			
		> 2	.199808	.208280	993666*	993666	3.380	8000			
		€>	032558 -	033940	.999639	669666	539	.5903			
		0.T	.090680	.094434	.997647	.997647	1.506	.1334			

N E G R E S S I D R \*\*\*\* HULTIPLE

DEPENDENT VARIABLE.. EQUATION NUMBER 1

ž VARIABLE(S) ENTERED ON STEP NUMBER 2..

MULTIPLE R	.34642					ANALYSI	ANALYSIS OF VARIANCE					
R SQUARE	.12001	œ		CHANGE	.03991		96		UM OF S	OUARES	HEAN SQUARE	
ADJUSTED R SQUARE		L	F CHANGE		11.42767	REGRESSION	ION	Q,	474443	474443.49279	237221.74639	
STANDARD ERROR	117.49660	S		CHANGE	.000	RESIDUAL	L 252		3478973	.82486	13805.45169	
						H.	17.18319	STGNI	STGNIF F =	0000		
CONDITION NUMBER BOUNDS:		1.000.	4.002	<b>A</b> :								
VAR-COVAR MATRIX OF REGRESSION COFFFICIENTS Below Diagonal: Covariance Arove: Corri	~	COEFFIC Arove:	COEFFICIENTS (B) Arove: Correlation	NOIL								

	FLY	> 2								
FLY V	.27966	.22439								
XTX MATRIX										
	FLY	2	•• •	PERF	•• •	SEX	615	∢	SATE	SPA
F Y	1.00043	1.00043		27886	• • • •	.07099	.02915	.04009	.06546	.05364
PERF		19981		.87999		.05286	05226	.07105	06129	04958
SEX	07099	10231		.05286	i ! ! **	.98419	13614	07178	13209	.01334
618	02915	.58045	<i>:</i>	05226	••	18614	.66293	04508	.48305	.40599
~	04009	.10589		.07105		07178	04508	98736	05976	04027
SATE	06546	.54843	; 	06129	••	13209	.48305	05976	.69643	.15205
<b>V</b> d5	05364	.15928	:	04958	••	.01354	.40599	04027	.15205	.97211
<b>x</b>	03708	05656	; 	00886	**	00880	12202	.09638	15438	08596
44	04298	.66112	;	10400	••	08396	.43404	07469	.43199	.08423
74	.16570	.80053		.01758	••	04361	05394	09737	03287	05947
ΥB	.01192	.34017	ĭ	10049	••	13977	.49521	10859	.50371	.07279
10	06468	.77656	; 	06463	••	03127	.22568	00102	.21250	.08498

. 03708 . 05656 . 05666 . 05666 . 05666 . 05666 . 05666 . 05666 . 05666 . 05666 . 05666 . 0

EQUATION NUMBER 1 DEPENDENT VARIABLE.. PERF XTX MATRIX

10	0.	• 90	03127	.22568	00102	.21250	.08498	.02773	.28731	-,18385	.11151	39486
8>	.34017	.10049	-13977	.49521	10R59	.50371	.07279	20849	.62240	. 07590	.88397	.11151
4	.16570	10.	04361	05394	09737	03287	05947	07194	05498	.32616	.07590	18385
	<b>&gt;</b>	W .	SEX	615	~	SATE	GPA	1	AA	7	<b>VB</b>	DT

			• • • • • • • • • • • • • • • • • • •	VAR1	ABLES IN 1	'HE EQUATI	NO		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			;
VARIABLE	•	SE B	95% CONFD	CONFONCE INTRVL B	WL B	BETA	SE BETA	CORREL	CORREL PART COR	PARTIAL	TOLERANCE	-
FLY NV (CONSTANT)	2.494993 1.601347 603.068252	.528827 .473703 33.875841	1.453510 .668425 536.352412	3.536475 2.534269 669.784092	• •	.278862 .199808	.059106	.283024 .205617	.199764	.208280	.999566 .999566	4.718 3.380 17.802
7 T		, , , , , , , , , , , , , , , , , , ,		IABLES A	VARIABLES NOT IN THE EQUATION	EQUATION	7 4 9 4 9	1	•			
VARIABLE	\$16 T	VARIABLE	BETA IN	PARTIAL	TOLERANCE	HIN TOLER	E P	T SI	S16 T			
FLY	0000	SEX	.053713	.056804	.984191	.984191		. 106.	3682			
× ×	9000	615	078833 -	068423	.662931		7	٠	.2783			
(CONSTANT)		<	.071955	.076218	.987357			1.211 .2	270			
		SATE	- 008800-	078292	.696432	•		Ī	146			
		6P A	051006 -	053609	.972107			851 .3	3958			
		×	- 168897 -	009462	.995338			•	8810			
		44	184969 -	147853	.562262	. 562262		-2.368 .0	0186			
		<b>.</b>		.032815	.326162	.326162		.520 .6	6034			
		F >	113674 -	113931	479889	•		-1.817 .0	.0704			
		Q,	163678 -	109641	.394858	.394858		•	0816			

\*\*\*\* 30"0000000 010111111

EQUATION NUMBER 1 DEPENDENT VARIABLE.. PERF

¥¥
3.
NUMBER
STEP
ž
ENTERED
VARIABLE(S)

MEAN SQUARE 183498-53038 13557-45708							<b>T</b>	~	4 Or 1	•	<b>F</b> -1	១ •	. 60	•	~	<b>5</b> 0	<b>m</b>	•
103 E								.04602	.20799	03049	02627	03175	06453	06844	.97102	08338	07903	.08749
SUM OF SQUARES 550495.59114 3402921.72651	F = .0000						GPA	.04720	14981	-,03400	.02612	.34097	08733	.95949	06844	05124	02045	.04194
	SIGNIF F						SATE	.03243	76831	.01861	06758	.14958	- 10 M	.08733	06453	.00937	.02552	00824
ANALYSIS OF VARIANCE OF Regression 3 Restoual 251	13,53488						∢	04580	.13284	.05723	08293	.01258	7500	02908	.08084	10468	02592	.03714
ANALYSIS O REGRESSION RESIDUAL	# !L						618	00403	07011	.02802	12133	.32788	14958	34097	03175	01150	.01475	.00389
4 11 v							SEX	.07741	.00358	.03733	.97165	12133	- 08293	.02612	02627	05182	04683	.01163
.01924 5.60961 .0186								• ••				••	•••	• ••	••	••	••	••
CHANGE 5		•	18) LATION				PERF	27091	.32209	.86075	.03733	.02802	.05723	03400	03049	.00741	.01464	01149
		13.680					••	•• ••		t		••	•••		••		••	••
R SQUARE F CHANGE		1.779.	COEFFICIENTS ( Above: Corre	¥	.05721		44	.07644	-1.17582	18497	14933	.77195	13284	14981	20799	09778	1,10695	.51098
.37316 .13925 .12896 116.43649			<b>3</b> C	2	05343 -39159 20600		2	07138	1.77778	.32209	00358	.07011	.19371	40000	4080	.86518	-,39165	.43874
A 26		UMBER BOUND		FLY	.27554 01755 -01495		FLY	1.00372	07138	.27091	07741	.00403	04580	03243	04602	.16150	.05950	04272
MULTIPLE R R SQUARE ADJUSTED R SQU STANDARD ERROR		CONDITION NUMBER BOUNDS:	VAR-COVAR MATRIX Below Diagonal:		FLY AA	XTX MATRIX		FLY	> <	PERF	SEX	618	¥ :	SAIE	, ,	. 4	9 >	oT.

033347 .971015 .548522528 . .014105 .320786 .243237 .223 .	033347 .971015 .548522528 . .014105 .320786 .243237 .223 .	033347 .971015 .548522528 . .014105 .320786 .243237 .223 .	033347 .971015 .548522528 .	033347 .971015 .548522528	· · / #	7) () () () () ()	.   P & 4 & 0 & 4 & 0 & 4 & 0 & 0 & 4 & 0 & 0			.971652 .327879 .977436 .364529	040822 052748 062394 033232		N	.0000	2
			C334   C3C434   C3C43C4   CC44104	THOUSE THOUSE, ABOUTE, BOLDIO.			983 237	• •		.971015 .320786	.033347	•	Σď		
.035731 .195010 .124038 .565	.035731 .195010 .124038 .565	. 035731 . 105010 . 124038 . 1565 .		Case Cases of Cases			724	•	.124038	.195010	.035731		<b>69</b> >		
			.035731 .195010 .124038 .565	. 035731 . 105010 . 124039 . 5565							• • • • • •				
.014105 .320786 .243237 .223	.014105 .3207R6 .243237 .223	.014105 .320786 .243237 .223	THOUSE THOUSE, ABOUTE, BOLDIO.				983	Ī		.971015	.033347		I		
033347 .971015 .548522528 .	033347 .971015 .548522528 . .014105 .320786 .243237 .223 .	033347 .971015 .548522528 .	033347 -971015 -5485225528 -	033347 .971015 .548522528			244	•		.959489	.037416	035439 -	V V		
035439037416 .959489 .554963552 . 031397033347 .971015 .548522528 . 023104 .014105 .320786 .243237 .223 .	035439037416 .959489 .554963592 . 031397033347 .971015 .548522528 . .023104 .014105 .320786 .243237 .223 .	035439037416 .959489 .554963552 . 031397033347 .971015 .548522528 . .023104 .014105 .320786 .243237 .223 .	01954390137416 .959489 .554963552 . 01318970131847 .971015 .548522558 . 024104 .014104 .490784 .294	035439037416 .959489 .5549635592 . 031397033347 .971015 .548522528				•				)			
GPA035439037416 .959489 .554963552 M031397033347 .971015 .548522528 PL023104 .014105 .320786 .243237223	GPA035439037416 .959489 .554963552 . M031397033347 .971015 .548522528 . PL .023104 .014105 .320786 .243237 .223 .	GPA035439037416 .959489 .554963592 . M031397033347 .971015 .548522528 . PL .023104 .014105 .320786 .243237 .223 .	GPA035439037416 .959489 .554963592 . M031397033347 .971015 .548522528 . Pl	GPA0354390337416 -959489 -554963552			566	•	.294301	.364529	.033232	.051065	SATE	• 0000	-
SATE .051065 .033232 .364529 .294301 .526 . GPA035439037416 .959489 .554963552 . M031397033347 .971015 .548522528 . PL .023104 .014105 .320786 .243237 .223 .	.0000 SATE .051065 .033232 .364529 .294301 .526 . GPA035439037416 .959489 .554963552 . M031397033347 .971015 .548522528 . PL .023104 .014105 .320786 .243237 .223 .	.0000 SATE .051065 .033232 .364529 .294301 .526 . GPA035439037416 .959489 .554963552 . M031397033347 .971015 .548522528 . PL .023104 .014105 .320786 .243237 .223 .	.0000 SATE .051065 .033232 .364529 .294301 .526 . GPA035439037416 .959489 .5549635592 . M031397031347 .971015 .54696225528 . PI003104 .014104 .307784 .2543347 .223 .	.0000 SATE .051065 .033232 .364529 .294301 .526 . GPA035439037416 .959489 .554963552 . M031397033347 .971015 .548522528 .			623	•	B000cc•	07 1 1 1 0	******	****	•	9910	
SATE .051065 .033232 .364529 .294301 .526 . GPA035439037416 .959489 .554963592 . M031397033347 .971015 .548522528 . PL023104 .014105 .320786 .243237223	.0000 SATE .051065 .033232 .364529 .294301 .526 .0364529 .294301 .526 .0364529 .294301 .526 .0364529 .294301 .526 .0364529 .294301 .528 .031397 .033347 .971015 .548522528 .023104 .014105 .320786 .243237 .223 .	.0000 SATE .051065 .033232 .364529 .294301 .526 .0336439 .037416 .959489 .554963592	.0000 SATE .051065 .033232 .364529 .294301 .526 . 678035439037416 .959489 .554963558 . 658963558 . 671015 .548522558 . 671015 .548522558 . 671015 .548522558	.0000 SATE .051065 .033232 .364529 .294301 .526 . GPA035439037416 .959489 .554963552 . M031397033347 .971015 .548522528 .			939	•	550608	.977436	.062394	.058551	<	.0186	
A .058551 .062394 .977436 .550608 .988 . SATE .051065 .03529 .264501 .526 . GPA .035439 .037416 .959489 .554963 .556 . M .031397 .03347 .971015 .548522528 .	.0186 A .058551 .062394 .977436 .55060R .9880000 SATE .051065 .033232 .364529 .294301 .526 . GPA035439037416 .959489 .5549635592 . M031397033347 .971015 .548522528 . PL .023104 .014105 .320786 .243237 .223 .	.0186 A .058551 .062394 .977436 .550608 .9880000 SATE .051065 .033232 .364529 .294301 .526 . GPA037436 .99589 .554963552 . M0331397013347 .971015 .548522528 . PL .023104 .014105 .320786 .243237 .223 .	.0186 A .058551 .062394 .977436 .550608 .9880000 SATE .051065 .033232 .364529 .294301 .526 . GPA035439037416 .959489 .554963592 . M031397033347 .971015 .548962552 . Pl .0031397 .013140 .0141015 .548947 .293	.0186 A .058551 .062394 .977436 .550608 .9880000 SATE .051065 .033232 .364529 .294301 .526 . GPA035439037416 .959489 .554963592 .			**0	٠	.278089	.327879	.05274B	.085465	GIS	.0001	
GIS .08274R .327879 .278089 .835 .85.6 .85.8 .85	.0001 GIS .085465 .052748 .327879 .278089 .8350186 A .058551 .062394 .977436 .550608 .9880000 SATE .051045 .033232 .3464529 .294801 .556 . GPA035439037416 .959489 .554963552 . M031397033347 .971015 .548522528 . PL .023104 .014105 .320786 .243237 .223 .	.0001 GIS .085465 .082748 .327879 .278089 .8350186 A .058651 .062394 .977436 .550608 .9880000 SATE .051045 .033232 .364529 .294301 .526 . GPA035439037416 .959489 .554963592 . M033347 .971015 .548522528 .	.000) GIS .085465 .052748 .327879 .278089 .8350186 A .058551 .062394 .977436 .550608 .9880000 SATE .051065 .033232 .364529 .294301 .526 . GPA035439037416 .959489 .554963552 . M0331397 .037416 .954347 .971015 .548963552 .	.0001 GIS .085465 .052748 .327879 .278089 .8350186 A .058551 .062394 .977436 .550608 .9880000 SATE .051045 .033323 .29489 .5549635560033347 .971015 .548522528 .											
GIS .085465 .052748 .327879 .278089 .835 A .058551 .062394 .977436 .550608 .988 SATE .051065 .033232 .364529 .294301 .526 GPA0334397 .037416 .959489 .554963529 M0331397033347 .971015 .548522523	.0001 GIS .085465 .052748 .327879 .278089 .835 .0186 A .058551 .062394 .977436 .550608 .988 .0000 SATE .051045 .033237 .354529 .294301 .526 GPA035439 .037416 .959489 .554953592 M031397037347 .971015 .548522528	.0001 GIS .085465 .052748 .327879 .278089 .835 .0186 A .058551 .062394 .977436 .550608 .988 .0000 SATE .051065 .033232 .264529 .294301 .526 GPA037416 .959489 .5549635529 M031397033347 .971015 .548522528	.0001 GIS .085465 .052748 .327879 .278089 .835 .0186 A .05851 .062394 .977436 .550608 .988 .0000 SATE .051065 .033232 .364529 .294301 .526 GPA035439037416 .959489 .5549635592 M03139703347 .9571015 .5485225592	.0001 GIS .085465 .052748 .327879 .278089 .835 .0186 A .058551 .062394 .977436 .550608 .988 .0000 SATE .051065 .033232 .364529 .294301 .526 GPA035439037416 .959489 .554963552			189		.555099	.971652	.040822	.038422	SFX	0000	
SFX038422040822971652555099646 GIS045465052748327879278089835 A058551062394977436550608988 SATE051045037416959489554963592 M031397033347971015548522528 PL023104014105320786243237523	.0000 SFX .038422 .040822 .971652 .555099 .646 .0001 GIS .085465 .052748 .327879 .278089 .835 .0186 A .058551 .062394 .977436 .550608 .988 .0000 SATE .051065 .033232 .364529 .294301 .526 GPA035439037416 .959489 .554963552 M031397033347 .971015 .548522528 PL .023104 .014105 .320786 .243237 .223	.0000 SFX .038422 .040822 .971652 .555099 .646 .0001 GIS .085465 .052748 .327879 .278089 .835 .0186 A .058551 .062394 .977836 .550608 .988 .0000 SATE .051065 .033232 .364529 .294301 .526 GPA031397037416 .959489 .5549635528 PL .023104 .014105 .320786 .243237 .223	SFX .038422 .040822 .971652 .555099 .646 GIS .085465 .052748 .327879 .278089 .835 A .058551 .062394 .977436 .550608 .988 SATE .051065 .033232 .364529 .294301 .526 GPA035439037416 .959489 .554963592 BI .0231397033347 .95786 .543937 .2928	.0000 SFX .038422 .040822 .971652 .555099 .646 .0001 GIS .085465 .052748 .327879 .278089 .835 .0186 A .058551 .062394 .977436 .550608 .988 .0000 SATE .051065 .033232 .364529 .294301 .526 .00184035439037416 .959489 .554963552			٠								
VARIABLE       BETA IN PARTIAL TOLERANCE       MIN TOLER       T         SFX       .038422       .040822       .971652       .555099       .646         GIS       .085465       .052748       .327879       .278089       .835         A       .08651       .062394       .977436       .550608       .988         SATE       .036351       .037232       .364529       .594301       .526         GPA      031397      037347       .971015       .554852      523         PL       .023104       .014105       .320786       .243237       .223	SIG T VARIABLE BETA IN PARTIAL TOLERANCE MIN TOLER T  .0000 SFX .038422 .040822 .971652 .555099 .646  .0001 GIS .085465 .052748 .327879 .278089 .835  .0186 A .058551 .062394 .977436 .550608 .988  .0000 SATE .051045 .033247 .951015 .554953552  M031397033347 .971015 .548522528	SIG T VARIABLE BETA IN PARTIAL TOLERANCE MIN TOLER T  -0000 SFX .038422 .040822 .971652 .555099 .646 -0001 GIS .08545 .052748 .327879 .278089 .835 -0186 A .058551 .062394 .977436 .550608 .988 -0000 SATE .051065 .033232 .354529 .554951 .552 GPA033439037416 .959489 .554953592 M0331397033347 .971015 .548522523	**SIG T VARIABLE BETA IN PARTIAL TOLERANCE MIN TOLER T  ***O000 SFX	SIG T VARIABLE BETA IN PARTIAL TOLERANCE MIN TOLER T  .0000 SFX .038422 .040822 .971652 .555099 .646  .0001 GIS .085465 .052748 .327879 .278089 .835  .0186 A .058551 .062394 .977436 .550608 .988  .0000 SATE .051065 .033237 .35499 .5549635528  M031397033347 .971015 .548522528			;	1 51	IN TOLER			ž	VARIABLE	S16 T	
VARIABLE BETA IN PARTIAL TOLERANCE MIN TOLER T  SFX .038422 .040822 .971652 .555099 .646  GIS .085465 .052748 .327879 .278089 .835  A .058551 .06234 .977436 .550608 .988  SATE .051045 .033232 .354529 .254301 .556  GPA035439037416 .959489 .554963592  PL .023104 .014105 .320786 .243237 .223	VARIABLE BETA IN PARTIAL TOLERANCE MIN TOLER T  SFX .038422 .040822 .971652 .555099 .646  GIS .085465 .052748 .327879 .278089 .835  A .058651 .062394 .977436 .5550608 .988  SATE .051065 .033292 .364529 .294301 .5226  GPA031397033347 .971015 .5549635528  PL .023104 .014105 .320786 .243237 .223	VARIABLE BETA IN PARTIAL TOLERANCE MIN TOLER T  SFX .038422 .040822 .971652 .555099 .646  GIS .085465 .052748 .327879 .278089 .835  A .058551 .06234 .977436 .550608 .988  SATE .051045 .033232 .354529 .254301 .556  GPA035439037416 .959489 .554963592  PL .023104 .014105 .320786 .243237 .223	51G T VARIABLE BETA IN PARTIAL TOLERANCE MIN TOLER T  .0000 SFX .038422 .040822 .971652 .555099 .646 .0001 GIS .085465 .052748 .327879 .278089 .835 .0186 A .058551 .062394 .977436 .550608 .988 C) .0000 GA .051065 .033232 .364529 .294301 .526 GPA035439037416 .959489 .554963592 H035439037416 .959489 .554963592	VARIABLE BETA IN PARTIAL TOLERANCE MIN TOLER  SFX .038422 .040822 .971652 .555099 .646  GIS .085465 .052748 .327879 .278089 .835  A .058651 .06234 .977436 .550608 .988  SATE .051065 .033222 .364529 .254631 .5526  GPA031397033347 .971015 .5548525528				IS	TION	IN THE EQUI	TABLES MOT	٠ -	VARIABLE	516 7	<u>'</u>
VARIABLE BETA IN PARTIAL TOLERANCE MIN TOLER  SFX .038422 .040822 .971652 .555099 .646  GIS .058455 .052748 .327879 .278089 .835  A .058551 .06234 .977436 .550608 .988  SATE .051045 .033232 .364529 .294301 .556  GPA035439037416 .959489 .554963559  M033104 .014105 .320776 .243237 .223	VARIABLE BETA IN PARTIAL TOLERANCE MIN TOLER  SFX .038422 .040822 .971652 .555099 .646  GIS .085465 .052748 .327879 .278089 .835  A .051065 .05374 .95458 .550608 .988  SATE .051365 .033232 .364529 .250608 .5526  GPA031397033347 .971015 .5549635528  PL .023104 .014105 .320786 .243237 .223	VARIABLE BETA IN PARTIAL TOLERANCE MIN TOLER  SFX .038422 .040822 .971652 .555099 .646  GIS .058455 .052748 .327879 .278089 .835  A .058551 .06234 .977436 .550608 .988  SATE .051045 .033232 .364529 .294301 .556  GPA035439037416 .959489 .554963559  M033104 .014105 .320776 .243237 .223	VARIABLE BETA IN PARTIAL TOLERANCE MIN TOLER T  SFX .038422 .040822 .971652 .555099 .646  GIS .085465 .052748 .977836 .278089 .835  A .058651 .062394 .977836 .550608 .988  SATE .051065 .033232 .364529 .294301 .526  GPA033439037416 .959489 .554963592  M033437033347 .977016 .543275528	VARIABLE BETA IN PARTIAL TOLERANCE WIN TOLER  SFX .038422 .040822 .971652 .555099 .646  GIS .085465 .052748 .327879 .278089 .835  A .056951 .06234 .977436 .550608 .988  SATE .051065 .033232 .364529 .250608 .550608  GPA03343903347 .971015 .5549635528	18.111			18 1	ITION	IN THE EQUI	IABLES MOT Partial To		VARIABLE	516 7	<u>,</u>
980219 33.735996 544.538515 677.421922	980219 33.735996 544.538515 677.421922	980219 33.735996 544.538515 677.421922	980219 33.735996 544.538515 677.421922	980219 33.735996 544.538515 677.421922		147853	138698	1 S	1710N	22 IN THE EQU DLERANCE M	677.4219; IABLES NOT PARTIAL TO	6 1	33.735996	610.980219	· '
179081 .497R26 -2.159529198633184969 .078n97 .019771138698147853 .562262 980219 33.735996 544.538515 677.421922	179081 .497R26 -2.159529198633184969 .078N97 .019771138698147853 .562262 .080219 33.735996 544.538515 677.421922	179081 .497R26 -2.159529198633184969 .078n97 .019771138698147853 .562262 980219 33.735996 544.538515 677.421922	179081	179081 .497R26 -2.159529198633184969 .078n97 .019771138698147853 .562262 980219 33.735996 544.538515 677.421922				177910.	59 .078097 1710N	33 1849 22 1N THE EQU.	-1986 677-4219 IABLES NOT	O 60 1	.497R26 33.735996	-1.179081 610.980219 	2 <u>'</u>
581403 .625771 1.348971 3.813834 .322094 .078080 .205617 .241570 .251976 .562498 179081 .497R26 -2.159529 -198633184969 .078097 .019771138698147853 .562262 980219 33.735996 544.538515 677.421922	581403 .625771 1.348971 3.813834 .322094 .078080 .205617 .241570 .251976 .562498 179081 .497R26 -2.159529198633184969 .078097 .019771138698147853 .562262 980219 33.735996 544.538515 677.421922	581403 .625771 1.348971 3.813834 .322094 .078080 .205617 .241570 .251976 .562498 179081 .497R26 -2.159529 -198633184969 .078097 .019771138698147853 .562262 980219 33.735996 544.538515 677.421922	581403	581403 .625771 1.348971 3.813834 .322094 .078080 .205617 .241570 .251976 .562498 179081 .497R26 -2.159529198633184969 .078097 .019771138698147853 .562262 980219 33.735996 544.538515 677.421922		.251976		.205617 .019771	59 .078080 1710N	34 - 3220 33 - 1849 22 1N THE EOU	3.8138 1986 677.4219 IABLES NOT	60 60 1	.625771 .497R26 33.735996	2.581403 -1.179081 610.980219	
423863 .524915 1.390063 3.457662 .270912 .058669 .283024 .270809 .996294 .283863 .52571 1.348971 3.813834 .322094 .078080 .205617 .241570 .251976 .562498 .179081 .4977826 -2.198633198633184969 .078097 .019771138698147853 .5622621980219 33.735996 544.538515 677.421922	423863 .524915 1.390063 3.457662 .270912 .058669 .283024 .270409 .279819 .996294 581403 .625771 1.348971 3.881383 .322094 .078880 .205617 .241570 .251976 .562498 179081 .497726 -2.159529 -198633 -184969 .078897 .019771 -138698 -147853 .562262 980219 33.735996 544.538515 677.421922  VARIABLE BETA IN PARTIAL TOLERANCE MIN TOLER T SIG T  SFX .038422 .040822 .971652 .555099 .646 .5189 GIS .085465 .052748 .327879 .278089 .835 .4044 A .058546 .033234 .977436 .554963526 .5594 GPA031397033347 .971015 .554963528 .5995 PL .023104 .014105 .320786 .243237 .223 .8237	423863 .524915 1.390063 3.457662 .270912 .058669 .283024 .270809 .996294 .283863 .52571 1.348971 3.813834 .322094 .078080 .205617 .241570 .251976 .562498 .179081 .4977826 -2.198633198633184969 .078097 .019771138698147853 .5622621980219 33.735996 544.538515 677.421922	423863 .524915 1.390063 3.457662 .270912 .058669 .270409 .270409 .996294 .281403 .625771 1.348971 3.813834 .322094 .078080 .205617 .241570 .251976 .562498 179081 .497R26 -2.158952918489711848971184897118489711848971184897118489711848971184899 .36289 .36289 .36289 .362896 544.538515 677.421922	423863 .524915 1.390063 3.457662 .270912 .058669 .283024 .270819 .996294 .238633 .625771 1.348971 3.813834 .322094 .078080 .205617 .241570 .251976 .562498 .179081 .497R26 -2.159529 .078097 .019771138698147853 .562262 1980219 33.735996 544.538515 677.421922 184969 .078097 .019771138698147853 .562262 1980219 33.735996 544.538515 677.421922 184969 .019771138698147853 .562262 1980219 33.735996 544.538515 677.421922 184969 1446.51899 1446.81899 1446.81899 1446.81899 1446.81899 1446.81899 1446.81899 144		.251976		.283024 .205617 .019771	12 .058669 34 .078080 59 .078097 1710N	12 .2709 134 .3220 1331849 10 THE EQU	3.4576 3.8138 1986 677.4219 IABLES NOT		.524915 .625771 .497R26 33.735996	2.423863 2.581403 -1.179081 610.980219	~ '
423863 .524915 1.390063 3.447662 .270912 .058869 .283024 .270409 .270919 .996294 .198180 .625771 1.348971 3.81334 .322094 .078880 .205617 .241570 .251976 .562498 .1980219 33.735996 544.538515 677.421922 .184969 .078897 .019771138698147853 .562262 VARIABLES NOT IN THE EQUATION	423863 .524915 11.390063 3.4477662 .270912 .058869 .283024 .270409 .270819 .996294 .190813 .625771 1.348971 3.81334 .322094 .078090 .205617 .241570 .251976 .562498 .1908219 .497R26 -2.159529198633164969 .078097 .019771138698147853 .5622621990219 33.735996 544.538515 677.421922	423863 .524915 1.390063 3.447662 .270912 .058869 .283024 .270409 .270919 .996294 .198180 .625771 1.348971 3.81334 .322094 .078880 .205617 .241570 .251976 .562498 .1980219 33.735996 544.538515 677.421922 .184969 .078897 .019771138698147853 .562262 VARIABLES NOT IN THE EQUATION	423863 .524915 1.3990063 3.447662 .270912 .058669 .283024 .270819 .996294 .28381403 .625771 1.348971 3.813834 .322094 .078080 .205617 .241570 .251976 .562498 179081 .497R26 -2.159529 -198633 -184969 .078097 .019771 -138698 -147853 .562262 -2.159529 6544.538515 677.421922	423863 .524915 1.390063 3.457662 .270912 .058669 .283024 .270409 .279819 .996294 .251403 .625771 1.348971 3.813834 .322094 .078080 .205617 .241570 .251976 .562498 .179081 .497R26 -2.159529198633184969 .078097 .019771138698147853 .5622621970219 33.735996 544.538515 677.421922 .184969 .078097 .019771138698147853 .562262147862 .077.421922 .184969 .078097 .019771138698147853 .562262147881E BETA IN PARTIAL TOLERANCE MIN TOLER T SIG T T SI		.251976		.283024 .205617 .019771	12 .058669 34 .078080 59 .078097 1710N	12 .2709 134 .3220 135 -1849 127 THE EQUALE TO THE EQUALE	3.4576 3.8138 1986 677.4219; IABLES HOT	0 60 60 1	.524915 .625771 .497R26 33.735996	2.423863 2.581403 -1.179081 610.980219	^ '

			ŭ	
			. 2830	C 1. 0
			FCH SIGCH VARIABLE 22.031 .000 IN: FLY 11.428 .001 IN: NV	•
) :			<u> </u>	2
•		TABLE	\$16CH .000	•
		SUMMARY TABLE	FCH 22.031 11.428	( · · ·
	PERF		RSQCH .0801 .0399	
			913 900°	000
•	DEPENDENT VARIABLE		F(EQN) 22.031 17.183	A . A . E .
	DEPENDENT		ADJRSQ .0765	
	-		850 .0801	
	EQUATION NUMBER		MULTR .2830 .3464	( ) ! !
	EGUATI		STEP	1

EQUATION NUMBER 1 DEPENDENT VARIABLE.. PERF

CASEWISE PLOT OF STANDARDIZED RESIDUAL

	-3.0	0.0	3.0								
CASE #	0:		0::-	PERF	PRE	#RESID	*SRESID	*SDRESID	*LEVER	MAHA	*C00K D
-	•	*	•	664	64.686	6866	0060	0900	.0193	4.9067	•0000
2	•	*	•	404	89.161	. B 38	.1281	.1278	.0057	1.4355	• 0000
m	•	*.	•	775	3.938	1.062	.3545	.3538	.0062	1.5816	.0003
•	•	•	•	630	06.24	~	6579	.657	.0054	1,3765	.0010
'n	•	•	•	336	3.614	47.614	•	-3.0481	.0951	88	.0204
•	*	•	•	341	721.2196	219	3.2	3.34	-	.8412	.0196
4	•	*.	•	746	6.479	19.5201	.1682	.1679	.0027	.6954	0000
α	•	•	•	931	•	97.0620	.8379	.8374	•0062	.581	.0018
6	•	•	•	939	2.147	6.852	1.4509	1.4541	.0206	.235	.0132
10	•	*	•	832	724.2376	107,7624	• 9299	.9297	.0055	1.4094	.0021
11	•	•	•	797	708.1240	8.876	.7669	ø	.0055	1.3864	.0014
12	•	•	•	0	746.1124	•	•	•	.0105	2.6679	•
13	•	*	•	685	683,9984	1.0016	•0086	•0086	.0070		.0000
•	•	:	•	069		990	. 2	2412	.0014	344	.0001
2	•	•	•	915		64.045	1.4167	61	.0071	1.7980	•0056
2 2	•	•	•	410	m	-293,7305	5.53	•	.0028	.6671	.0106
11 B	•	•	•	717	742.0658	25.065	.21	.217	.0155	3.9397	.0002
1.8	•	•	•	750		2.91	.5426	.5419	.0047	1.1862	•0000
19	•	•	•	818	735,7868	. 21	~	~	.0086	2,1961	.0016
50	•	•	•	913	3	154,5245	m	3.8	.0100	2.5346	.0063
21	•	:	•	672	Ψ,	. 1 4	4577	56	.0017	.4221	.0003
22	•	:	•	753	4	11.83	3617	61	♦600•	٠	+000
23	•	•	•	849	536	119,4639	1.0349	•	.0131	3,3303	.0046
<b>\$</b> 2	•	•	•	199	754.5264	44.4736	.3858	.3852	.0161	4.0800	$\sim$
23	•	*.	•	713	Ŋ	.74	.2308	0	0900	1.5159	.0001
56	•	•	•	743	٥.	7	.0181	.0180	.0003	•0806	.0000
27	•	*.	•	836	781.8395		.4695	.4687	.0144	3.6635	.0010
28	•	•	•	871	٥,	.057	1.2761	1.2777	.0032	.8103	•0059
	•	*.	•	670	6.5	3.499	.2057	.2053	.0333	8.4627	•000•
30	•		•	066	858,7023	1.297	1.1539	~	.0412	10.4537	.0157
31	•	•	•	916	719,3765	96.6235	.8320	.8315	.0012	.3049	6000*
32	•	•	•	830		. 124	0800	0798	•0364		.000
33	•	•	•	689	50.	-61.6451	5328	5320	.0087	2.2011	6000*
e Fi	•	•	•	766	723,7036	42.2964	.3670	*3664	•	4.2110	.0007
35	•	•	•	667	62.175	-95.1759	8242	8237	.0125	3.1672	.0028
36	•	•	•	868	751.6115	.388	1.2624	1.2639	.0042	1.0727	.0033
37	•	•	٠	813	695.9150	17.085	1.0107	1.0108	•	1.5894	N
38	*	•	•	410	•	.094	•	-2.5045	• 0065	1.6568	.0162
39	•	•	•	565	62.105	97.105	8444	8439	.0205	5.2188	.0045
0.	•	•	•	924	715,5503	208.4497	1.7949	1.8030	.0013	.3298	.0042
CASE #	0:	•••••	0: ••	PERF	*PRED	RESI	*SRESID	*SORES10	*LEVER	*MAHAL	*C00K D
	-3.0	0.0	3.0								

CASEWISE PLOT OF STANDARDIZED RESIDUAL

	-3.0	0.0	3.0								!
CASE #	0:	• • • • • • • • • • • • • • • • • • • •	0:	PERF	#PRE	#RES10		S	<u> </u>	Y I Y I	*C00X D
-	•	•	•	5	34.791	23.2086	0	0	2	. 161	.0003
42	•	*.	•	~	05.01	.986	1987	.1984	0	.363	.0001
E V	•	•	•	0	29.363	0.636	609	9	8		.0010
•	•		•	•	10.670	-65.670R	5661	5653	80	89	•0000
4.5	•	:	•	N	9	6.558	230	2296	A	4	.0002
9.	•	•	•	777	.289	7	1 1 3		.0132	.355	.0001
4.7	•	•	•	S	35.05	4.940	29	N	•	9	.0001
48	•	•	•	~	02,543	.457	151	.1507	.0107	.721	.0001
6*	•		•	N	31.829	. A29	•	.03	.0046	1.1627	0000
50	•	•	•	8	03.50	23.492	.063	1.0642	~	*2804	.0018
51	•	•	•	3	44.424	.576	932	•	.0147	9	.0041
52		•	•	654	16.726	.726	5	53	.0017	.4346	•000•
50	•	•	•	N	40.159	.840	05	•	.0025	E	.0008
40	•		•	ø	62.214	.214	77	8768	.0142	• 600	.0035
5.5	•	•	•	750	80.A10	.189	.5972	.5964	ĸ.	1 • 5009	6000.
	•	•	•	734	78.131	5.868	8	83	.0140	.562	.0011
	•	•	•	-	03.29	4.708	4	4	1500.	1.2982	6000.
5.8	•		•	S	01.17	-44.1753	80		.0020	.5145	.0002
v.	•		•	821	64.	6.184	35	•	.0159	033	.0093
	•	•	•	0	20.20	12,200	.105	-	-	17	0000
•	•	•	•		72.47	0.474	786		.0203	152	.0038
62	•	•	•	S	05.50	5.492	1.2543	~	.0037	28	.0030
	•	•	•	915	96	6	1.0235	.023	.0030	.752	.0018
64	•	•	•	O	82.21R	.781	=	•	.0127	ø	.0043
6.5	*	•	•	Φ	06.729		789	-1.7973	.0020	.51	.0048
	•	*:	•	680	22,554	7.445	•	.5034	.0383	.725	•0028
67	•	•	•	5	20.99	.926	. 7987	O	.0402	10.1998	•001
89	•	•	•	N	34.224	0.775	782	78	.0037	940	.0012
	•	•	•	348	80.019	2.019	5	3	.0197	5.0005	.0852
70	•	•	•	•	99.389	.610	.3156	.3150	.0033	845	• 0005
	•	•	•	0	18.29	1.292	0974	0972	-	?	0000
72	•	*	•	629	11.598	52,598	. 45	4540	-0092	37	0
	•		•	•	28.512	83.51	05	9	.0327	• 296	• 0245
	•	*	•	0	50,382	4.382	EO.	• 38	60	225	• 0008
	•	•	•	3	99.166	31.833	1.9989	_	•0039	<b>6</b>	• 0018
	•	*.	•	_	73,517	.482	4	.3942	•	.480	6000•
	•	•	•	789	92.601	668.9	31	E)	05	.277	•0016
78	•	•	•	751	25.712	5.287	.2183	.2178	•0029	.504	.0001
79	•	•	•		04.434	0.565	50	•	.0128	.255	.0116
90	•	*	•	•	70.174	.825	.1372	•1369	.0141	*	.0001
æ	•	•	•	750	•	.7523	90		.0013	3	0000
	•	:	•	a	48.149	-46.1499	3984	3977	Ö		*000°
63	•	•	•	791	731.7819	•	. 4235	•	õ	0	0
	•	•	•	~	01.970	-324.9707	-2.800B	-2.8399	.0031	N	3
CASE #	0:		0: • • •	PERF	*PRED	*RESID	#SRESID	*SDRESIO	*LEVER	*MAHAL	*COOK D
	-3.0	0.0	3.0								

+SDRESID -1.6391 .1437 1.1028 1.1202 .4335 .6599 .3575 -.0399 .4618 .1636 \*SRESIA-1.6336 .3582 .3068 1.1023 1.1196 .4625 .8612 .6607 .1639 154.1959 154.1959 154.1959 153.3780 150.3114 +RESID -189.0590 -40.6382 41.5404 127.4258 75.9392 129.9247 18.9202 729.4160 741.6193 748.8147 757.4596 733.6886 768.3546 676.5742 704.0590 767.6220 764.0608 696.0753 718.6382 \*PRED 664.0798 PERF 515 799 778 725 903 821 784 837 0 804 683 840 826 678 OF STANDARDIZED RESIDUAL -3.0 0.0 3.0 0:..... H: MISSING CASEVISE PLOT \*: SELECTED 91 93 94 95 95 95 95 0 0 0 8 CASE #

\*MAHAL 2.0838

\*LEVER

.0038

.0001

3.5117 3.2698 3.2698 3.4968

.0037

.0129

0002

5.4919 .7241 .7944

.0216 .0029 .0031

230

.0004

2.6404 3.7482

.0104

.0029

.0011

1.4099

.0056

•	•	•	837	746,3802	90.6198	.7874	.7868	.0192	4.8695	.0037	
•	•	•	832	772.2543	59.7457	.5174	.5166	.0125	3.1853	.0011	
•	•	•	823	704.2660	118.7340	1.0225	1.0226	.0016	.3994	•001◆	
•	•	•	683	771.0335	-88.0335	7595	7589	*0052	1.3193	.0013	
•	•	•	740	739.3241	.6759	.005B	•0058	• 0079	2.0064	0000	
•	*	•	792	779.7837	12.2163	.1056	•1054	-0092	2,3325	0000	
•	*	•	768	763.5754	4.4246	.0383	.0382	.0117	2.9803	0000	
•	•	•	437	681,4933	-244.4933	-2.1179	-2.1328	.0131	3,3223	.0194	
•	*	•	734	739.8963	-5.8963	050R	0507	.0040	1.0090	0000	
•	•	•	202	704.8383	-2,8383	0245	0244	• 0029	1.4983	0000	
•	•	•	774	732,3782	41.6218	.3591	.3585	1500*	1.2909	•0003	
	•	•	787	694.7359	92.2641	.7964	.7958	.0060	1.5312	• 0016	
•	*.	•	800	779.5004	20.4996	.1775	.1771	.0119	3.0105	.0001	
•	•	•	793	739.8963	53,1037	.4579	.4572	.0040	1.0090	<b>*000</b> *	
•	•	•	769	745.0591	23.9409	.2066	.2062	.0052	1.3244	.0001	
•	•	•	0	728.4891	•	•	•	2600.	2.4848	•	
•	•	•	740	733.1708	6.8292	.0589	.0588	.0041	1.0386	0000	
•		•	532	680.0147	-148.0147	-1.2788	-1.2804	.0079	1.9989	.0049	
*	•	•	433	681.8006	-248,8006	-2.1566	-2-1725	.0144	3.6463	.0216	
•	•	•	962	739,2612	222.7388	1.9300	1.9406	.0137	3.4770	.0167	
•	*.	•	748	718.2892	29.7108	.2559	.2554	.0016	.4031	.0001	
•	*	•	783	724.3450	58,6550	.5056	.5049	•0036	.9033	• 0005	
•	•	•	730	738,7172	-8.7172	0752	0750	.0038	.9576	• 0000	
•	<b>:</b>	•	783	818,2745	-35.2745	3082	3076	.0296	7.5260	9000	
•	•	•	708	685,1853	22,8147	.1971	.1967	.0075	1.9150	.0001	
•	•	•	808	716.5379	91.4621	.7902	• 7896	.0079	2.0033	•0019	
•	•	•	735	754,3314	-19,3314	1674	1671	.0123	3.1310	.0001	
*	•	•	370	689.3845	-319,3845	-2.7570	-2.7941	.0062	1.5759	•010•	
0:	• • • • • • • • • • • • • • • • • • • •	0: • •	PERF	*PRED	#RES10	#SRESID	<b>+SDRESID</b>	*LEVER	*MAHAL	*COUK D	
-3.0	0.0	3.0									

CASE #

CASEWISE PLOT OF STANDARDIZED RESIDUAL

13   13   13   13   13   13   13   13		-3.0	0.0							;	,	
12.9	CASE #	•	:	:	PERF	*PRE	*RESID	*SRESID	*SDRESID	*LEVER	Ĭ	*C00K D
110		•	•	•	0	09.652	•	•	•	90	299	
13		•	*	•	N	53.969	25.969	.223	. 223	003	446	000
13		•	•	•	10	30.973	23.027	.060	.060	005	617	000
133     134   179,1890   97,1094     134   179,1890   97,1094     134   179,1890   97,1094     134   179,1890     134   179,1890     134   179,1890		•	•	•	0	17.047		•	•	900	.177	•
155   156		•	*	•		53.890	_	4	63	010	.740	.0026
135   136		•	•	•		10.390	г,	20	20	005	.331	.0001
136     686   739,1104		•	*	•	751	36.584	•	C4	12	013	.456	.0001
137		•	*	•	686	38,110	3	44.	44.	002	.432	• 0005
133		•	*	•	813	73,951	39.0488	ũ	33	900	.524	.0003
14.0   1.445   1.445   1.050   1.452   1.445   1.050   1.452		•	*	•	682	83.840	-1.8409	.01	.01	007	.903	0000
140		•	•	•	995	28,819	3	4	.44	02	.293	.0133
141     770   726,174   41,4226   .1550   .1573   .00055   1,4005		•	•	•	101	26.848	12	1.12	=	90	6.698	.0235
142   143   144   145	141	•	*	•	770	28.517	41.4826	ທ	.3573	005	.400	.0003
143		•	•	•	817	45,665	71.3341	616	.6158	900	.249	00
144   145	4	•	•	•	625	03.105	7	.675	6748	010	.564	001
14.6   1.0	•	•	•	•	847	58,972	88.0279	758	.7576	001	470	.0008
146   146	4	•	•	•	ĸ	36.35	_	986	986	003	882	.0018
147     811   71817886   92,2114	•	•	*	•	vo	79.658	~	.161	.16	010	.716	.0001
149     754   7291588   24,8412	4	•	•	•	E	38,788	2,211	798	4	012	.045	•0056
150   150	~	•	*	•	ıń	29,158	4.841	215	2	0	.504	-0005
150	<b>*</b>	•		•	Œ	55.944	5.055	221	220	40	2.113	.0007
152		•	•	•	ŏ	21.7	255,700	2.209	2.226	.0079	.008	.0146
152     713   721.5687   -8.5687  0742   .0131   3.3791   .00000   .00000   .0000   .00000   .00000   .00000		•	•	•	c	50.9	•	•	•	.0185	.729	
153		•	*	•	713	21.5	8.56	.074	.07	9	.379	000
154		•	*.	•	733	77.1	S. 3	483	48	5	.229	00
156   156		•	*	•	689	44.2	55.2	.478	.47	5	.402	00
156   156   157953   15641   156533   1567953   15005   157953   15005   157953   15005   157953   15005   157953   15705		•	*	•	670	10.1	40.1	.347	Ε,	8	.217	*000*
157   158		•		•	808	71.3	63.3	.564	s.	990	6.795	900
158		•	*	•	735	21,031	•	120	~	00	.300	000
159   1.1897   1.1897   1.1897   1.1897   1.1897   1.0907   1.0907   1.0907   1.0907   1.0907   1.0907   1.0907   1.0907   1.0907   1.0907   1.0907   1.0907   1.0907   1.0907   1.0907   1.0907   1.0908   1.0907   1.0908   1.0907   1.0908   1.0907   1.0908   1.0907   1.0908   1.09		•		•	466	78.1	212.1	1.834	1.8	5	.673	012
160       * * * * * * * * * * * * * * * * * * *		•	•		898	60.707	37.2	.18	-	0	.100	002
161     ***     ***     756.3406     -702.3406     -1.7562     .0088     2.2333     .0094       162     ***     ***     505     711.3744     -206.3744     -1.7922     .0094     2.3891     .010       163     ***     ***     839     766.8739     72.1261     .6259     .0065     4.1857     .002       164     ***     ***     894     700.9915     -2.3540     -2.3756     .0128     3.2541     .002       165     ***     ***     854     700.9915     -17.9915     -2.3756     .0128     3.2541     .002       165     ***     ***     854     700.9915     -17.9915     -2.3756     .0128     3.2541     .000       165     ***     ***     653     721.5114     -68.514     -5898     -6047     .0189     4.7894     .010       169     ***     ***     664     734.2241     -70.2241     -6054     -6054     -6047     .0037     .9404     .000       169     ***     775     775.0801     -70.5241     -70.5241     -70.5241     -70.5241     -70.5241     -6054     -0007     .018     2.7538     .001       170     ***     ***     ***		•	*	•	_	98	15.3	9	0	9	.732	003
162       * * * * * * * * * 505       711,3744       -206,3744       -1,7922       .0094       2,3891       .010         163       * * * * * * * * * * * 693       76,6739       72,1261       .6251       .0165       4,1857       .002         164       * * * * * * * 693       710,9915       -2,3756       .0128       3,2541       .023         165       * * * * * 693       710,9915       -1,3377       1,3377       .0169       4,7894       .010         166       * * * * 654       721,5114       -68,5114       -5890       .0024       .0189       4,7894       .010         169       * * * 664       734,2241       -70,2241       -6094       .0037       .9404       .000         169       * * * 775       775,0801       -0007      0801      0007       .0171       4,3312       .000         170       * * 775       775,0801       -70,2241       -70,007       .0108       2,7538       .001         171       * * 78       668,4125       79,5875       -6896       .0007       .0108       2,7538       .010         171       * * 8       668,4125       79,5875       -13222       -1,3222       -1,324       .000       2,000 <th></th> <th>•</th> <th></th> <th>•</th> <th>S</th> <th>56,340</th> <th>202.3</th> <th>1.74</th> <th>1.7</th> <th>900</th> <th>.233</th> <th>600</th>		•		•	S	56,340	202.3	1.74	1.7	900	.233	600
163       * 6251       * 6251       * 6251       * 6251       * 60251       * 60251       * 60251       * 60251       * 60251       * 60251       * 60251       * 60251       * 60251       * 60251       * 60251       * 60251       * 60251       * 60251       * 60251       * 60251       * 60251       * 60251       * 60271 <td< th=""><th></th><th>•</th><th></th><th>•</th><th>O</th><th>11,374</th><th>206.37</th><th>1.784</th><th>1.7</th><th>000</th><th>.389</th><th>010</th></td<>		•		•	O	11,374	206.37	1.784	1.7	000	.389	010
164       * * * * * * * * * 390       661.7845       -2.3540       -2.3550       -0.23756       .0128       3.2541       .023         165       * * * * * 693       710.9915       -17.9915      1550      1547       .0024       .6017       .000         166       * * * * 653       721.5114       -68.5114      5890       .0189       4.7894       .010         167       * * * 664       774.2241       -70.2241      6054      6047       .0037       .9404       .000         169       * 775       775       775.0801      0801      0007       .0171       4.3312       .000         170       * 775       775       795875       .6896       .6879       .0171       4.3312       .001         171       * 748       668.4125       79.5875       .6896       .6879       .0108       2.7538       .001         171       * 845       889.4750       -44.4750      3964       .0706       7706       17.9326       .003         45E # 0.000       .00       3.0       3.0       44.4750       -3964       .0706       7706       7700       7700       7700       7700       7700       7700       7700		•	•	•	3	66.873	72.12	625	62	016	. 185	005
165       *       693       710.9915      15.90      1547       .0024       .6017       .000         166       *       854       700.0245       153.9755       1.3377       1.3398       .0189       4.7894       .010         167       *       .       653       721.5114       -68.5114       -68.5198      5890       .0107       .0189       4.7894       .010         169       *       .       664       774.2241       -70.2241      6054      6047       .0037       .9404       .000         170       *       .       775       775.0801      0801      6067       .0101       2.7538       .010         171       *       .       676       828.1084       -152.1084       -15.322       -1.3242       .010       2.0505       .010         172       *       .       845       889.4750       -44.4750      3964       .0706       17.9326       .003         ASE M DI		•	•	•	O	61.784	271.78	2.3	2.37	012	٠,	023
166		•	*	٠	O	10.991	17.99	7	.15	005	ø	000
157 . * 653 721.5114 -68.511458985890 .0007 .1864 .000 168 . * 664 734.2241 -70.224160546047 .0037 .9404 .000 169 . *		•	•	•	6	00.024	53.97		ņ	018	.789	010
168 . *		•	*	•	S	21,511	68.51	'n	ŝ	000	186	000
169 .		•	*	•	ø	34.224	70.224	.605	•	003	940	000
170 748 668.4125 79.5875 .6886 .6879 .0108 2.7538 .001 171 676 828.1084 -152.1084 -1.3222 -1.3242 .0200 5.0695 .010 172 845 889.4750 -44.475039703964 .0706 17.9326 .003 4SE # D:		•	*	•	~	75.	.080	000	0	017	.331	000
17}		•	•	•	4	68.	9.587	688	687	010	.753	001
172 . 4 845 889.4750 -44.47503964 .0706 17.9326 .003 ASE # D:		•	•	•	~	28.10	152,108	1.322	1.324	050	•069	010
ASE # 0:•••••••••••••••••••••••••••••••••••		•	*	•	4	89.475	44.475	.397	.396	010	7.932	E
0.6 0.0	ASE	•	• • • • • • •	:	æ	PRE	RESI	SRESI	SDRESI	FVE	HYH	COOK
		•	0									

CASEWISE PLOT OF STANDARDIZED RESIDUAL

22         674,9459         -4597         -4590         -0117         4.55           25         75,231         5.679         -0497         -4590         -0113         -31           35         753,231         86,4563         -7474         -746         -0097         -0013         -31           40         703,534         86,4563         -7474         -746         -0097         -0019         -2097           707,513         16,597         -0929         -0997         -0019         177           707,513         12,597         -1059         -0997         -0019         177           707,514         -6,1940         -1169         -1170         -0119         2.73           710,840         -12,891         -1169         -1170         -0119         2.73           710,840         -12,940         -1734         -1018         2.73           710,840         -12,940         -1734         -1018         2.73           710,840         -12,940         -1734         -1834         -173           710,840         -12,940         -1734         -1019         2.73           710,840         -12,940         -1734         -1018         2.73 <th>## 100</th> <th>1</th> <th>000000000000000000000000000000000000000</th> <th>00 M M V V V W V V V V V V V V V V V V V V</th> <th>.0012</th>	## 100	1	000000000000000000000000000000000000000	00 M M V V V W V V V V V V V V V V V V V V	.0012
7.7	765 750.2334 86.4616  767 755.2337 55.653  777 745.4437 11.5554  777 745.4437 11.5554  777 745.4437 11.5554  777 745.4437 11.5557  777 745.4437 11.5573 135.4617 11.2657  777 745.4427 11.5573 135.4617 11.2657  777 746.6418 12.3417 11.257  777 746.6418 12.3417 12.3417 12.3417 12.3417 13.	* * * * * * * * * * * * * * * * * * *	$\frac{1}{2}$		
7.4 705 759.2721 5.7679	765 755-2321 5-7679  ***  ***  ***  ***  ***  ***  ***	0 · · · · · · · · · · · · · · · · · · ·	000000000000000000000000000000000000000	. 3 4 5 5 6 5 6 5 6 5 6 5 6 5 6 5 6 5 6 5 6	
775	790 703.5384 86.4616  840 753.5437 86.4563  775 745.4457 11.65631  841 755.5437 86.4563  842 77.5193 4.6193  843 77.5393 12.6197  844 775.4963 12.6197  845 846 77.61940  847 76.61940  848 77.61940  849 77.61940  849 77.61940  849 77.61940  849 77.61940  849 77.61940  849 77.61940  840 77.61940  840 77.61940  841 756.697  841 756.697  841 756.697  841 756.697  841 756.697  841 756.697  842 766.6987  842 77.61915  843 866 6988  844 866 6988  845 868 8684  845 868 8686  846 868 8686  847 868 8686  848 868 8686  849 871 737.097  840 862 770.988  840 777.347  841 737.097  841 737.097  841 737.097  842 777.347  848 862 777.347  848 862 777.347  849 862 777.347  849 862 777.347  849 862 777.347  849 862 777.347  849 862 777.347  849 862 777.347  849 862 777.347  849 862 777.347  849 862 777.347  849 862 777.347  849 862 777.347  849 862 777.347  849 862 777.347  849 862 777.347  849 862 777.347  849 862 777.347  849 862 868 868 868 868 868 868 868 868 868	0446 0000 0000 0000 0000 0000 0000 0000	00000000000000000000000000000000000000	.052	000
77         75.5.5.3.7         116.5653         .7466         .7459         .00979<	### ### ### ### ### ### ### ### ### ##		000000000000000000000000000000000000000	.052 .052 .070	.001
777	## ## ## ## ## ## ## ## ## ## ## ## ##	.0000 .0000 .0000 .0000 .0000 .0000 .0000	000000000000000000000000000000000000000	.052	.001
79         79<	## 993 715.5383 135.4617 11	.104 .109 .109 .109 .100 .100	012 010 010 010 00 010 00 00 00	.839	000
10	### 135.4617	.100 .100 .100 .100 .100 .100	010 010 011 011 013 002	.839	000
10   10   10   10   10   10   10   10	798 785,3803 12,6197  ***********************************	.109 .357 .829 .053	017 010 011 013 002		.003
10	## 104 688.4025 15.5975	.134 .357 .829 .053	010 011 013 002	.340	000
10   10   10   10   10   10   10   10	## 729 687.6042  ## 621 710.8940	.357 .829 .053	011 013 002 002		.0001
10   10   10   10   10   10   10   10	\$ 621 716.7315 -95.7315 -696.7315 -6.1940 -6.1	.053 .110	013 002 002	•	000
86         702.1940         -61940        0534        0628         .0026	# 696 702.1940 -6.1940 -12.8940 -757 744.6183 12.3817 744.6183 12.3817 -31.6157 -31.6157 -31.6157 -31.6157 -31.6157 -31.6157 -3.6157 -31.6	.053 .110	002	•	.003
10.0000	757 744-6183 12-3817 754 755-6157 -31-6	.110	005	v	000
86         75         74,6183         12,3817         .9100         .9168         .0093         22,388           86         766,6897         102,3013         .6374         .6259         .655           86         756,4920         8.5680         .6373         .6373         .6359         .655           90         .         831         758,4920         8.5680         .6373         .6359         .655           91         .         831         758,274         -56,2784         -68473         .6025         .655           92         .         .         660         752,274         -56,2784         -68473         .6025         .259 <td># # 757 744.6183 12.3817  # 869 766.6987 102.3013  # 784 775.4920 8.5080  # 784 775.4920 72.7703  # 696 752.2784 -66.2784  # 660 729.1511 -69.1511 -23.6928  # 743 709.1081 135.7877 11  # 797 661.2123 135.7877 11  # 797 661.2123 135.7877 11  # 829 688 5544 140.4456 11  # 829 688 5544 140.4456 11  # 829 755.2378 40.7622  # 820 777.337.0973 -20.0973  # 822 720.8978 101.1922  # 822 720.8978 101.1922  # 822 720.8978 101.1922  # 823 697.1915 112.8686 -1  # 824 638 4986 -142.6846 -1  # 825 777.3471 24.6846 -1  # 826 631 682 4986 -51.4986 -51.4986  # 748 736.6318 11.3582</td> <td>.1068</td> <td></td> <td>~</td> <td>000</td>	# # 757 744.6183 12.3817  # 869 766.6987 102.3013  # 784 775.4920 8.5080  # 784 775.4920 72.7703  # 696 752.2784 -66.2784  # 660 729.1511 -69.1511 -23.6928  # 743 709.1081 135.7877 11  # 797 661.2123 135.7877 11  # 797 661.2123 135.7877 11  # 829 688 5544 140.4456 11  # 829 688 5544 140.4456 11  # 829 755.2378 40.7622  # 820 777.337.0973 -20.0973  # 822 720.8978 101.1922  # 822 720.8978 101.1922  # 822 720.8978 101.1922  # 823 697.1915 112.8686 -1  # 824 638 4986 -142.6846 -1  # 825 777.3471 24.6846 -1  # 826 631 682 4986 -51.4986 -51.4986  # 748 736.6318 11.3582	.1068		~	000
100   100	## 869 766.6987 102.3013 ## 724 755.6157 -31.6157 -3. ## 696 752.2784 -56.2787 -56.2884 -56.2784 -56.2784 -56.2884 -56.2		600	7	000
88         **         724         755,6157         -31,6557         -2728         -2723         .0055         6.5           90         **         831         755,4527         72,7703         .0343         .0359	724 755.6157 -31.6157	891	025	7	. 005
899         85880         0742         0740         0.259         6.58           90         8.5880         0742         0.0742         0.0742         0.0259         6.58           91         8.5880         0.0742         0.0373         0.023         0.037         9.3           91         8.5         606         752.2784         -56.2784         -6943         -6965         0.076         1.2           93         8.         621         752.2784         -66.938         -20.395         0.076         1.2           94         8.         74         661.2123         135.7819         -26.22         -2036         0.076         1.2           95         8.         74         70.0280         -29.631         -26.22         -2036         0.076         1.2	## 696 725.2784 -56.2784 - 69.1511 -	.272	002	7	.0002
90	## 696 752.2784 -56.2784 - 56.2784 - 56.2784 - 56.2784 - 56.2784 - 56.2784 - 56.2784 - 56.2784 - 56.2784 - 56.2784 - 56.2781 - 2.34.52111 - 2.34.5211	<b>*10</b> *	025	un.	000
91	## 696 752.2784 -56.2784 -56.2784 - 69.1511 - 69.1511 - 29.46938	.637	036		•00•
92	#	484	005	R.	000
93         *         521         755,5211         -24,5211         -2,0268         -20195         000095         22,0395         000099         22,0395         000099         22,0395         000099         22,0395         000099         22,0395         000099         22,0395         000099         22,0395         000099         22,0395         000099         22,0395         000099         22,0395         000099         22,0395         000099         22,0395         000099         22,0395         000099         22,0395         000099         22,0395         000099         22,0170         00170         40,33         00170         40,33         00170         40,33         00170         40,33         00170         40,33         00170         00028         22,0170         00028         20,000 <td>## ## ## ## ## ## ## ## ## ## ## ## ##</td> <td>596</td> <td>007</td> <td>•</td> <td>.001</td>	## ## ## ## ## ## ## ## ## ## ## ## ##	596	007	•	.001
95	#. 743 709.1081 33.8919	-2.039	000	7	.012
95	# 743 709.1081 33.8919  # 797 661.2123 135.7877  # 735 71.4429 13.5571  # 829 688.5544 140.4456  # 805 670.3638 134.6362  # 796 755.2378 40.7622  # 821 697.1915 123.8085  # 822 720.8078 101.1922  # 822 770.3471 24.6866  # 797 763.8432 33.1568  # 8309 697.8924 -33.1568  # 631 682.4986 -51.4986  # 748 736.6318 11.36824  - 748 736.6318 11.3682	261	0504	2.7	.001
96	# 797 661-2123 135-7877 1	•292	600	107	000
97 * *		1.179	017	"	.007
99         *         746         905-7250         -14506         -14538         -1018         25.8           99         *         735         721-4429         13.5571         -1168         -1166         -0028         -7           99         *         829         668-5544         140,4456         1-1164         -11672         -0024         -1           90         *         805         670-3638         134-6562         -3512         -3506         -0024         -1           90         *         796         755-2378         40.7622         -3512         -3506         -0024         -5           90         *         777         737-0973         -20.0973         -20.0973         -0067         -0024         -5           04         *         777         737-0973         -20.0973         -2134         -0092         -2         -3           05         *         *         92         777-3471         24.6549         -10670         -0025         -0044         131           06         *         *         *         *         *         *         *         *         *         *         *         *         * <td< td=""><td>735 7214429 13.5571 -1.4 735 7214429 13.5571 -1.4 829 68.5544 140.4456 11.2 805 670.3638 144.6362 11.1 821 697.1915 123.8085 11.0 822 727.3471 24.6529 -2 822 777.3471 24.6529 -2 824 6529 -2 859 701.6846 -142.6846 -1.2 859 777.3471 24.6529 -2 859 701.6846 -142.6846 -1.2 8 802 777.3471 24.6529 -2 8 802 777.3471 24.6529 -2 8 802 777.3471 24.6529 -2 8 802 777.3471 24.6529 -2 8 802 777.3471 24.6529 -2 8 802 777.3471 24.6529 -2 8 802 777.3471 24.6529 -2 8 803 773.8432 -34.86924 -3.31.8682 -3.31.8</td><td>.743</td><td>0120</td><td>3.0</td><td>.0022</td></td<>	735 7214429 13.5571 -1.4 735 7214429 13.5571 -1.4 829 68.5544 140.4456 11.2 805 670.3638 144.6362 11.1 821 697.1915 123.8085 11.0 822 727.3471 24.6529 -2 822 777.3471 24.6529 -2 824 6529 -2 859 701.6846 -142.6846 -1.2 859 777.3471 24.6529 -2 859 701.6846 -142.6846 -1.2 8 802 777.3471 24.6529 -2 8 802 777.3471 24.6529 -2 8 802 777.3471 24.6529 -2 8 802 777.3471 24.6529 -2 8 802 777.3471 24.6529 -2 8 802 777.3471 24.6529 -2 8 802 777.3471 24.6529 -2 8 803 773.8432 -34.86924 -3.31.8682 -3.31.8	.743	0120	3.0	.0022
99         *         735         7214429         13,5571         -1168         -1166         -0040         1001           90         688.5544         140,4456         1.2110         1.2121         -0040         1.01           91         688.5544         140,4456         1.2110         1.2121         -0133         3.39           91         796         755.2378         40.7622         -3512         -3506         -0024         -59           93         717         737.0973         -20.0973         -20.0973         -20.097         -1734         -0092         2.34           94         717         737.0973         -20.0973         -20.097         -1734         -0092         2.34           95         72         73471         24.6529         -2136         -0044         1.10         -120           96         73         701.6846         -142.6846         -1.2290         -1.230         -0133         3.38           96         73         763.8432         33.1569         -2.865         -2.865         -0044         -1.530           96         97.8924         -31.9964         -386.466         -3.3543         -3.4446         -3.4446         -4.446	# 735 721-4429 13.5571 -12	1.453	1018	5.8	90.
000       *       829       686.5544       140.4456       1.2110       1.2121       .004D       1.001         01       *       805       670.3538       134.6362       1.1664       1.1672       .0033       3.38         01       *       70       755.2378       40.7622       .3512       .0024       .534         03       *       717       737.0973       -20.0973      1737      1734       .0092       2.34         04       *       821       697.1915       123.8085       1.0667       .0092       2.34         05       *       822       720.8078       101.1922       .8727       .8723       .0044       1.10         06       *       802       777.3471       24.6529       .2136       .2132       .0133       3.38         07       *       802       777.3471       24.6529       .2136       .0243       .0183       .455         07       *       802       777.3471       24.6529       .2136       .0044       1.553       .0048       .0048       .0058       .0058       .0058       .0058       .0058       .0058       .0058       .0068       .0058       .0058       .005	829 688.5544 140.4456 11.2 895 670.3638 134.6362 11.1 895 670.3638 134.6362 11.1 895 670.3638 134.6362 11.1 895 671.997320.097311.2 892 720.8078 101.1922 882 777.3471 24.6529 882 11.0 892 777.3471 24.6529 882 883 883 883 883 883 883 883 883 883	.116	005	• 709	00.
01       33,38       134,6362       1,1664       1,1672       ,0133       3,38         02       796       755,2378       40,7622       ,3512       ,3506       ,0024       ,59         03       **       177       737,0973      1737      1734       ,0092       2,234         04       **       821       697,1915       123,8085       1,0667       1,0670       ,0092       2,234         05       **       802       777,3471       24,6529       ,2136       ,2132       ,0133       3,38         06       **       **       802       777,3471       24,6529       -2136       ,2132       ,0133       3,38         07       **       **       **       773,8437       **	** * * * * * * * * * * * * * * * * * *	.212	400	• 015	.002
03       ***       796       755-2378       40,7622       *3512       *3506       *0024       *593         03       ***       717       737,0973       -20,0973       -1737       -1734       *0092       2.34         04       **       821       727,1915       103,8085       1************************************	** 796 755.2378 40.7622  ** 717 737.0973 -20.0973  ** 821 720.8078 101.1922  ** 802 777.3471 24.6529  ** 559 701.6646 -142.6646 -1  ** 631 682.4986 -51.4986  ** 632 753.9824 -388.8924  ** 612 753.9824 -141.9824  ** 748 736.6318 11.3682	.167	013	.383	• 000
03       **       717       737.0973      1737      1734       .0092       2.34         04       **       821       697.1915       123.8085       1.0667       1.0670       .0025       .623         05       **       822       720.8078       101.1922       .8727       .6132       .0044       11.10         06       **       802       777.3471       24.6529       -1.2290       -1.2302       .00133       3.38         07       **       559       701.6846       -1.2290       -1.2290       -1.2302       .0013       .45         09       **       797       763.8436       -51.4986       -3.4446      3.4439       .0066       1.67         10       **       531       682.4986       -51.4986       -3.33597       -3.4310       .0066       1.67         11       **       **       512       753.9824       -141.9824       -1.2279       .0078       1.97         12       **       **       748       736.6318       11.3582       .0988       .0193       .0193       .0193       .0193         14       **       **       7       736.4375       -1338       -1335       <	717 737,0973 -20,0973 -20,0973 - 20,	•3506	005	.598	000
04       821       697.1915       123.8085       1.0667       1.0670       .0025       .62         05       822       720.8078       101.1922       .8727       .8723       .0034       13.10         06       .       .       .       .       .0033       3.38         07       .       .       .       .       .0133       3.38         07       . </td <td></td> <td>.173</td> <td>600</td> <td>E.</td> <td>.0001</td>		.173	600	E.	.0001
05       . #       822       720.8078       101.1922       . 8727       . 6723       . 0044       11.10         06       . #       . 802       777.3471       24.6529       . 2136       . 22132       . 00133       33.38         07       . #       . 559       701.6846       -142.6846       -1.2290       -1.2332       . 0018       . 45.33         08       . #       . 797       763.8436       -51.4986       -3.8452       . 0061       1.656       1.657         10       . #       . 309       697.8924       -3.34597      3.4439       . 0066       1.677       1.697       1.697         11       . #       . 612       753.9824       -141.9824       -1.2267       . 0078       2.007       1.697       2.007         12       . 78       736.6318       11.3682       . 0986       . 0193       4.90       . 0193       4.90         13		•067	005	•627	00.
06       .**       802       777.3471       24.6529       .2136       .2132       .0133       33.38         07       .** </td <td>* * * * * * * * * * * * * * * * * * *</td> <td>872</td> <td>00</td> <td>• 106</td> <td>.001</td>	* * * * * * * * * * * * * * * * * * *	872	00	• 106	.001
07     *     559     701.6846     -142.6846     -1.2290     -1.2290     -1.2290     .0018     .45       08     *     797     763.8432     33.1568     .2862     .2857     .0061     11.55       10     *     631     682.4986     -51.4986    4446    4439     .0066     11.67       10     *     309     697.8924     -3888.8924     -141.9824     -1.2279     .0078     11.97       12     *     612     753.9824     -141.9824     -1.2279     .0079     2.007       13     *     0     736.6318     11.3682     .0988     .0193     4.90       14     *     721     736.4375     -1338     -1335     .0133     3.42       15     *     *     70     655.8947     84.1053     .7340     .0294     7.45		.213	013	.383	000
08		1.230	00	•459	• 005
09 631 682.4986 -51,4986444644450066 1.67  10 *	. * 631 682.4986 -51.498644 * 309 697.8924 -388.8924 -3.35 . * 612 753.9824 -141.9824 -1.22 . * . 748 736.6318 11.3682 .09	285	900	.559	000
10 #	* *	.443	900	•679	000
11 .	. * . 612 753.9824 -141.9824 -1.22 . * . 748 736.6318 11.3682 .09 0 730.9123 .	3.431	007	.975	.033
12 .	. * . 748 736.6318 11.3682 .09 0 730.9123 .	1.227	00	• 000	0
13 0 730.9123	. 0 730.9123 .	098	010	.907	• • • •
14 .			900	• 079	•
15 750 670,4005 79,5995 .6914 .6906 .0183 4.65	. †21 736.4375 -15.437513	.133	013	.421	.000
16 740 655s8947 84s1053 .7347 .7340 .0294 7.45		9	018	.651	• 005
	740 655,8947 84,1053 .73	.734	.029	. 455	
RF *PRED *RESID *SRESID *SDRESID *LEVER *MA	O: #RESID #SRES	SORESI	LEVE	X	*C00K

CASEWISE PLOT OF STANDARDIZED RESIDUAL

217         61         722,535        6313        6005         -0005	CASE #	0.50			PERF	*PRED	#RESID	*SRESID	<b>*SDRESID</b>	*LEVER	*MAHAL	*C00K D
2.2   2.2	21		•	•		452			•	020	.27	•
222	_	•		•		631	.631	.005	.005	015	.97	000
22.2         2.2         4.6         4.6         4.6         4.6         4.6         4.6         2.2 <td>-</td> <td></td> <td>•</td> <td>•</td> <td>744</td> <td>031</td> <td>2.969</td> <td>198</td> <td>197</td> <td>005</td> <td>.300</td> <td>.000</td>	-		•	•	744	031	2.969	198	197	005	.300	.000
2.2.1         ****         \$95         77.617.         -10.2.617         -1.1113         -1.013         2.6.200         -2.20         -2.201         -1.013         -2.201 </td <td>•</td> <td>•</td> <td>*</td> <td>•</td> <td>834</td> <td>590</td> <td>11.409</td> <td>962</td> <td>962</td> <td>900</td> <td>.201</td> <td>.0030</td>	•	•	*	•	834	590	11.409	962	962	900	.201	.0030
22.2	Cu.	•		•	595	617	162.617	1.409	1.411	013	3.441	80
22.3         ***         761         772,0628         33,9372         **2917         **0091         **0688         17,4808           22.5         ***         771         772,0428         -1071         **0071         **0088         17,4808           22.5         ***         771         722,9427         48,6573         **0142         **0131         **0131         **0188           22.5         ***         771         760,0124         57,006         **0171         **0072         **0188         **1032         **004         **0131         **0032         **1033         **0188         **0022         **0131         **0032         **1033         **004         **0131         **0032         **1033         **0032         **1033         **004         **0131         **0032         **1033         **0032         **1033         **0032         **1033         **0032         **1033         **0032         **1033         **0032         **1033         **0032         **1033         **1033         **1033         **1033         **1033         **1033         **1033         **1033         **1033         **1033         **1033         **1033         **1033         **1033         **1033         **1033         **1033         **1033 <t< td=""><td>O.</td><td>•</td><td></td><td>•</td><td>811</td><td>450</td><td>122.450</td><td>1.112</td><td>1.113</td><td>103</td><td>6.200</td><td>.0371</td></t<>	O.	•		•	811	450	122.450	1.112	1.113	103	6.200	.0371
225         771         772         772,552.5         58.4364         -5041         -0077         -1088         11.4808           226	C)	•	*.	•	761	062	3.937	292	291	00	.275	.0001
225         **         794         755.619         -88274         -0071         -0058         -14831           226         **         794         755.619         -86.61728         -1442         -1513         -0032         -8103           226         **         741         705.0152         34.988         -1504         -0011         1.7881           226         **         764         764.0016         -22.9066         -1979         -0012         -1813           227         **         765.4006         -22.9066         -1979         -0010         1.7869           227         **         764.7001         -22.9066         -1979         -0010         1.7869           227         **         766.7647         -1768         -1768         -1768         -1789           227         **         766.7647         -1768         -1768         -1768         -1768           228         **         766.7647         -1768         -1768         -1768         -1768           228         **         766.7647         -1768         -1768         -1768         -1768           228         **         766.7647         -1768         -1768         -1768<	σ.	•		•	80e	600	78.600	۲.	.700	6	7.480	9600*
227         **         771         725,6516         58,434         *5041         *5	C	•	*	•	697	172	827	0	007	80	.483	0000
227          771         722,942.7         48.0573  <	٨	•	*	•	794	563	8.436	504	504	9	.953	.0007
226         ***         741         706, 1052         34, 9888         *3024         *0121         35,0818           229         ***         724         766, 5006         *5012         *5004         *0121         35,0818           231         ***         764         766, 5006         *22,966         *1973         *0122         35,0818           231         ***         866         772,482         *124,942         *1797         *0122         35,080           233         ***         866         779,482         *1244         *7245         *1279         *0093           234         ***         866         779,4816         117,977         *0169         *2226           235         ***         700         777,125         *244         *234         *0169         *2226           236         ***         700         779,777         *17,797         *0169         *2226           237         ***         700         779,777         *17,797         *0169         *2226           236         ***         776         770,777         *17,771         *2794         *2396         *0169         *2226           237         ***         ***	N	•	*.	•	171	945	8.057	414	413	003	.810	000
2.2.9         ***         729         671.0014         57.0086         *5012         *5014         *0113         2.8695           2.3.1         ***         764         762.4613         672.9666         *1933         *1934         *0013         *7819           2.3.1         ***         866         729.8863         116.4137         *10818         *1082         *0123         \$2000           2.3.2         ***         866         729.8863         116.4137         *11797         *0193         *2000           2.3.3         ***         866         729.8863         116.4137         *11797         *0013         *2200           2.3.4         ***         866         779.777         *17179         *10199         *0013         *2200           2.3.5         ***         705         867.180         77.777         *17179         *2300         *0103         *2200           2.3.6         ***         706         772.172         *27.775         *17179         *2300         *0160         *27.65           2.3.6         ***         706         772.172         *27.775         *27.60         *27.60         *27.60         *27.60         *27.60         *27.60         *27.60 <td>N</td> <td>•</td> <td>*.</td> <td>٠</td> <td>741</td> <td>015</td> <td>4.984</td> <td>m</td> <td>302</td> <td>012</td> <td>.081</td> <td>•000•</td>	N	•	*.	٠	741	015	4.984	m	302	012	.081	•000•
233         ***         764         786,4606         -22,4615         -1979         -0070         17819           233         ***         866         792,4613         -1983         -6862         -6816         5,600           233         ***         866         729,4613         -1,797         -1,1797         -0082         -0152         3,0969           234         ***         866         729,4816         11,7977         -1,0159         -1,0169         -0082         -0162         3,0969           235         ***         866         729,4816         117,977         -1,0159         -1,0169         -0082         -0160         -2,032           235         ***         607         79,777         -1,0159         -1,0169         -2,032         -2,036         -1,0169         -2,032           237         ***         796         107,711         -2,324         -2,346         -0169         2,0426           237         ***         796         107,711         -2,324         -2,346         -0109         2,0426         -2,046         -2,046         -2,046         -2,046         -2,046         -2,046         -2,046         -2,046         -2,046         -2,046         -2,046 <td>C)</td> <td></td> <td>*.</td> <td>•</td> <td>729</td> <td>091</td> <td>7.908</td> <td>មា</td> <td>500</td> <td>011</td> <td>•869</td> <td>.0010</td>	C)		*.	•	729	091	7.908	មា	500	011	•869	.0010
233         672,4813         672,4813         672,4813         672,4813         672,4813         672,4814         -10816         -1082         -0083         5.9600           233         866         729,5863         136,4137         1.7782         -0152         3.0969           234         862         796,4816         832,7914         -2344         -235         -0013         2.0992           235         862         796,4816         87,777         -1774         -2344         -234         -0013         2.7652           237         87         776         107,4140         -2394         -2396         -0103         2.7652           237         87         774         766,826         774,777         -10159         -10159         -10160         4.5562           240         87         774         766,826         776,1140         -2394         -2396         -0160         4.5667           240         77         774         766,826         776,1140         -2362         -2389         -0160         4.5667           244         77         77         774         774,1140         -2562         -2.889         -0016         1.2766           244 <td< td=""><td>F</td><td>•</td><td>*</td><td>•</td><td>764</td><td>960</td><td>22.96</td><td>-</td><td>.197</td><td>007</td><td>.781</td><td>.000</td></td<>	F	•	*	•	764	960	22.96	-	.197	007	.781	.000
232         ***         \$48         722,9422         -124,9452         -11,0818         -110822         20,095	-	•	•	•	860	451	7.54	S	587	023	.960	•005
233         ***         866         799,5663         136,4137         1.1788         1.1797         .0083         2.0992           234         ***         862         799,5663         136,4137         1.1788         1.1797         .0013         2.526           236         ***         706         72,2125         ***	m	•	•	•	548	945	124.94	1:0	1.082	012	.096	*00*
234         *** <td>ຼຕ</td> <td>•</td> <td>*</td> <td>•</td> <td>866</td> <td>586</td> <td>36.41</td> <td>-</td> <td>.179</td> <td>900</td> <td>.099</td> <td>.0043</td>	ຼຕ	•	*	•	866	586	36.41	-	.179	900	.099	.0043
235         **         700         727,2125        2344        2340         -0013         -5255           236         **         795         687,1860         107,477         -10159         -10159         -0109         -5256           237         **         795         687,1860         107,417         -10159         -10169         -0101         -3230           238         **         774         776,1860         27,6110         -2346         -0100         -0160         4056           241         **         778         772,5227         25,4473         -2194         -0520         -0160         4056           242         **         778         7	•	•	•	•	882	4	3,51		723	015	.850	.0026
236         **         602         719,977         -117,977         -1.0159         -0013         -3330           237         **         794         774         766,3990         107,4140         -9326         -0109         2.7652           239         **         774         766,2990         7.1173         -0622         -0160         4.0569           239         **         774         774         722,1940         -2.569         -0050         1.2735           241         **         770         772,1940         -2.961940         -2.5608         -0050         1.2735           243         **         770         774         722,1940         -2.5608         -0050         -0050         -0050           243         **         770         747,531         42,466         -2.5608         -0026         -0039         -2.8608           244         **         681         744,6804         -5.267         -0039         -0173         44002           245         **         681         744,8804         -5.843         -2.564         -0039         -2.864           247         **         681         74,8804         -5.843         -2.864         -0039	F)	•	•	•	100	~	27.	8	.234	005	522	10001
237         ***         795         687,1860         107,8140         *9326         *0109         27,652           238         ***         774         766,8262         27,473         *0620         *0160         4.0569           241         **         774         766,8262         25,4773         *0620         *0160         4.0569           241         **         778         772,5227         25,4773         *2194         *0050         1.2735           243         **         778         771,6427         *2966         *3966         *3969         *3667           244         **         778         771,6427         *2966         *3966         *3967         *3667           244         **         778         771,6427         *2966         *3966         *3667         *6667           244         **         778         771,728         *2876         *3650         *3667         *6667           244         **         **         691         699,8436         *52102         *3650         *3667         *6667           245         **         **         691         699,8436         *52187         *3650         *3667         *3677	E)	•		•	802	0	117.	1.0	1.015	00	323	.001
240	m	•	*	•	795	~	07.	Q.	932	010	.765	.003
240         .0620         .0140         3.5508           241         .0621         .0620         .0140         3.5508           241         .0621         .254773         .2194         .0050         .2573           242         .0621         .254773         .25808         .0053         .8647           243         .0621         .25470         .25808         .0033         .8441           244         .0621         .25470         .25806         .0039         .2220           244         .0621         .0622         .3956         .0039         .2220           244         .0621         .0620         .0039         .2220         .2865           244         .0621         .0626         .0039         .2220         .2866           245         .0621         .0626         .0603         .2220         .2866           247         .0621         .0626         .2604         .060	m	•	*.	•	824	г,	7.601	٨	239	016	.056	.0003
240       .8       772.5227       25.4773       .2199       .2194       .0026       .6667         241       .8       .9	10	•	*	•	774		.173	0	062	014	.550	.0000
241       **       406       702.1940       -2.5522       -2.5808       .0026       .6667         243       **       778       731.6427       46.3573       .3996       .3996       .0033       .8841         243       **       790       747.5331       42.4669       .3956       .3956       .0033       .8841         244       **       810       764.7128       45.8672       .3956       .0013       4.2220         245       **       694       699.8436       -5.8436      0504       .0053       2.220         246       **       631       744.8804       -65366       -2.2512      0504       .0058       1.3802         246       **       653       733.7431       -80.7431      6990      6983       .0120       1.9736         249       **       715       793.3869       -3.2651      5035       .0076       1.9736         250       **       734       684.5361       -9.4397      5043      6935       .0076       1.1771         251       **       734       684.5361       49.4639      3265       .0076       1.1771         253       **       ** <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>198</td> <td>ທຸ</td> <td>5.477</td> <td>N</td> <td>219</td> <td>002</td> <td>.273</td> <td>.0001</td>	•	•	•	•	198	ທຸ	5.477	N	219	002	.273	.0001
242       .**       778       731-6427       46.3573       .3996       .3989       .0033       .8441         243       .**       .**       790       747-331       42.4669       .3556       .3925       .0173       .2220         245       .**       .**       694       699.8436       -5.8436      0504       .0083       2.1105         245       .**       .**       681       744.8804      5512      0504       .0078       1.3802         247       .**	•	*	•	•	406	7	296,194	2.5	2.580	005	999	.0107
244 790 747.5331 42.4669 .3656 .3650 .0039 .2220 .2220 .244 691 74.7128 45.2872 .3931 .3925 .00783 2.1105 .244 691 74.8904 -63.8904 -5512 -5504 .0083 2.1105 .247 691 74.8904 -63.8904 -5512 -5504 .0078 1.9736 .247 691 74.8904 -63.8904 -5512 -5504 .0078 1.9736 691 774.8904 -22516 -2.2702 693 6930	•	•	*.	•	778	9	6.357	m	398	003	844	.0003
244       ***       *	•	•	*.	•	790	'n	2.466	3	365	000	22	.0002
245       * 699.8436       -5.8436      0504       .0083       2.1105         246       * 681       744.8804       -63.8804      5512      5504       .0054       1.3802         247       * 681       744.8804       -63.8804      5512      5504       .0058       1.9802         247       * 683       693.869       -60.781      6983       .0078       1.9736         249       * 683       773.741       -80.7431      6983       .0076       1.9320         250       * 683       773.3761       -80.3761      5043      6046       1.9320         251       * 773.3761       -80.3763       -3065       .0076       1.9320         252       * 746       -80.4639      4295       .0076       1.9771         253       * 746.4639      4295       .0076       1.1771         254       * 744.4639      0477       .0046       1.1720         255       * 717.1384       -211.1384       -1.8323       -1.8450       .0106       2.1669         255       * 810       678.2835       -0477       .0046       1.1720       2.5443         254       * 810       724.4240	4	•	*.	•	910	~	5.287	3	392	017		.0008
246       ***       681       744.8804       -63.8804      5512      5504       .0078       1.3802         247       **       633       733.7431       -690      5693       .0078       1.9736         249       **       773.3761      5690      5043       .0076       1.9736         250       **       773.3761      5643       .3059       .0076       1.9771         251       **       734       684.5361       49.4639       -3.2637       .4269       .0278       1.1771         253       **       734       684.5361       49.4639       -3.2637       .4295       .0278       1.1771         253       **       734       684.5361       49.4639       -3.2637       .4295       .0278       1.1771         253       **       714       5868       -3.2637       -3.2637       -3.028       1.1720         254       *       717       724.5443       -1.8410       .0278       4.2244         255       *       581       678.8356       -97.8356       -0478       -0478       -0478         257       *       810       729.9826       80.0174       -2.283       -0	•	•	*	•	694	843	5.84	•050	.050	008	. 11	0000
247       *       432       692.6356       -260.6356       -2.2516       -2.2702       .0078       1.9736         249       *       653       773.7431       -80.7431      6990      6998       .0120       3.0477         250       *       745       773.7451       -80.7431      6990      6998       .0076       1.9736         250       *       745       709.4027       35.5973      3065       .3069       .0011       .2681         251       *       739.3869       -378.3869       -3.2637       -3.2637       -3.029       .0011       .1771         253       *       734       684.5361       49.4639       -3.2637       -3.2637       -4295       .0208       1.1771         253       *       719       724.5443       -211.1384       -1.8436       -0.047       .0046       1.1720         255       *       .       506       717.1384       -211.1384       -1.8456       -0.047       .0046       2.1669         255       *       .       506       717.1384       -211.1384       -1.8456       -0.047       .0106       2.7048         257       *       .       809.4374	•	•		•	8	æ	63.88	.551	.550	005	933	.0007
248       ***       653       733,7431       -80,7431      6990      6983       .0120       3.0477         249       ***       715       773,3761       -56,3761      5043      5035       .0076       1.9320         250       ***       745       779,3869       -376,3869       -3065       .3065       .0011       .2681         251       **       734       684,5361       49,4639       -3.2637       -3.3286       .0046       1.1771         252       **       *       734       684,5361       49,4639       -3.2637       -3.3286       .0046       1.1771         253       *       *       734       684,5361       49,4639       -0.477       .0046       1.1720         254       *       *       719       724,5443       -5.5443       -2.0478       -0.047       .0046       1.1720         255       *       *       .       506       717,1384       -211,1384       -1.8323       -1.8450       .0046       4.2544         256       *       *       .       506       77,8356       -9.7835       -6916       .0106       2.7048         257       *       * <td< td=""><td>4</td><td>*</td><td>•</td><td>•</td><td>3</td><td>ø</td><td>60.635</td><td>2.251</td><td>2.270</td><td>004</td><td>•97</td><td>.015</td></td<>	4	*	•	•	3	ø	60.635	2.251	2.270	004	•97	.015
250 * * * 715 773.3761 -58.376150435035 .0076 1.9320 .2681 .2581 .35.5973 .3055 .3055 .3059 .0011 .2681 .2681 .2581 .3059 .0011 .2081 .2581 .3059 .0011 .2081 .2581 .3059 .0011 .2081 .2581 .3059 .0011 .2081 .2581 .3059 .0046 1.1771 .2583 .3050 .3050 .3059 .0046 1.1771 .2583 .3050 .3	•	•	•	•	S	۲.	80.743	•669	• 698	012	•0	.0020
250	4	•		•	-	3.3	58,376	.504	.503	0	•932	.0007
251 *	ຜ	•	*.	•	4	4.0	35,597	306	305	0	.2681	0
252	ഗ	*	•	•	ø	39.3	378,386	3.263	3,328	0	.177	.023
253 0 685.6868	ഗ	•	•	•	m	84,53	9.463	430	429	0	.280	.001
254 .	ഗ	•	•	•	0	85.68	•	•	•	00	.230	•
255 .	S.		*	•	-	24.544	5.544	.047	.047	00	.172	000
256 .	S	•	•	•	0	17.138	211.138	1.832	1.841	910	.224	.017
257	S	•	•	•	•	78.835	97.835	.845	.845	008	. 166	.002
259 • • • • 782 809.4374 -27.437423832378 .0179 4.5382 • • • • • 799 744.4240 54.5760 .4731 .4724 .0147 3.7262 • 260 • • 737 727.4012 9.5988 .0830 .0829 .0102 2.5940 • 60000 00000 00000 00000 00000 00000 00000	S.	•	•	•	~	29.982	0.017	692	691	010	.704	001
259 799 744,4240 54.5760 .4731 .4724 .0147 3.7262	•	•		•	8	09.437	27.437	.238	.237	017	.538	.0003
260 . # 737 727.4012 9.5988 .0830 .0829 .0102 2.5940	S.	•	*.	•	O	44.424	4.576	473	472	910	.726	. 0011
ACONTA PRODUCT ACOUNTY ACCOUNTS ACCOUNT	·	•		•	'n	27.401	.598	083	082	010	.594	000
TOTAL CIPTURE CONTROL	,											

CASEWISE PLOT OF STANDARDIZED RESTOUAL


	-3.0	0.0	3.0							
CASE #	0::-	); • • • • • • • ; • • • • • • • ; 0	0: • • • •	PERF	*PRED	*RESID	*SRESID	#SDRESID	*LEVER	*MAM*
261	•	•	•	619	684.1242	-5.1242	0442	0441	.0056	1-4256
262	•	•	•	793	697.8267	95.1733	.8226	.8221	8800	SEC. 6
263	•	•	•	654	710,9915	-56.9915	-4410	E064-	4000	100
264	•	*	•	837	714.0823	122.9177	1.0584	1.0586	47.00	0 - F
265	•	•	•	0	750.2848	•			00.75	440.1
CASE #	0:	3: • • • • • • • • • • • • • • • • • • •	0: 1	PERF	#PRED	#RESID	#SRFS10	#508FS10	AL FVFD	****
	-3.0	0.0	3.0			1		1	: : :	


RESIDUALS STATISTICS:


z	255	255	255	255	55	255	55	55	255	255	255	255	
STO DEV	46.5543 2						_			3.4577 2	.0086 2		
MEAN	732.6588	.0000	13,7803	732.8001	.0000	.0000	9000			2.9882	.0038	.0118	
# AX	933.4507 732.6588	4.3131	38.1007	948.1343	231.8339	1.9911	1.9989	233.6531	2.0110	56.2009	.0852	.1032	
X TX	622.5541	-2,3651	7.3042	620.0224	-432.0197	-3.7103	-3.7549	-442,4657	-3.8574	.0035	0000	0000	265
	*PRED	*ZPRED	*SEPRED	*ADJPRED	#RESID	*ZRESIO	*SRESID	*DRESID	#SORESID	*MAHAL	*C00K D	*LEVER	TOTAL CASES


DURBIN-WATSON TEST = 1.84815


RESI											
STANDARDIZED	#ZRESID	-3.71035	399	654	249	854	7909		5438	S	9
OUTLIERS -	CASE #	69	210	•	251	ın	<b>*</b>	128	241	79	60











REGRESSION \*\*\*\* MULTIPLE

CORPELATION. COVARIANCE. 1-TAILED SIG. CROSS-PRODUCT:

44	.020 48.275 377 12261,729	149 628 008 008 157.624 818 16723.823	400-1-0	2155.923 2000 547604.333 164.942 11895.192	153 -5.949 -007 -1510.984	1.000 383.046 .999 97293.749 129.082 32786.847
=	031 -7.668 -311 -1947.671	.000 .000 .499 024 -319.498	10 00 00 00 00 00 00 00 00 00 00 00 00 0	-183 -50.332 -12784.333 -093 -8.146	1.000 3.936 999.749	-1510-984 -1510-984 -3467 -9840-553
6PA	-176.256 -176.256 -44768.965	2.212 2.212 2.3013.905	181.386	242 1478.526 000 375545.667 1,000 1947.678 494710.337	093 -8.146 .069	164.942 164.942 0001 41895.192 36.520 36.520
SATE	568,894 568,894 300,300	-184 -5.409 -5.409 -1374.000 -1374.000	0000	1.000 19151.349 .999 4864442.667 .242 1478.526 .000	-12784-333	2155.923 .000 547604.333 .396 771.382 .000
<	3.418 3.418 0.097	-1 -0080 -1 -1006 -1 -1006 -1007 -1007	1.000		.092 .061 .072	- 0004 - 0024 - 0020 - 0020 - 0030 - 0030 - 0030
819	.059 7667.044 1947429.129	-54.131 -54.131 -000 -13749.224 1.000 1090919.887	7 10 ° 00 4 7 4 7 4 7 4 7 4 7 4 7 4 7 4 7 4 7	115948.604 .000 .000 29450945.333 .499 23013.905 .000 5845531.792	-319.498 -319.498 -319.498	.818 16723.823 .000 4247851.149 .407 5987.832 .000 1520909.247
SEX	3112 3111	1,000 .045 .11.435 -244 -54.131		-5.409 -5.409 -1374.000 -001 -009 -494		149 621 008 157.624 139 414 013
PERF	1.000 1.5564.635 9999 3953417.318	.012 .311 .426 .78.906 .059 .7667.044	3. 001 3. 001 8. 005 005 005	568.894 14449.000 14469.000 -176.255 -44768.965	031 -7.668 .311 -1947.671	48.275 377 12261.729 402.153
	PERF	6 S X	<	S 6 9 4 6 4 6	ı	* 4

	x	057	-1.771	.181	-449.753	228	-9.603	000•	-2439.247	014	55R	.410	-141.639
* * * * * * * * * * * * * * * * * * * *	GPA	. 158	108.661	900.	27599.776	.126	117.820	.022	29926.224	.211	182.844	000	46442.420
* * * * * BULTIPLE REGRESSION	SATE	.547	1178.524	000•	299345.000	.689	2020.854	000	513297.000	.641	1740.794	000.	442161.667
TIPLE R	∢	.105	.550	.047	139.694	073	522	.122	-132.694	.083	.548	.093	139.188
10 x + + +	618	.580	9427.665	000•	2394626.847	.692	15320.390	• 000	3891379-153	119.	13881.431	000.	3525883.427
*	SFX	104	343	.049	-87.071	176	791	.002	-200.929	107	446	440.	-113,341
	PERF	.206	399.323	000.	101427.988	027	-71.815	. 333	-18240.988	.077	187.928	.111	47733.776

**8** 

ž

4

.660 201.146 .000 51091.047 351.102 .000 89179.953 .802 308.072 .000 78250.227

<b>₽</b>	.077 187.928 111. 47733.776	107 446 044	.677 13881.431 .000 3525883.427	. 0 9 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	.641 1740.794 .000 442161.667	.211 182.844 .000 46442.420	4100.1 4100.1 4100.0	.802 308.072 .000 78250.227	.429 118.411 .000 30076.482
8>	027 -71.815 -333 -18240.988	-176 -791 -002 -200.929	.692 15320.390 .000 3891379.153	073	.689 2020-854 .000 513297.000	.126 117.820 .022 29926.224	228 -9.603 -000 -2439.247	.847 351.102 .000 89179.953	.352 104.821 .000 26624.659
ž	399,323 399,323 000,	-104 -343 -049 -040	.580 9427.665 .000 2394626.847	.105 .550 .047	.547 1178.524 .000 299345.000	.158 108.661 .006 27599.776	1.057 1.771 1.0181 1.049	.660 201.146 .000 51091.047	.804 176.108 .000 44731.341
PL	402.153 600. 102146.788	1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	\$987.832 .000 1520909.247	020 093 378	.396 771.382 .000 195931.000	.059 36.520 .175	48.0. 48.0. 48.0. 48.0. 48.0.	.469 129.082 .000 32786.847	1.000 198.001 . 999 50292.141
	<b>ማ</b> ጁ π	X W	618	∢	SATE 545	<b>V Q D</b>	3	<b>*</b>	PL

10	. 775	236.878	000.	60167.082	.375	155.823	000	39578.918	1.000	385.312	666*	97869.231
80 >	046.	112.284	000•	28520.259	1.000	448.975	666.	114039.741	.375	155.823	000	39578.918
2	1.000	242,322	666.	61549.741	340	112.284	000.	28520.259	.775	236.878	000.	60147,082
4	+904	176-108	000.	44731.341	.352	104.821	000•	26624.659	.429	118.411	000.	30076.482

>

**E** 

**P** 

REGRESSION \*\*\*\* NULTIPLE

DEPENDENT VARIABLE.. PERF DESCRIPTIVE STATISTICS ARE PRINTED ON PAGE EQUATION NUMBER !

METHOD: STEPWISE BEGINNING BLOCK NUMBER 1.

4 VARTABLE(S) ENTERED ON STEP NUMBER 1..

	MEAN SQUARE	207467-13309	14806-12721		
	SUM OF SQUARES	207467.13309	3745950.18456	SIGNIF F = .0002	
RIANCE	36		253		
ANALYSIS OF VARIANCE		REGRESSION	RESIDUAL	F = 14.01225	
		_		-	
	.05248	14.01225	-0005		
	SQUARE CHANGE	F CHANGE	IGNIF F CHANGE		1.000
	œ	u.	S		1.000.
	.05248		121		DUNDS:
MULTIPLE R	R SQUARE	ADJUSTED R SQUARE	STANDARD ERROR		CONDITION NUMBER BOUNDS:

VAR-COVAR MATRIX OF REGRESSION COEFFICIENTS (B) BELOW DIAGONAL: COVARIANCE ABOVE: CORRELATION

.29440 ٦ ส์ 247

XTX MATRIX												
	PL		PERF	,	SEX	\$19	≪	SATE	<b>6</b> ₽ A	I	AA	ž
٦.	1.00000	• •• •	22908	• ••	.13881	40742	95610.	-,39613	05881	.12418	46871	80399
PERF	. 22908 :		:		.04354	03449	.08595	05779	04548	00253	08760	.02144
SEX	13881		.04354	! 	.98073	18770	08255	12924	60600.	01746	08437	.00782
618	.40742	••	03449	••	18770	.83401	.02497	.64079	.47531	-,10359	.62715	.25229
~	01956	••	.08595	••	08255	.02497	.99962	.00808	02036	.08941	•00556	.12077
SATE	.39613	••	05779	••	12924	64079	.00ROR	.84308	.21879	13413	.61032	.22859
€P.A	.05881	••	0454R	••	60600.	.47531	02036	.21879	₹366.	08573	.16340	.11089
*	12418	••	00253	••	01746	10359	. 08941	13413	08573	.98458	-,09500	.04251
**	.46871	••	08760	••	08437	.62715	.00556	.61032	.16340	09500	.78031	.28338
> ×	.80399	••	.02144	••	.00782	.25229	.12077	. 22R59	.11089	.04251	.28338	.35361
8.4	.35157	••	10770	**	-,12715	.54901	06643	.54990	.10532	18479	.68185	.05776
4	.42870	••	02147	**	E9260*-	.50241	.09139	.47101	.18585	.03892	.60096	.43055

EQUATION NUMBER 1 DF-ENDENT VARIABLE.. PERF XTX MATRIX

7g 47	3515742870	PERF1077002147	-1271504763	.54901 .50241	06643 .09139	.54990 .47101	.10532 .18585	18479 .03892	.66185 .60096	.05776 .43055	.87640 .22392
-------	------------	----------------	-------------	---------------	--------------	---------------	---------------	--------------	---------------	---------------	---------------

•				t	٧٨	IRTABLES I	N THE E	OUATION				VARIABLES IN THE EQUATION	
24	VARIABLE	60	SE B	95% CONFD	NCE IN	ONFONCE INTRVL B	BETA	A SE BETA		CORREL PART COR	PAPTIAL T	TOLERANCE	۲
.8	PL (CONSTANT)	2,031069	.542589	.962503	3.	3.099634 666.878238	.229081	.061198	. 229081	181 •229081	.229081	1.000000	3.743
•					IABLES	T NI TON :	НЕ ЕОИЛ	VARIABLES HOT IN THE EQUATION	1	!			
-	VARTABLE	516 7	VAPIABLE	BETA IN	PARTIAL	IL TOLERANCE		MIN TOLER	-	S16 T			
_	٩٠	-0002	SEX	066440.	.045162	. 98073	1731	.980731	.718	.4736			
	(CONSTANT)		618	041358 -	-,038802	12 .834011	110	.834011	616	.5382			
			∢	.085983	.088315		618	.999618	1.407	.1605			
			SATE	-,068552 -	064664	•	843082	.843082	-1.029	.3046			
			6P.A	045642 -	046807	17 .996542	542	.996542	744	.4577			
			I	002572 -	002622	. 984579	579	.984579	042	.9668			
			44	112266 -	101850		308	.780308	-1.626	.1053			
			> Z	.060630	.037038	353606	9091	.353606	.588	.5568			
			48	122893 -	118191	•	876402	.876402	-1.889	0090			
			10	026302 -	024411	•	816216	.816216	388	9869•			

END BLOCK NUMBER 1 PIN = .050 LIMITS REACHED.

EQUATION NUMBER 1 DEPENDENT VARIABLE. PERF

	CORREL .2291
	. 2291
	VARIABLE BETAIN Pl
	: Z
TABLE	SIGCH .000.
SUMMARY TABLE	FCH SIGCH 14.012 .000
	RSQCH • 0525
	\$16F
	F(EGN) 14.012
	4DJRS0 .0487
	RSQ .0525
	MULTR .2291
	STEP

PERF DEPENDENT VARIABLE.. EQUATION NUMBER 1

	-3.0	0.0						
CASE #	0::0	• • • • • • • • • • • • • • • • • • • •	PERF	*PRFD	*RESID	*SRESID	<b>*SPRESID</b>	*LEVER
-	•	•	664	698,3457	-34.3457	2836	2831	00.
Q	•		104	2.407	1.5922	.0131	.0131	**00*
m	•	•	775	730.8428	44.1572	.3636	•3630	.0000
•	•	•	630	÷	-84.5943	6971	1969	.0016
S	*.	•	336	8.345	-362.3457	-2.9922	-3.0406	.0057
•	•	•	341	745.0603	-404.0603	-3.3284	-3.3971	.0007
•	•		746	61.	-15.3088	1263	1261	.0040
•	•	**	831	81.	9.380	.4090	.4083	.0116
•	•	*	939	749	4.250	1.7645	771	.0003
10	•	*	832	708.5011	123.4989	1.0184	1.0185	.0028
11	•	•	797		4	0969•	.6953	.0019
12	•	•	0	•	•	•	•	.0123
13	•	•	685	90	-21.4700	1771	1767	.00
-	•	•	Φ	45.060	5.060	53	N	.0007
~	•	•	915	67.402	7.598	8	1.2201	.0058
<u>°</u>	•	•	410	26.780	780	-2.6087	-2.6393	.0002
-	•	•	717	765,3710	-48.3710	3993	3987	•••
<u>c</u>	•	•	750	696.3146	53.6854	.4435	.4428	₹900
19	•	**	818	781.6195	.380	.3013	• 3008	.0116
20	•		913	65.	7.629	1.2188	1.2200	.0052
21	•	•	672	734.9049	-62.9049	5180	5172	• • • •
22	•	*	753	5	-2.2156	0183	0182	.0025
23	•	* .	849	726.7807	122.2193	1.0065	1.0065	00.
5	•	•	799	787.7127	287	•0936	.0934	.01
25	•	*	713	682.0972	30.4028	.2561	•2556	.0123
<b>5 6</b>	•	*	743	747.0914	ç	0337	0336	.0010
27	•		936	63	123.436R	1.0174	1.0175	.001
28	•	*	971	724.7496	146.2504	1.2045	1.2055	.0003
50	•	•	670	696.3146	-26.3146	2174	2170	.0064
30	•	*	066	726.7807	263,2193	2.1676	2.1837	.0002
31	•	*	816	Ň	56.7222	.4679	.4672	.0034
32	•	•	830	767.4020	62,5980	.5170	.5162	.0058
E)	•	•	689	771.4642	-82.4642	6815	6808	.0073
34	•	•	766	720.6875	45,3125	.3733	.3726	.0007
35	•	•	567	67.4	-100.4020	8292	8287	.0058
36	•	•	898	757.2467	140,7533	1.1607	1.1615	.0029
37	•	•	813	732,8739	80.1261	.6598	.6591	0000
38	•	•	410	704.4389	-294,4389	-2.4292	-2.4532	.0038
39	•	•	565	698.3457	-133,3457	-1.1012	-1.1016	.0057
04		4	4					
	•	•	924	759.2778	164.7222	1.3587	1.3610	•003

0.0

-3.0

CASEWISE PLOT OF STANDARDIZED RESIDUAL

		0.0	•	į	- 1						
CASE #	0:		0:	PERF	#	*PES1	S	2	ָ ע	T I	#COUK D
7	•	<b>:</b>	•	658	90	8.470	ç	-,3991	.0033	.639	•0000
42	•	•	•	825	€	41.3494	.3427	.3421	.0125	3.1834	.0010
43	•	*.	•	800	0	•	.4859	.4852	.0003	.0851	•000
;	•	•	•	645	18.656	•	60	909	6000.	.2400	6000
54	•	:	•	720	79.58	9.5	4933	492	.0106	2.6964	.0018
94	•	*	•	777	5.681	8	072	071	.0136	.442	0000
47	•	*.	•	750	24.74	5.2	.2080	.2076	.0003	.0766	.0001
<b>6</b>	•	*	•	720	9	m	.1116	1.1	.0033	.8397	0000
64	•	*.	•	728	688.1904	9.8	.3294	.3288	\$600.	2.4210	.0007
20	•	*	•	827	90	8.498	.9771	.9771	.0028	.7145	.0032
51	•	•	•	852	67.	4	.6987	97	.0058	1.4778	.0024
52	•	•	•	654	747.0914	3.091	~	7663	.0010	.2550	.0015
53	•	*	•	822	740.9982	ç	.6671	.6664	.0003	.0851	.0010
54	•	•	•	199	₽	2.0	6756	6749	.0005	.1317	.0010
55	•	*.	•	750	722,7185	27.2815	.2247	.2243	.0005	.1210	.0001
	•	*.	•	734	6.470	7.5	.2271	26	.0033	.8397	.0002
57	•	•	•	778	•	1.3	S	0.5	.0012	.3147	.0007
80 Vr.	•		•	657	700.3768	-43,3768	3581	-,3575	•0020	1.2759	•0000
<b>I</b> O	•	•	•	821	716.6253	64.3	.8600	.8596	.0012	.3147	.0019
09 <b>5</b>	•	*	٠	708	3.6	ö	0	0876	6000	2	0000
; 1	•	•	•	682	m	-61,0292	5027	5019	.0005	.1317	• 0000
62	•	*	•	851	4.9	44.5	1.1921	-	m	.8397	.0052
63	•	•	•	_	6.314	118,6854	.9804	.9804	.0064	1.6172	• 0020
<b>*</b> 9	•	•	•	799	26	O	9	.5940	.0002	2	.0007
6.5	*	•	•	O	84.128	5.1	-1.5332	.537	.0114	2.8835	.0182
99	•	•	•	680	82.09	2,0	U174	0173	.0123	.12	0000
67	•	*	•	857	18.6	8.3	1.1397	1.1404	6000.	.2400	• 0032
6.8	•	•	•	æ	34.904	0.0	.7419	.7412	0000	00.	.0011
	*	•	•	348	83.650	÷	-3.6101	-3.6995	.0125	. 18	.1090
	•	*.	•	r	00.376	5.6	.2941	.2935	.0050	1.2759	<b>*000</b> *
7.1	•	*	•	0	22.718	-15,7185	1295	1292	• 0005	_	• 0000
	•	•	•	659	53,184	94.1	•776	7757	.0020	.5158	.0018
7.3	*	•	•		00•3		-2.1082	-2,1228	• 0050	1.2759	.0201
7.4	•	•	•	0	69.433	63.4	ຮຸ	5233	.0065	• 65	•0014
7.5	•	•	•		82.097	8,9	2.0624	2.0758	2	3.1299	.0351
76	•	•	•	_	40.99	8.0	.6424	.6417	.0003	.0851	6000
7.7	•	•	•	0	06.470	.530	.6807	.6800	.0033	.8397	.0017
7.9	•	*	•		49.122	. 8	015	.0154	.0013	31	0000
70	•	•	•	0	3,339	231,6601	1.9119	N	.0045	1.1525	.0156
80	•	*.	•		65.371	0.629	0	20	•0052	C	.0001
81	•	•	•	S	65.371	.371	9	1267	IC:	1.3101	.0001
85	•	•	•	0	65,371	.371	5232	5224	S	1,3101	.0013
83	•	•	•	æ	00	80	S)	-	05		N
€	*	•	•	^	696.3146	-319,3146	-2.6378	-2.6696	•0064	1.6172	.0362
CASE #	0:	•••••••	0:::		*PRED	*RFSID	*SRESID	<b>*SDRESID</b>	*LEVER	*MAHAL	#C00K 0
	-3.0	0.0	3.0								

CASEWISE PLOT OF STANDARDIZED RESIDUAL

755 775 775 775 775 775 775 775 775 775	CASE			0:	PERF	#PRED	#RESID	#SRESTO	#SDRESTD	*LEVER	*WAHAL	#C00K
### 19	Œ	) } }				8.4.4	A 4 4 0 6	649	1.567	E 100		4000
10		•	•	•								
### 1971   1.00		•	•	•		7 0 0 0	00100	0 10	9 0	000		•
88         7.5		•	*	•		160.		3	4	0100	e i	000
1,000   1,00		•	*	•		2.060	9.939	4	9	.0001	. 188	000.
90         784 1284 133.8776         1,2595         .0003         .13318           92         8         724 753.3399         20,6601         .1702         .0004         .13318           93         8         7         724,7405         12,2673         .7561         .0004         .1352           94         8         7         724,7405         12,2673         .7561         .0004         .1552           95         8         7         724,7405         12,2673         .7561         .0004         .1995           96         8         7         722,873         90,057         .7562         .0004         .1995           96         8         7         724,7405         17,470         .9918         .7762         .0004         .1995           100         8         7         74,406         -17,470         .9918         .7462         .0004         .1995           100         8         1         7,406         97,095         .7426         .0004         .1995           100         8         1         7,406         97,095         .7426         .0004         .1995           100         8         1         1,406         1		•	•	•	725	5.526	50.526	• 417	-417	• 0080	.249	.0011
91         ***         \$25,3710         \$55,2710         \$55,2710         \$55,2710         \$55,2710         \$55,2710         \$55,2710         \$55,2710         \$55,2710         \$55,2710         \$55,2710         \$55,2710         \$55,2710         \$55,2710         \$55,2710         \$55,2710         \$55,2710         \$55,2710         \$55,57		•	•	•	903	9.122	53.877	.267	. 269	.0013	.331	00
9.2         **         784         784,7379         20.46601         -1705         -1702         -00045         -1752           9.3         **         0         772,6739         20.46601         -2756         -0000         -0000           9.3         **         0         774,5943         -11.5943         -2829         -0016         -3995           9.5         **         0         772,672         11.5943         -2829         -0016         -3995           9.5         **         0         772,672         11.5943         -2829         -0016         -3995           9.5         **         0         772,672         11.7947         -0000         -0001         -0001           9.5         **         0         0         772,777         -7816 <td></td> <td>•</td> <td>*.</td> <td>•</td> <td>921</td> <td>5.371</td> <td>5.629</td> <td>59</td> <td>458</td> <td>.0052</td> <td>.310</td> <td>.0010</td>		•	*.	•	921	5.371	5.629	59	458	.0052	.310	.0010
93		•	*.	•	784	3,339	20.460	20	170	.0045	. 152	.000
94		•	*	•	837	4.7	12.250	924	924	.0003	076	.001
95		•	•	•	0	2.8	•	•	•	0000	000	•
96		•	•	•	Ò	6.5	9.405	73	736	•0016	399	.001
99		•	:	•	•	6.5	31.594	• 26	.259	.0016	399	000
98		•	•	•	•	2.8	07.126	88	8	0000	000	.001
100     678   708-5011   -30-515     100     100   .   100	86	•	•	•	Ň	2.8	. 12	76	99	0000•	1000	.001
100   1,00   1		•		•	678	8.5	30.50	. 25	4	•0028	.7145	000
10   1	100	•	*	•	761	3.0	7.970	•	.1477	•0005	.1317	.0000
10.2	101	•	•	•	837	6.6	20	66	.9918	•0012	.3147	.002
103	102	•	*	•	m	6.4	97.0951	•	.7990	0000•	-0062	.001
10.6   * * * * * * * * * * * * * * * * * *	103	•	•	٠	~	2.8	0	.7421	.7415	0000•	.0001	.0011
105   105   105   105   105   105   105   105   10557   1055	104	•	•	•	683	4.7	7		•	•0003	.0766	.000
100   100	105	•	*	•	4	9.43	2	٠,	•	• 0065	•	• 000
100	106	•	*.	•	0	769.4331	~	80	.1861	• 0065	.655	000
109		•	*	•	768	781.6195	F7	. 1.	~	.0116	2.9348	000
110   100		*	•	•	437	708.5011	271	2.23	2.2	.0028	.7145	.0170
111   111		•	•	•	734	751,1535	1	•	<b>÷</b> :	.0016	.4188	.0001
111   111			•	•	702	712,5632	•	•	.08	.0019	4044	000
112	111	•	*.	•	774	732,8739	2	338	338	0000•	•	000
113	112	•	*	•	181	684.1282	0	852	851	0	.883	.005
114	113	•	*.	•	800	757.2467	2.753	352	352	•0029	.7402	000
115	114	•	*.	•	793	771.4642	1,535	178	177	.0073	.843	*0005
116	115	•	•	•	9	751.1535	7.846	147	146	•0016	418	.0001
117       *       740       730.8428       9.1572       .0754       .0753       .0000       .0040         118       *       *       .053       745.0603       -213.0603       -1.7624       .0007       .1883         119       *       *       .053       745.0603       -213.0603       -1.7624       .0007       .1883         120       *       *       .000       .0057       1.4415	116	•	•	•		747.0914				.0010	253	•
118       *       *       532       745.0603       -213.0603       -1.7551       -1.7624       .0007       .1883         119       *       *       433       698.3457       -265.3457       -2.1912       -2.2079       .0057       1.4415         120       *       *       962       781.6195       180.3805       1.4940       1.4977       .0116       2.9348         121       *       *       764       704.4389       43.5611       .3594       .3588       .0038       .9750         122       *       *       783       753.1846       -23.1876      1911      1907       .0020       .5158         124       *       *       783       753.1846       -29.8154       .2458       .0020       .5158         125       *       *       703.766       7.6532       .0629       .0629       .0050       .12759         126       *       *       703.766       734.9051       .6619       .6011       .0000       .0062         127       *       *       735       702.4078       32.5922       .2.9051       -2.9490       .0005       .1220         128       *       * <td< td=""><td>117</td><td>•</td><td>*</td><td>•</td><td>740</td><td>730.8428</td><td>9.157</td><td>075</td><td>75</td><td>0000</td><td>.0040</td><td>000</td></td<>	117	•	*	•	740	730.8428	9.157	075	75	0000	.0040	000
119 . *	118	•	•	•	532	4	213.060	1.7	1.7	.0007	.1883	.007
120	119	*	•	•	m	9	265.345	2.1	2.5	.0057	. 441	.023
121		•		•	ø	2	80,380	•	•	.0116	.934	.0175
122		•	*.	•	748	2	3.5	m	358	.0038	975	000
123 . ** . 730 753.184623.184619111907 .0020 .5158		•	*.	•	783	30	2.1	4	4	0000	004	000
124		•	•	•	M.	53.1	23.1	-	-	•0050	515	.0001
125 . * * 708 700.3768 7.6232 .0629 .0628 .0050 1.2759 126 . * * 808 734.9049 73.0951 .6019 .6011 .0000 .0062 127 . * 735 702.4078 32.5922 .2690 .2685 .0044 1.1204 128 .* . 370 722.7185 -352.7185 -2.9490 .0005 .1210		•	*.	•	8	53.1	9. H15	245	N	.0020	515	*000
126		•	*	•	0	00.376	7.623	062	062	• 0050	.275	• 0000
127		•	*	•	0	34.904	3.095	601	601	0000	• 0062	.0007
128 .* . 370 722.7185 -352.7185 -2.9051 -2.9490 .0005 .1210 . SE # 0: PERF *PRE0 *RESID *SRESID *LEVER *MAHAL *CO		•	*.	•	~	02.407	35.592	269	268	00	.120	000
SE # 0: **************************	12	*.	•	•	~	22.718	352.718	2.905	5.949	000	.1210	.018
	LL.				0	0				1	1	20004

CASEWISE PLOT OF STANDARDIZED RESIDUAL

13.5	CASE	0 : 0		0:	PERF	#PRED	*RESID	#SRESID	*SDRESID	*LEVER	*MAHAL	*CDOK D
13	12		•	•		091				.0010	253	
131   131   131   132   102   102   104   105   104			•	•	728	•	11.433	.342	.341	.0065	.655	9000
13.2   13.2		•	•	•	854	~	32.846	847	847	8	418	.0020
133   134		•	•	•	0	9		•	•	5	.382	•
134		•		•	851	0	076.70	Œ	888	8	_	.0018
135		•	*	•	734	0	.967	0	.040	8	-	• 0000
136     618   733,1292   45,0292   -4600		•	•	•	151	0	7.9708	_	065	8	_	.0000
137		•	:	•	Ø,	9	5	4	.469	• 0005	.1317	• 0005
139		•	*.	•	813	m	σ	•	.4092	8	.152	900
130   1.781   1.781   1.781   1.781   1.010   2.6904   1.481   1.481   1.481   1.010   2.6004   1.481   1.481   1.481   1.010   2.6004   1.481   1.4		•	:	•	•	^	2		.334	8	.1210	.0002
140      701   757,247		•	•	•	995	ď	5		.791	5	.696	.023
141				•	101	N	56	4	.463	•0059	9	.0007
142	141	•	•	•	770	•	-	47	.5571	*****	.120	_
143	142	•	•	•	817	¢	·	~	.7928	.0007	75	.0015
144	143	•	•	•	N	8.6	6	•	.771	6000	240	.0015
145     140.4679   1.1580   1.1586   .0002   .00040   .0004	144	•	•	•	847	4	32	•	•	.0016	399	.0033
146     761   730.8842   30.1572   .2483   .2479   .0000   .00040	145	•	•	•	10	•	40.467	1.1580	•	•0024	599	.0042
147   148	146	•	*•	•	191	ċ	0.157	.2483	.2479	.0000	.0040	.0001
148   1	-	•	•	•	831	Š	5.629	541	.5411	.0052	•	.0013
149   149   149   146,095   146,095   1,2030   1,2041   0,0000   0,0062   1,105   1,	-	•	*	•	754	61.308	7.308	.060	•	.0040	•	0000
151	-	•		•	8	906	46.095	.203	.204	0000	• 0062	
151	1.5	•	•	•	Õ	745.0603	279.060	2.298	2.318	.0007	.1883	
152   154   1544   1544   1544   16071   18030   1543   1544   16071   16030   1543   1544   16071   16030   1543   1544   16071   16073   1544   16071   16073   1544   16071   16073   155   1545   15474   16074   1575   15474   16074   1575   15474   16074   1575   15474   16074   1575   15474   16074   1575   15474   16074   1575   15474   16074   1575   15474   16074   1575   15474   16074   1575   15474   16074   1575   15474   16074   1575   15474   16074   1575   15474   16074   1575   15474   16074   1575   15474   16074   1575   15474   15474   1		•	•	•	0	704.4389	•		•	.0038	967	•
153		•	*	•	-	94.	8.716	5	4	.0071	•	.0001
154		•	•	•	г	94.	716	319	319	.0071	•	•0000
155		•	•	•	8	61.308	72.308	. 596	. 595	0040	•	♦100.
156   156   157   156   157			•	•	~	47.0	77.091	•	.634	0100.	. 255	.0010
157		•	•	•	0	67.4	0.598	.3353	334	.0058	.477	• 0000
158		•	*	•	3	30.8	4.157	.0342	.034	0000	00	000
159		*	•	•	ø	18.6	252.656	'n	2.095	6000.	240	010
160	159	•		•	ō	81.6	16.380	• 9639	963	.0116	2.9348	004
161 . *	160	•	•	•	814	43.0	70.970	.5846	.583	.0005	.1317	•000
162 . *	161	•	•	•	SC.	57.2	203.246	1.676	1.682	• 0050	.7402	600
163 . * * . 639 716.6253 122.3747 1.0083 1.0083 .0012 .3147	162	*	•	•	0	14.5	209	1.727	1.734	.0016	.3995	008
164 . *	163	•	*	•	F7	16.6	2	.008	• 008	.0012	.3147	005
165 .	164	*	•	•	O	92.2	305	2.49	2.525	• 0079	1.9989	.0372
166	165	•	*	•	0	08.5	=	7	1276	.0028	.7145	000
167 . *	166	•	*	•	'n	16.6	Е	-	.132	.0012	.3147	.0033
168	167	•	•	•	'n	20.6	67.687	ŝ	.556	.0007	.1755	.0007
169 .	168	•	•	•	9	61.3	7.308	8029	.802	.0040	1.0049	.0026
170 .	169	•	*	•	~	67.7	2.712	1055	.105	.0146	3.7107	000
171 . * 676 751.1535 -751.53561946186 .0016 .4188 . 172* . 845 785.6817 59.3183 .4918 .4911 .0136 3.4420 . ASE # D:	170	•	•	•	4	34.9	3.095	.1078	•1076	00000	• 0062	000
172* .* .* 845 785.6817 59.3183 .4918 .4911 .0136 3.4420 .00 ASE # D:	171	•	•	•	~	51.1	75,153	•619	.618	.0016	.418	001
ASE # D:		•	*,	٠	4	85.6	9.318	491	491	5	.442	0
	ASE				Œ	۵	PFST	SPEST	Shores	17 L	4 7 4 70	2000

CASEWISE PLOT OF STANDARDIZED RESIDUAL

	0.0	•			- 1				:	2000
	•••••		PERT	* 2 2 4	#NFS1	w	RESI	#LEVEK	4 T 4 T	*COOK D
73	•	•	622	3.972	.972	3	•	•	4.2165	.0020
. 42	*•	•	765	22,718	å	.3482	.3476	.0005	_	.0003
. 62	•	•	790	16.625	.374	409	.6038	.0012	4	6000
. 41	•	•	840	32.A73	7.12	882	•	8	1000	.0015
	*	•	757	65,371	8.371	690	0	m	1.3101	0000
. 82	•	•	793	34.904	8.095	478	47	8	• 006	.0005
	•	•	849	62	2.374	060	1.0011	_	.3147	.0031
	*	•	0	87.712	0.2A7	.0853	.085	.0146	710	.0001
	•	•	0	24.749	0.749	170	170	000	.076	1000
	*	•	729	30.842	1.842	.015	015	0000	400	0000
	*	•	621	92,25	1.252	.589	588	.0079	966	.0021
84	*	•	969	06.470	.470	စ	980	.0033	939	0000
9.5	*	•	698	90	8.470	690	0697	.0033	839	0000
. 96	*	•	757	3.650	6.65	N	2	.0125	3,1834	+0000
	•	•	869	0.687	312	C	1.2229	.0007	.1755	.0035
98	•	•	724	3.029	02	7	156	• 0005	.1317	1000.
	*.	•	784	3.339	0.460	•	70	004	1,1525	.0001
• 06	*	•	831	2.563	•	.9762	•	.0019	. 4944	.0028
• 16	•	•	969	7.246	-	S	5043	•0059	.7402	6000
42	•	•	099	•	0	667	999	.0003	085	.0010
• 66	•	•	521	4.904	13.904		768	0000	.0062	.0061
• • • • •	•	•	827	5,371	-	ທ	.5081	.0052	0	.0012
. 56	*.	•	743	0.376	42.6232	.3519	.3513	10	.275	•0000
. 96	•	•	197	686.1593	•	.9175	.9172	.0104	2.6472	.0061
. 16	*	•	625	6.470	-81.4700	6720	6712	.0033	.8397	.0016
. 86	*	•	746	.998	•	.0412	.0411	0	.0851	0000
• 66	*	•	735	A.656	6.343	.1346	.1344	6000•	.2400	0000
• 00	*	•	829	8,345	130.6543	1.0789	1.0793	.0057	1.4415	•0056
	•	•	808	702.4078	102,5922	.8467	.8462	*00*	1.1204	.0030
202	•	•	196	4.594	81.4057	.6709	.6701	.0016	3666	.0012
. 60	:	•	717	.277	42.277	3487	3481	.0034	.8675	•000•
• • • • •	•	•	821	ς. Υ.	0	.8938	<b>8934</b>	6700.	.4944	.0024
. 50	*	•	822	3.967	83.0329	.6838	.6831	-0005	Ø	.0010
. 40	*.	•	802	5.371	.629	.3024	.3019	*0052	1,3101	<b>*000</b>
	•	•	559	2.563	-153.5632	-1.2657	-1.2673	.0019	.4944	.0047
. 90	*	•	797	1.619	5.380	.1274	.1271	.0116	<b>934</b>	.0001
• 60	•	•	631	2.252	-61.2525	5064	5056	•0019	1.9989	.0015
10 *	•	•	309	2.407	.407	-3.2467	-3.3099	*00*	120	.0443
11		•	612	43.029		.079	49	0	.1317	•0026
12 .	•	•	748	80.066	7,933	.5632	.5624	.0133	3.3864	.0028
213	•	•	0	16.52	•	•	•	.0012	_	•
14	*•	•	721	22	28.7475	37	37	.0079	1.9989	.0003
215	•	•	750	686.1593	3.840	28	.5277	.0104	2.6472	.0020
16	*.	•	740	00,376	52	32		.0050	.275	.0005
•	•	•		-						
			2		-		CLULUCU #	# FV#D	*MAHA!	#COOK D

CASEWISE PLOT OF STANDARDIZED RESIDUAL

M: MISSING

\*: SELECTED

1	0.	2.			900			400000	A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	*****	20004
CASE #	0	• • • • • • • • •		T X	1 ·	Ľ	# SKESIO	*SOMES ID	* C * C * C * C * C * C * C * C * C * C	< '	
217	•	•	•	0	. 128				.0111	.840	•
218	•	•	•	<b>9</b> 14	3.495	40.5048	.3349	6.3343	.0080	_	.0007
219	•	*	•	744	5.06	-1.0603	9	80	1000	.1883	0000
220	•	*	•	834	694,2836	139.7164	.154	1.1554	.0071	1.8030	<b>*</b> 00.
221	*	•	•	595	9.743	4	16	-1.6216	.0157	3.9896	.0262
C	•	*	•	911	79.58	31.4:15	260	•2596	.0106	2.6964	• 0005
N	•	*	•	761	34.904	26.0951	.2149	.2145	0000	.0062	.0001
224	•	*.	•	806	3.339	42.5601	.3521	51	.0045	1.1525	• 0005
225	*	•	•	697	743.0292	-46.0292	379	3785	• 0005	.1317	• 0003
N	•	*	•	194	83.6	10.3494	85	•0856	.0125	3.1834	.0001
227	•	*.	•	771	739.9671	32.0329	.2638	.2633	• 0002	.0487	.0001
228	•	*.	•	741	5.3	4.6	.3691	.36A5	•000•	1.6172	.0007
229	•	*.	•	729	.376	28.6232	.2363	.2359	.0050	1.2759	.0003
230	•	*	•	764	3.184	10.8154	.0891	0680.	.0020	.5158	0000
231	•	*	•	860	7.246	102,7533	.8474	.8469	• 0059	.7402	.0025
232	*	•	•	548	698,3457	-150,3457	-1.2416	-1.2429	.0057	1.4415	.0075
m	•	*	•	966	.345	167,6543	1.3845	1.3870	.0057	1.4415	.0093
234	•	*	•	882	5.526	106,4737	.8807	.8803	•0089	2.2498	.0050
235	•	•	•	200	759.2778	-59,2778	•	48B2	•0034	.8675	•000
236	*	•	•	602	•	-132,9049	0	-1.094R	0000	.0062	♦005
3	•	*	•	795	·	98.6854	.8152	.8147	₹900	1.6172	.0035
238	•	•	•	824	743.0292	80.4108	6999*	.6662	• 0005	.1317	.0010
239	•	*	•	774	เก	-11.6817	6960*-	0967	.0136	3.4420	.0001
240	•	*.	•	198	P	4	•3694	.3688	.0020	.5158	.000
241	*		•	406	4.749	•	-2.6251	-2.6563	.0003	.0766	.0146
•	•	•	•	778	3.6	59,3436	.4889	.4882	6000	.2400	•0000
243	•	•	•	190	8.967	Ξ.	.4203	19	• 0005	.0487	<b>*</b> 000 <b>*</b>
ě	•	*	•	810	4.7	.250	.7021	.7014	.0003	•	.0010
245	•	*	•	694	8.190	S. 38	.0481	.0480	• 0095	2.4210	.0000
246	•	*	•	681	98.3	-17.3457	1432	1430	.0057	1.4415	.000
247	•	•	•	432	0.842	æ	4	-2.4859	0000	.0040	.0120
248	•	•	•	653	94.283	41.283	3412	3406	.0071	1.8030	9000
249	•	•	•	715	39	-48.3399	3990	3983	.0045	1.1525	.0007
250	•	•	•	745	14.594	30.405	.2506		.0016	. 3995	.0002
251	•	•	•	361	R1.619	-420.6195	-3.4838	-3.5635	.0116	2.9348	.0954
252	•	*.	•	734	94.2	39.7164	• 3282	.3276	1700.	1.8030	•000
253	•	•	•	0	98.3	•	•	•	• 0056	1.4278	•
254	•	*	•	719	4.40	14.5611	.1201	.1199	.003R	.9750	.0001
255	*	•	•	206	726.7807	-220,7807	-1.8182	-1.8265	-0005	.0423	.0068
	*	•	•	581	22.7	7	-1.1672	-1.1681	.0005	.1210	.0030
257	•	*	•	910	08.5	101.4989	m	.8365	•0028	.7145	•005♦
258	•	•	•	782	26.7	55.2193	.4547	.4540	-0002	.0423	♦000•
Š	•	*.	•	799	4	25,5048	2	.2105	.0080	40	.0003
ø	•	•	•	737	06.4	О	S	.2513	.0033	.8397	• 0005
				-	- (						
				٥	CH20#			C L V L Q C V #	#1 FVFD	-41424	¥CCU#

CASEWISE PLOT OF STANDARDIZED RESIDUAL

\*: SELECTED M: MISSING

	-3.0	0.0	C •								
CASE #	0:	0:	c: · · ·	PERF	*PRED	#RESID	*SRESID	*SDRESIO	*LEVER	*MAHAL	*C00K 0
261	•	*	•	619	694,2836	-15.2836	1263	1261	1200.	1.8030	.0001
262	•	•	•	793	704.4389	88.5611	.7307	.7300	.0038	.9750	.0021
263	•	•	•	654	722,7185	-68.7185	5660	-,5652	-0005	.1210	.0007
264	•	•	•	837	743.0292	93.970A	.7740	.7734	.0005	.1317	.0013
265	•	•	•	c	749.1224	•	•	•	.0013	1022	•
CASE #	0:	0: • • • • • • • • • • • • • • • • • • •	0: • • •	PERF	*PRED	*RESIO	*SRESID	*SDRES10	*LEVER	*MAHAL	*C00K D
	0.5-	0.0	3.0								

## RESIDUALS STATISTICS:

	2 2	HAX	MEAN	STD DEV	z
PRED	673.9729	789.7438	732.6588	28.5797	255
ZPRED	-2.0534	1.0974	.0000	1.0000	255
SEPRED	7.6201	17.4313	10	2,5361	255
MADJPRED	675.0618	793.6429 7		28.6304	255
*RESID	-435,6506	263,2193		-	255
ZRESID	-3.5803	2.1632	.0000	.9980	255
SRESIO	-3.6101	2.1676	٠		255
*DRESID	-442,9389	264.2998		122.4423	255
SDRESID	-3.6995	2.1837	0026	1.0104	255
HAHAL	1000.	4.2165	1966.	1.0033	255
1C00K 0	0000	.1090	.0041	.0112	255
LEVER	0000	.0166	•0039	.0039	255


UURBIN-WATSON TEST # 1.90693


265

TOTAL CASES =

RESID												
STANDARDIZED	*ZRES10	-3.58028	-3.45576	-3.32067	-3.23312	-2.97785	.8987	-2.62421	-2.61956	-2.6033R	-2.48399	
OUTLIERS -	CASE #	69	251	•	210	sr.	128	*	241	16	164	

```
. : * NORMAL CURVE)
                                                                                                               ****
                                                                                                                        *****
                                                                                                                    ******
                                                                                                                                  ******
HISTOGRAM - STANDARDIZED RESTOUAL
                                                                                                           .50 ***********
                                                                                                                             ***********
     (* * 1 CASES.
                                                                                             .88 ******
                                                                                                 -- 39 ******* 60.--
                                                                                                                                               -.50 ********
                                                                                                                                                     1.00 *******
                                                                               1.25 eeeee:*
1.13 eeeee:*
                                                                                                                                       -.25 ######
                                                                                                                                                                        -1-13 ***
                                                  2.00 *.
1.88 *.
1.75 **.
                                                                 1.63 . . 1.38 **
                                                                                                                                                                                               -1.75 **:
                                                                                                                                                                                                                               -2.63 ***
                                                                                                                                                                                          -1.63 **.
                                                                                                                                                                                                   -1.88 *.
                       * 88 *
                                                                                                                                                                                                                                        -2.88 *
                                               2.13 :
                                                                                                                     • 25
                                                                                                                         .13
                                                                                                                                  -.13
                                                                                                                                                                            -1.25
-1.38
                                                                                                                                                                                                            -2.13
                                                                                                                                                                                                                           -2.50
                                                                                                                                                                                                                      -2.38
                                                                                                                                                                   -1.00
                                                                                                                                                                                      -1.50
                                                                                                                                                                                                        -2.00
                                                                                                                                                                                                                 -2.25
                                                                                                                                                                                                                                    -2.75
                                                                                                                                                                                                                                             -3.00
              3.00
     EX 6000
                                                                                                                                                                      6.75
                                                                                                                                                                                          3.40
                                                                                                                                                                                                   2.20
                                                                                                                                                                                                            1.33
                                          1.01
1.33
1.72
2.20
2.75
                                                                 3.40
4.13
                                                                               5.82
                                                                                   6.75
                                                                                             8.67
9.60
10.46
                                                                                                               11.85
                                                                                                                         12.61
                                                                                                                                  12.61
                                                                                                                                           11.85
                                                                                                                                                11.22
                                                                                                                                                     10.46
                                                                                                                                                             8.67
                                                                                                                                                                  7.71
                                                                                                                                                                            5.85
                                                                                                                                                                                4.94
                                                                                                                                                                                              2.75
                                                                                                                                                                                                                                   .29
.20
.14
                                                                                                                                                                                                        1.72
                                                                                                           11.22
                                                                                                                                       12.32
                                                                                                                                                                       19
                                                                                                                                           258
```





## REFERENCES

- AFR 160-43, Medical Examination and Medical Standards. 1984.
- AFROTCR 45-13, Weighted Professional Officer Course Selection System (WPSS). Maxwell AFB, Ala.: 1987.
- Air Training Command, Syllabus of Instruction for Light Aircraft Training for ROTC. Randolph AFB, Tex.: 1987. S-V8A-
- Ambler, R. K., N. E. Lane, and F. E. Peterson. <u>Carefulness</u>
  <u>Peer Ratings as Predictor of Success in Naval Aviation</u>
  <u>Training</u>. <u>Pensacola NAS</u>, Fla.: Naval School of Aviation
  <u>Medicine (NSAM)</u>, Naval Aerospace Institute, 1966.
- Ashman, A., and R. Tefler. "Personality Profiles of Pilots."

  <u>Aviation, Space, and Environmental Medicine</u> 10 (1983):
  940-43.
- Askren, W. B. A Preliminary Evaluation of a Short Psychomotor Test. Pensacola NAS, Fla.: Naval School of Aviation Medicine, 1966. NSAM, 66-5.
- Berry, J. R., S. B. Sells, and D. K. Trites. <u>Psychiatric Screening of Flying Personnel: Research on the Cornell Word Form</u>. Randolph AFB, Tex.: School of Aviation Medicine, 1954. USAF SAM, TR-7.
- Billings, C. E. "Studies of Pilot Performance. III-Validation of Objective Performance Measures for Rotary-Wing Aircraft." <u>Aerospace Medicine</u> 44 (September 1973): 1026-30.
- Bordelon, V. P., and J. E. Kantor. <u>Utilization of Psychomotor Screening for USAF Pilot Candidates: Independent and Integrated Selection Methodologies</u>. Brooks AFB, Tex.: Manpower and Personnel Division, Air Force Human Resources Laboratory, 1986. AFHRL, TR-86-4; AD, A170353.
- Bremond, J. "The Development Potentials and Limits to Psychological Screening of Aviation Personnel." Medecine Aeronautique et Spatiale 21, 3d quarter (September 1982): 146-53.
- Bucky, S. F., and J. Burd. "Need Satisfaction in the Identification of the DOR." <u>Aerospace Medicine</u> 44 (May 1973): 513-15.

- Bucky, S. F., and S. L. Ridley. "California Personality Inventory as a Predictor of Success in the Naval Flight Program." Aerospace Medicine 43 (1972): 971-73.
- Bucky, S. F., and C. D. Spielberger. "State and Trait Anxiety in Voluntary Withdrawal of Student Naval Aviators from Flight Training." <u>Psychological Reports</u> 33 (1973): 351-54.
- Carretta, T. R. <u>Basic Attributes Test (BAT) System: A Preliminary Evaluation</u>. Brooks AFB, Tex.: Manpower and Personnel Division, Air Force Human Resources Laboratory, 1987. AFHRL, TP87-20.
- Contract, Embry-Riddle Aeronautical University and Department of the US Air Force. Light Aircraft Training for ROTC, 1987.
- Demaio, J., H. H. Bell, and J. Brunderman. <u>Pilot Oriented</u>
  <u>Performance Measurement</u>. Williams AFB, Ariz.: Operations
  <u>Training Division</u>, Air Force Human Resources Laboratory,
  1983. AD, P003450.
- Diehl, Grover. AFROTC pilot candidate attrition, talking paper on research, 1986.
- Doll, R. E., et al. "Vocational Interest Differences between Students Completing the Naval Aviation Training Program and Students Voluntarily Withdrawing." In Proceedings of the 80th Annual Meeting, American Psychological Association, 1972.
- Edwards, A. L. <u>Manual for the Edwards Personal Preference</u> Schedule. New York: Psychological Corp., 1959.
- Fleischman, H. L., et al. <u>The Relationship of Five</u>
  Personality Scales to Success in Naval Aviation Training.
  Pensacola NAS, Fla.: Naval Aerospace Medicine Institute,
  1969. TR-968.
- Fulkerson, S. C., S. L. Freud, and G. H. Raynor. "The Use of the MMPI in the Psychological Evaluation of Pilots."

  Journal of Aviation Medicine 29 (1958): 122-29.
- Gerathewohl, S. J. <u>Psychophysiological Effects of Aging:</u>
  <u>Developing a Functional Age Index for Pilots. 2: Taxonomy of Psychological Factors.</u> Washington, D.C.: Federal Aviation Administration, Office of Aviation Medicine, 1978.

  FAA, AM-78-16.

- Goorney, A. B. "MPI and MMPI Scores, Correlations and Analysis for a Military Aircrew Population." British Journal of Social and Clinical Psychology 9 (1970) 164-70.
- Green, L. R. An Exploratory Investigation of the Relationship between Four Personality Measures and Voluntary Resignation from Aviation Training. Pensacola NAS, Fla.: Naval School of Aviation Medicine, 1963.
- Griffin, R. G., and J. A. Hopson. An Evaluation of the Omnibus Personality Inventory in the Prediction of Attrition in Naval Aviation Training. Pensacola NAS, Fla.: Naval Aerospace Medicine Research Laboratory, 1978. NAMRL, TR-1253.
- Griffin, R. G., and J. D. Mosko. <u>Preliminary Evaluation of Two Dichotic Listening Tasks as Predictors of Performance in Naval Aviation Undergraduate Pilot Training</u>. Pensacola NAS, Fla.: Naval Aerospace Medicine Research Laboratory, 1982. AD, A127337, NAMRL, TR-1287.
- Guilford, J. P. <u>Printed Classification Tests: Army Air Forces Aviation Psychology Program</u>. Washington, D.C.: Government Printing Office, 1947. USAAF, research report
- Guinn, N., M. V. Bart, and S. A. Leisey. <u>Background and Interest Measures as Predictors of Success in Undergraduate Pilot Training</u>. Lackland AFB, Tex.: Personnel Research Division, Air Force Human Resources Laboratory, May 1976. AFHRL, TR-76-9.
- Heist, P., and G. Yonge. Omnibus Personality Inventory
  Manual Form F. New York: Psychological Corp., 1969.
- Hulin, C. L., and K. M. Alvares. An Evaluation of Three Possible Explanations of the Temporal Decay in Predicting Pilot Proficiency. Urbana, Ill.: Aviation Research Laboratory, University of Illinois, 1970. AD, 731191; AFHRL, TR-71-5.
- Hunter, D. R., V. A. Maurelli, and N. A. Thompson. <u>Validation of a Psychomotor/Perceptual Test Battery</u>. Brooks AFB, Tex.: Personnel Research Division, Air Force Human Resources Laboratory, 1975. AFHRL, TR-77-28; AD, AO44525.
- Irish, P. A., et al. The Effects of System and Environmental Factors upon Experienced Pilot Performance in the Advanced Simulator for Pilot Training. Brooks AFB, Tex.: Air Force Human Resources Laboratory, 1977. AD, A043195; AFHRL, TR-77-13.

- Jackson, D. N., <u>Personality Research Form Manual</u>. Goshen, N.Y.: Research Psychologist Press, 1974.
- Jessup, G., and H. Jessup. "Validity of the Eysenck Personality Inventory in Pilot Selection." Occupational Psychology 45 (1971): 111-23.
- Joaquin, J. B. The Personality Research Form and Its Utility in Predicting Undergraduate Pilot Training Performance in the Canadian Forces. Willowdale, Ontario: Canadian Forces Personnel Applied Research Unit, 1980. Working paper 80-112.
- Kantor, J. E., and V. P. Bordelon. "The USAF Pilot Selection
  and Classification Research Program." Aviation Space and
  Environmental Medicine 56 (1985): 258-61.
- Knoop, P. A. "Advanced Instructional Provisions and Automated Performance Measurement." <u>Human Factors</u> 15 (1973): 583-97.
- Krahenbuhl, G. S., J. R. Marett, and N. W. King. Stress and Performance in T-37 Pilot Training. Williams AFB, Ariz.: Flying Training Division, Air Force Human Resources Laboratory, May 1977.
- Long, G. E., and N. C. Varney. <u>Automated Pilot Aptitude</u>
  <u>Measurement System</u>. Lackland AFB, Tex.: Personnel Research Division, Air Force Human Resources Laboratory,
  1975. AFHRL, TR-75-55; AD, A018151.
- McDaniel, W. C., et al. <u>Evaluation of the Computer Aided Training Evaluation and Scheduling (CATES) Decision Model for Assessing Flight Task Proficiency</u>. Orlando Naval Training Center, Fla.: Naval Training Analysis and Evaluation Group, 1982. AD, Al21800; TAEG, TR-130.
- McGrevy, D. F., and L. D. Valentine. <u>Validation of Two Aircrew Psychomotor Tests</u>. Lackland AFB, Tex.: Personnel Research Division, Air Force Human Resources Laboratory, 1974. AFHRL, TR-74-4; AD, 777830.
- Melody, T. J., K. M. McNellis, and J. M. Payne.
  "Comparative Evaluation of Predicted Flying Qualities
  Boundaries Using Ground and Airborne Simulators."

  1983 Report to the Aerospace Profession; Proceedings of
  the Twenty-Seventh Symposium, Beverly Hills, Calif., 28
  September-1 October 1983. Lancaster, Calif.: Society of
  Experimental Test Pilots, 1983, 215-41.

- Melton, R. S. "Studies in the Evaluation of the Personality Characteristics of Successful Naval Aviators." Journal of Aviation Medicine 25 (1954): 600-604.
- Miller, R. L. <u>Techniques for the Initial Evaluation of Flight Simulator Effectiveness</u>. Wright-Patterson AFB, Ohio: School of Engineering, Air Force Institute of Technology. AD, 036460; GSM/SM/76D-34.
- Mullins, C. <u>Two Measures of Decisiveness</u>. Lackland AFB, Tex.: Personnel Research Division, Air Force Human Resources Laboratory, 1962. TM-62-5.
- Nataupsky, M., et al. <u>Human Factors Society; Proceedings of the 23d Annual Meeting</u>. Boston, Mass., 29 October-1 November 1979. Santa Monica, Calif.: Human Factors Society, 1979. A80-2402608-53.
- Neuman, T. Cross-Validation of the Defence Mechanism Test by the Criterion of Passing or Failure in Basic Military Flight Training. Wright-Patterson AFB, Ohio: Foreign Technology Division, August 1972. FTD, HC-23-1150-72; AD, 904-138L.
- . Quantification and Validation of Precept-Genetic Defence Mechanism. A Hierarchical Analysis of Behavior of Pilots under Stress. Stockholm, Sweden: Research Institute of National Defence, 1978. FOA-C-55020-H6.
- Peterson, F. E., N. E. Lane, and R. S. Kennedy. The Relationship of the Edwards Personal Schedule to Success in Naval Flight Training. Pensacola NAS, Fla.: Naval Aerospace Medicine Institute, 1965.
- Robertson, D. W. "Prediction of Naval Aviators Career Motivation and Job Satisfaction from the Strong Vocational Interest Blank." <u>Dissertation Abstracts International</u> 35 (1975): 4244.
- Rotter, J. B. "Generalized Expectancies for Internal versus External Control of Reinforcement." <u>Psychological Monographs: General and Applied</u> 80 (1966): 1-28.
- Sells, S. B. "Further Developments on Adaptability Screening of Flying Personnel." Aviation Medicine 26 (1956): 35-45.
- Skinner, H. A., D. N. Jackson, and G. M. Rampton. "The Personality Research in a Canadian Context: Does Language Make a Difference?" Canadian Journal of Behavioral Sciences 8 (1976): 156-68.

- Smith, B. A., B. K. Water, and B. J. Edward. <u>Cognitive</u>

  <u>Pretraining of the T-37 Overhead Traffic Pattern</u>. Brooks

  <u>AFB</u>, Tex.: Air Force Human Resources Laboratory, 1975.

  <u>AD</u>, A026118; AFHRL, TR-75-72.
- Spence, J. T., R. L. Helmreich, and C. K. Holahan. "Negative and Positive Components of Psychological Masculinity and Femininity and Their Relationship to Self-Reports of Neurotic and Acting Out Behaviors. <u>Journal of Personality and Social Psychology</u> (1979): 37, 1673-82.
- Stein, E. S., and B. L. Rosenberg. The Measurement of Pilot Workload. Atlantic City, N.J.: Federal Aviation Administration, 1983. DOT/FAA, EM-81-14; DOT/FAA, CT-82/23.
- Thomas, G. B., and R. W. Clipper. <u>Performance Consistency on A Perceptual-Motor Task as a Correlation of Achievement Motivation</u>. Pensacola NAS, Fla.: Naval Aerospace Medicine Research Laboratory, 1983. AD, Al35933; NAMRL, TR-1299.
- Trites, D. K., and A. L. Kubala, "Characteristics of Successful Pilots." <u>Journal of Aviation Medicine</u> 28 (1957): 34-40.
- Voas, B. B., J. T. Bair, and R. K. Ambler. <u>Validity of Personality Inventories in the Naval Aviation Selection Program</u>. Project NM16 01 11, Subtest 1, Report no. 13, Pensacola NAS, Fla.: Naval School of Aviation Medicine Research Laboratory, May 1956.
- Waag, W. L., R. H. Shannon, and R. K. Ambler. The Use of Confidential Instructor Ratings for the Prediction of Success in Naval Undergraduate Pilot Training. Pensacola NAS, Fla.: Naval Aerospace Medicine Research Laboratory, 1973. AD, 757693; NAMRL, 1175.
- Weider, A., et al. <u>Cornell Index</u>. New York: Psychological Corp., 1945.
- Wichman, H., and J. Ball. "Locus of Control, Self-Serving Biases, and Attitudes toward Safety in General Aviation Pilots." Aviation Space and Environmental Medicine 54 (1983).